List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11142748/publications.pdf Version: 2024-02-01



IOHN O'RDIEN

#	Article	IF	CITATIONS
1	Olfactory impairment in mild cognitive impairment with Lewy bodies and Alzheimer's disease. International Psychogeriatrics, 2022, 34, 585-592.	0.6	10
2	Assessment of autonomic symptoms may assist with earlyÂidentification of mild cognitive impairment with LewyÂbodies. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	6
3	Blood pressure and heart rate responses to orthostatic challenge and Valsalva manoeuvre in mild cognitive impairment with Lewy bodies. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	4
4	A Longitudinal Study of Plasma <scp>pTau181</scp> in Mild Cognitive Impairment with Lewy Bodies and Alzheimer's Disease. Movement Disorders, 2022, 37, 1495-1504.	2.2	11
5	Assistive technology and telecare to maintain independent living at home for people with dementia: the ATTILA RCT. Health Technology Assessment, 2021, 25, 1-156.	1.3	18
6	Accuracy of Cardiac Innervation Scintigraphy for Mild Cognitive Impairment With Lewy Bodies. Neurology, 2021, 96, e2801-e2811.	1.5	25
7	Accuracy of dopaminergic imaging as a biomarker for mild cognitive impairment with Lewy bodies. British Journal of Psychiatry, 2021, 218, 276-282.	1.7	18
8	Study of mirtazapine for agitated behaviours in dementia (SYMBAD): a randomised, double-blind, placebo-controlled trial. Lancet, The, 2021, 398, 1487-1497.	6.3	31
9	Global Burden of Small Vessel Disease–Related Brain Changes on MRI Predicts Cognitive and Functional Decline. Stroke, 2020, 51, 170-178.	1.0	115
10	Minocycline at 2 Different Dosages vs Placebo for Patients With Mild Alzheimer Disease. JAMA Neurology, 2020, 77, 164.	4.5	113
11	Synaptic Loss in Primary Tauopathies Revealed by [<scp>¹¹C</scp>] <scp>UCBâ€J</scp> Positron Emission Tomography. Movement Disorders, 2020, 35, 1834-1842.	2.2	61
12	Tackling challenges in care of Alzheimer's disease and other dementias amid the COVIDâ€19 pandemic, now and in the future. Alzheimer's and Dementia, 2020, 16, 1571-1581.	0.4	122
13	Drug repositioning and repurposing for Alzheimer disease. Nature Reviews Neurology, 2020, 16, 661-673.	4.9	97
14	Research with older people in a world with COVID-19: identification of current and future priorities, challenges and opportunities. Age and Ageing, 2020, 49, 901-906.	0.7	94
15	Competencies and training of radiographers and technologists for PET/MR imaging - a study from the UK MR-PET network. European Journal of Hybrid Imaging, 2020, 4, 1.	0.6	10
16	Assessment of need and practice for assistive technology and telecare for people with dementia—The ATTILA (Assistive Technology and Telecare to maintain Independent Living At home for people with) Tj ETQq0 0	0 rgBT /O\ 1.8	verlock 10 Tf 5
17	Progress toward standardized diagnosis of vascular cognitive impairment: Guidelines from the Vascular Impairment of Cognition Classification Consensus Study. Alzheimer's and Dementia, 2018, 14, 280-292.	0.4	246
18	Predict Disease Progression With Reaction Rate Equation Modeling of Multimodal MRI and PET. Frontiers in Aging Neuroscience, 2018, 10, 306.	1.7	2

#	Article	IF	CITATIONS
19	Dementia: assessment, management and support: summary of updated NICE guidance. BMJ: British Medical Journal, 2018, 361, k2438.	2.4	77
20	Divergent functional connectivity during attentional processing in Lewy body dementia and Alzheimer's disease. Cortex, 2017, 92, 8-18.	1.1	32
21	The Vascular Impairment of Cognition Classification Consensus Study. Alzheimer's and Dementia, 2017, 13, 624-633.	0.4	143
22	Development of assessment toolkits for improving the diagnosis of the Lewy body dementias: feasibility study within the DIAMOND Lewy study. International Journal of Geriatric Psychiatry, 2017, 32, 1280-1304.	1.3	39
23	Structural neuroimaging in preclinical dementia: From microstructural deficits and grey matter atrophy to macroscale connectomic changes. Ageing Research Reviews, 2017, 35, 250-264.	5.0	48
24	The Edinburgh Consensus: preparing for the advent of disease-modifying therapies for Alzheimer's disease. Alzheimer's Research and Therapy, 2017, 9, 85.	3.0	52
25	Support and information needs following a diagnosis of dementia with Lewy bodies. International Psychogeriatrics, 2016, 28, 495-501.	0.6	32
26	METACOHORTS for the study of vascular disease and its contribution to cognitive decline and neurodegeneration: An initiative of the Joint Programme for Neurodegenerative Disease Research. Alzheimer's and Dementia, 2016, 12, 1235-1249.	0.4	82
27	Differential Atrophy of Hippocampal Subfields: A Comparative Study of Dementia with Lewy Bodies and Alzheimer Disease. American Journal of Geriatric Psychiatry, 2016, 24, 136-143.	0.6	55
28	Lessons from a pilot and feasibility randomised trial in depression (Blood pressure Rapid Intensive) Tj ETQq0 0 0) rgBT /Ove 0.5	erlock 10 Tf 50 5
29	Nursing home placement in the Donepezil and Memantine in Moderate to Severe Alzheimer's Disease (DOMINO-AD) trial: secondary and post-hoc analyses. Lancet Neurology, The, 2015, 14, 1171-1181.	4.9	124
30	Diagnostic Criteria for Vascular Cognitive Disorders. Alzheimer Disease and Associated Disorders, 2014, 28, 206-218.	0.6	529
31	Neurological abnormalities predict disability: the LADIS (Leukoaraiosis And DISability) study. Journal of Neurology, 2014, 261, 1160-1169.	1.8	16
32	fMRI resting state networks and their association with cognitive fluctuations in dementia with Lewy bodies. NeuroImage: Clinical, 2014, 4, 558-565.	1.4	93
33	Dynamin1 concentration in the prefrontal cortex is associated with cognitive impairment in Lewy body dementia. F1000Research, 2014, 3, 108.	0.8	15
34	Deterioration of Gait and Balance over Time: The Effects of Age-Related White Matter Change - The LADIS Study. Cerebrovascular Diseases, 2013, 35, 544-553.	0.8	65
35	Confirmatory factor analysis of the Neuropsychological Assessment Battery of the LADIS study: A longitudinal analysis. Journal of Clinical and Experimental Neuropsychology, 2013, 35, 269-278.	0.8	8
36	Cost-effectiveness analyses for mirtazapine and sertraline in dementia: randomised controlled trial. British Journal of Psychiatry, 2013, 202, 121-128.	1.7	43

#	Article	IF	CITATIONS
37	Comparison of cognitive decline between dementia with Lewy bodies and Alzheimer's disease: a cohort study. BMJ Open, 2012, 2, e000380.	0.8	31
38	Neuroimaging of Dementia with Lewy Bodies. Neuroimaging Clinics of North America, 2012, 22, 67-81.	0.5	15
39	Donepezil and Memantine for Moderate-to-Severe Alzheimer's Disease. New England Journal of Medicine, 2012, 366, 893-903.	13.9	626
40	2001–2011: A Decade of the LADIS (Leukoaraiosis And DISability) Study: What Have We Learned about White Matter Changes and Small-Vessel Disease?. Cerebrovascular Diseases, 2011, 32, 577-588.	0.8	258
41	Sertraline or mirtazapine for depression in dementia (HTA-SADD): a randomised, multicentre, double-blind, placebo-controlled trial. Lancet, The, 2011, 378, 403-411.	6.3	444
42	Determining the minimum clinically important differences for outcomes in the DOMINO trial. International Journal of Geriatric Psychiatry, 2011, 26, 812-817.	1.3	126
43	Changes in white matter as determinant of global functional decline in older independent outpatients: three year follow-up of LADIS (leukoaraiosis and disability) study cohort. BMJ: British Medical Journal, 2009, 339, b2477-b2477.	2.4	348
44	Quantitation of brain tissue changes associated with white matter hyperintensities by diffusionâ€weighted and magnetization transfer imaging: The LADIS (leukoaraiosis and disability in the) Tj ETQq	0 0109rgBT	/Osværlock 10
45	DOMINO-AD protocol: donepezil and memantine in moderate to severe Alzheimer's disease – a multicentre RCT. Trials, 2009, 10, 57.	0.7	44
46	MRI-Defined Subcortical Ischemic Vascular Disease: Baseline Clinical and Neuropsychological Findings. Cerebrovascular Diseases, 2009, 27, 336-344.	0.8	78
47	Longitudinal Cognitive Decline in Subcortical Ischemic Vascular Disease – The LADIS Study. Cerebrovascular Diseases, 2009, 27, 384-391.	0.8	167
48	Brief Psychosocial Therapy for the Treatment of Agitation in Alzheimer Disease (The CALM-AD Trial). American Journal of Geriatric Psychiatry, 2009, 17, 726-733.	0.6	73
49	Urinary Complaints in Nondisabled Elderly People with Ageâ€Related White Matter Changes: The Leukoaraiosis And DISability (LADIS) Study. Journal of the American Geriatrics Society, 2008, 56, 1638-1643.	1.3	81
50	Risk of Rapid Global Functional Decline in Elderly Patients With Severe Cerebral Age-Related White Matter Changes. Archives of Internal Medicine, 2007, 167, 81.	4.3	187
51	Differential impact of cerebral white matter changes, diabetes, hypertension and stroke on cognitive performance among non-disabled elderly. The LADIS study. Journal of Neurology, Neurosurgery and Psychiatry, 2007, 78, 1325-1330.	0.9	136
52	Sensitivity and specificity of dopamine transporter imaging with 123I-FP-CIT SPECT in dementia with Lewy bodies: a phase III, multicentre study. Lancet Neurology, The, 2007, 6, 305-313.	4.9	598
53	Research criteria for the diagnosis of Alzheimer's disease: revising the NINCDS–ADRDA criteria. Lancet Neurology, The, 2007, 6, 734-746.	4.9	3,755
54	Leukoaraiosis Predicts Hidden Global Functioning Impairment in Nondisabled Older People: The LADIS (Leukoaraiosis and Disability in the Elderly) Study. Journal of the American Geriatrics Society, 2006, 54, 1095-1101.	1.3	83

#	Article	IF	CITATIONS
55	Development of a Neuropsychological Battery for the Leukoaraiosis and Disability in the Elderly Study (LADIS): Experience and Baseline Data. Neuroepidemiology, 2006, 27, 101-116.	1.1	67
56	Age, Hypertension, and Lacunar Stroke Are the Major Determinants of the Severity of Age-Related White Matter Changes. Cerebrovascular Diseases, 2006, 21, 315-322.	0.8	164
57	Dementia associated with psychiatric disorders. International Psychogeriatrics, 2005, 17, S207-S221.	0.6	20
58	Impact of Age-Related Cerebral White Matter Changes on the Transition to Disability – The LADIS Study: Rationale, Design and Methodology. Neuroepidemiology, 2005, 24, 51-62.	1.1	387
59	White Matter Hyperintensities Are Associated With Impairment of Memory, Attention, and Global Cognitive Performance in Older Stroke Patients. Stroke, 2004, 35, 1270-1275.	1.0	118
60	Dementia with Lewy bodies. Lancet Neurology, The, 2004, 3, 19-28.	4.9	645
61	Systematic Review and Meta-Analysis Show that Dementia with Lewy Bodies Is a Visual-Perceptual and Attentional-Executive Dementia. Dementia and Geriatric Cognitive Disorders, 2003, 16, 229-237.	0.7	206
62	Behavioral Symptoms in Vascular Cognitive Impairment and Vascular Dementia. International Psychogeriatrics, 2003, 15, 133-138.	0.6	30
63	Vascular basis of late-onset depressive disorder. British Journal of Psychiatry, 2002, 180, 157-160.	1.7	158
64	Relevant clinical outcomes in probable vascular dementia and Alzheimer's disease with cerebrovascular disease. Journal of the Neurological Sciences, 2002, 203-204, 41-48.	0.3	7
65	Is late onset depression a prodrome to dementia?. International Journal of Geriatric Psychiatry, 2002, 17, 997-1005.	1.3	132
66	Neuropsychological Deficits in Older Stroke Patients. Annals of the New York Academy of Sciences, 2002, 977, 179-182.	1.8	21
67	Structural Neuroimaging Studies in Late-Life Depression: A Review. World Journal of Biological Psychiatry, 2001, 2, 83-88.	1.3	47
68	Attention and Fluctuating Attention in Patients With Dementia With Lewy Bodies and Alzheimer Disease. Archives of Neurology, 2001, 58, 977.	4.9	167
69	The characterisation and impact of ?fluctuating? cognition in dementia with Lewy bodies and Alzheimer's disease. International Journal of Geriatric Psychiatry, 2001, 16, 494-498.	1.3	49
70	How do memory clinics compare with traditional old age psychiatry services?. International Journal of Geriatric Psychiatry, 2001, 16, 837-845.	1.3	47
71	Guidelines for the management of agitation in dementia. International Journal of Geriatric Psychiatry, 2001, 16, 714-717.	1.3	101
72	Neuroimaging in dementia and depression. Advances in Psychiatric Treatment, 2000, 6, 109-119.	0.6	8

#	Article	IF	CITATIONS
73	The neuropsychology of dementia. The Journal of the British Menopause Society, 2000, 6, 147-153.	1.3	1
74	Neurocardiovascular Instability, Hypotensive Episodes, and MRI Lesions in Neurodegenerative Dementia. Annals of the New York Academy of Sciences, 2000, 903, 442-445.	1.8	69
75	The Association between White Matter Lesions on Magnetic Resonance Imaging and Noncognitive Symptoms. Annals of the New York Academy of Sciences, 2000, 903, 482-489.	1.8	77
76	Dementia with Lewy Bodies. Australian and New Zealand Journal of Psychiatry, 1999, 33, 800-808.	1.3	28
77	Severe deep white matter lesions and outcome in elderly patients with major depressive disorder: follow up study. BMJ: British Medical Journal, 1998, 317, 982-984.	2.4	192
78	Naltrexone as an Adjunctive Treatment for Older Patients With Alcohol Dependence. American Journal of Geriatric Psychiatry, 1997, 5, 324-332.	0.6	127
79	Tolerability of Naltrexone in Treating Older, Alcohol-Dependent Patients. American Journal on Addictions, 1997, 6, 266-270.	1.3	9
80	Does hippocampal atrophy on MRI predict cognitive decline? A prospective follow-up study. International Journal of Geriatric Psychiatry, 1997, 12, 1182-1188.	1.3	18
81	Tolerability of Naltrexone in Treating Older, Alcohol-Dependent Patients. American Journal on Addictions, 1997, 6, 266-270.	1.3	11
82	A Magnetic Resonance Imaging Study of White Matter Lesions in Depression and Alzheimer's Disease. British Journal of Psychiatry, 1996, 168, 477-485.	1.7	215