

# He Tian

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1114366/he-tian-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165  
papers

10,569  
citations

47  
h-index

101  
g-index

194  
ext. papers

12,718  
ext. citations

9  
avg, IF

6.09  
L-index

#	Paper	IF	Citations
165	Perovskite light-emitting diodes based on solution-processed self-organized multiple quantum wells. <i>Nature Photonics</i> , <b>2016</b> , 10, 699-704	33.9	1206
164	Perovskite light-emitting diodes based on spontaneously formed submicrometre-scale structures. <i>Nature</i> , <b>2018</b> , 562, 249-253	50.4	1116
163	Black Phosphorus Mid-Infrared Photodetectors with High Gain. <i>Nano Letters</i> , <b>2016</b> , 16, 4648-55	11.5	476
162	Graphene-Paper Pressure Sensor for Detecting Human Motions. <i>ACS Nano</i> , <b>2017</b> , 11, 8790-8795	16.7	381
161	Epidermis Microstructure Inspired Graphene Pressure Sensor with Random Distributed Spinosum for High Sensitivity and Large Linearity. <i>ACS Nano</i> , <b>2018</b> , 12, 2346-2354	16.7	361
160	A graphene-based resistive pressure sensor with record-high sensitivity in a wide pressure range. <i>Scientific Reports</i> , <b>2015</b> , 5, 8603	4.9	329
159	Efficient blue light-emitting diodes based on quantum-confined bromide perovskite nanostructures. <i>Nature Photonics</i> , <b>2019</b> , 13, 760-764	33.9	313
158	Scalable fabrication of high-performance and flexible graphene strain sensors. <i>Nanoscale</i> , <b>2014</b> , 6, 699-705	7.4	287
157	Flexible, Highly Sensitive, and Wearable Pressure and Strain Sensors with Graphene Porous Network Structure. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 26458-26462	9.5	285
156	An intelligent artificial throat with sound-sensing ability based on laser induced graphene. <i>Nature Communications</i> , <b>2017</b> , 8, 14579	17.4	275
155	Anisotropic Black Phosphorus Synaptic Device for Neuromorphic Applications. <i>Advanced Materials</i> , <b>2016</b> , 28, 4991-7	24	217
154	Extremely Low Operating Current Resistive Memory Based on Exfoliated 2D Perovskite Single Crystals for Neuromorphic Computing. <i>ACS Nano</i> , <b>2017</b> , 11, 12247-12256	16.7	201
153	Efficient electrical control of thin-film black phosphorus bandgap. <i>Nature Communications</i> , <b>2017</b> , 8, 14474	17.4	183
152	Graphene Dynamic Synapse with Modulatable Plasticity. <i>Nano Letters</i> , <b>2015</b> , 15, 8013-9	11.5	180
151	Multilayer Graphene Epidermal Electronic Skin. <i>ACS Nano</i> , <b>2018</b> , 12, 8839-8846	16.7	180
150	Wearable humidity sensor based on porous graphene network for respiration monitoring. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 116, 123-129	11.8	172
149	Graphene-on-paper sound source devices. <i>ACS Nano</i> , <b>2011</b> , 5, 4878-85	16.7	164

148	Large-area, transparent, and flexible infrared photodetector fabricated using P-N junctions formed by N-doping chemical vapor deposition grown graphene. <i>Nano Letters</i> , <b>2014</b> , 14, 3702-8	11.5	163
147	A novel solid-state thermal rectifier based on reduced graphene oxide. <i>Scientific Reports</i> , <b>2012</b> , 2, 523	4.9	137
146	Optoelectronic devices based on two-dimensional transition metal dichalcogenides. <i>Nano Research</i> , <b>2016</b> , 9, 1543-1560	10	136
145	Graphene/semiconductor heterojunction solar cells with modulated antireflection and graphene work function. <i>Energy and Environmental Science</i> , <b>2013</b> , 6, 108-115	35.4	134
144	Novel field-effect Schottky barrier transistors based on graphene-MoS <sub>2</sub> heterojunctions. <i>Scientific Reports</i> , <b>2014</b> , 4, 5951	4.9	115
143	A novel flexible nanogenerator made of ZnO nanoparticles and multiwall carbon nanotube. <i>Nanoscale</i> , <b>2013</b> , 5, 6117-23	7.7	110
142	Monitoring oxygen movement by Raman spectroscopy of resistive random access memory with a graphene-inserted electrode. <i>Nano Letters</i> , <b>2013</b> , 13, 651-7	11.5	106
141	A spectrally tunable all-graphene-based flexible field-effect light-emitting device. <i>Nature Communications</i> , <b>2015</b> , 6, 7767	17.4	97
140	Atomically Thin Femtojoule Memristive Device. <i>Advanced Materials</i> , <b>2017</b> , 29, 1703232	24	95
139	Cost-effective, transfer-free, flexible resistive random access memory using laser-scribed reduced graphene oxide patterning technology. <i>Nano Letters</i> , <b>2014</b> , 14, 3214-9	11.5	93
138	Enhanced photovoltaic properties in graphene/polycrystalline BiFeO <sub>3</sub> /Pt heterojunction structure. <i>Applied Physics Letters</i> , <b>2011</b> , 99, 132904	3.4	91
137	Low-symmetry two-dimensional materials for electronic and photonic applications. <i>Nano Today</i> , <b>2016</b> , 11, 763-777	17.9	85
136	Graphene earphones: entertainment for both humans and animals. <i>ACS Nano</i> , <b>2014</b> , 8, 5883-90	16.7	85
135	Wafer-scale integration of graphene-based electronic, optoelectronic and electroacoustic devices. <i>Scientific Reports</i> , <b>2014</b> , 4, 3598	4.9	84
134	Self-adapted and tunable graphene strain sensors for detecting both subtle and large human motions. <i>Nanoscale</i> , <b>2017</b> , 9, 8266-8273	7.7	76
133	Single-layer graphene sound-emitting devices: experiments and modeling. <i>Nanoscale</i> , <b>2012</b> , 4, 2272-7	7.7	76
132	A self-powered organolead halide perovskite single crystal photodetector driven by a DVD-based triboelectric nanogenerator. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 630-636	7.1	75
131	Emulating Bilingual Synaptic Response Using a Junction-Based Artificial Synaptic Device. <i>ACS Nano</i> , <b>2017</b> , 11, 7156-7163	16.7	75

130	A Dynamically Reconfigurable Ambipolar Black Phosphorus Memory Device. <i>ACS Nano</i> , <b>2016</b> , 10, 10428-10435	7.7	72
129	A miniaturized microbial fuel cell with three-dimensional graphene macroporous scaffold anode demonstrating a record power density of over 10,000 W m <sup>-3</sup> . <i>Nanoscale</i> , <b>2016</b> , 8, 3539-47	7.7	71
128	Flexible electrostatic nanogenerator using graphene oxide film. <i>Nanoscale</i> , <b>2013</b> , 5, 8951-7	7.7	70
127	Efficiency enhancement of graphene/silicon-pillar-array solar cells by HNO <sub>3</sub> and PEDOT-PSS. <i>Nanoscale</i> , <b>2012</b> , 4, 2130-3	7.7	69
126	Graphene based Schottky junction solar cells on patterned silicon-pillar-array substrate. <i>Applied Physics Letters</i> , <b>2011</b> , 99, 233505	3.4	68
125	Flexible graphite-on-paper piezoresistive sensors. <i>Sensors</i> , <b>2012</b> , 12, 6685-94	3.8	68
124	Surface-modified piezoresistive nanocomposite flexible pressure sensors with high sensitivity and wide linearity. <i>Nanoscale</i> , <b>2015</b> , 7, 8636-44	7.7	67
123	An ultrasensitive strain sensor with a wide strain range based on graphene armour scales. <i>Nanoscale</i> , <b>2018</b> , 10, 11524-11530	7.7	57
122	A novel artificial synapse with dual modes using bilayer graphene as the bottom electrode. <i>Nanoscale</i> , <b>2017</b> , 9, 9275-9283	7.7	55
121	Ultra-High Sensitive NO Gas Sensor Based on Tunable Polarity Transport in CVD-WS/IGZO p-N Heterojunction. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 40850-40859	9.5	55
120	Ultrafast Photodetector by Integrating Perovskite Directly on Silicon Wafer. <i>ACS Nano</i> , <b>2020</b> , 14, 2860-2868	7.7	52
119	Graphene-based wearable sensors. <i>Nanoscale</i> , <b>2019</b> , 11, 18923-18945	7.7	50
118	Observation of a giant two-dimensional band-piezoelectric effect on biaxial-strained graphene. <i>NPG Asia Materials</i> , <b>2015</b> , 7, e154-e154	10.3	46
117	A Wearable Skinlike Ultra-Sensitive Artificial Graphene Throat. <i>ACS Nano</i> , <b>2019</b> , 13, 8639-8647	16.7	45
116	Transparent, flexible, ultrathin sound source devices using Indium Tin oxide films. <i>Applied Physics Letters</i> , <b>2011</b> , 99, 043503	3.4	45
115	Multifunctional and high-performance electronic skin based on silver nanowires bridging graphene. <i>Carbon</i> , <b>2020</b> , 156, 253-260	10.4	45
114	Controllable thermal rectification realized in binary phase change composites. <i>Scientific Reports</i> , <b>2015</b> , 5, 8884	4.9	43
113	Flexible CNT-array double helices Strain Sensor with high stretchability for Motion Capture. <i>Scientific Reports</i> , <b>2015</b> , 5, 15554	4.9	43

112	A sensitive and specific nanosensor for monitoring extracellular potassium levels in the brain. <i>Nature Nanotechnology</i> , <b>2020</b> , 15, 321-330	28.7	42
111	Spatial-Temporal Imaging of Anisotropic PhotocARRIER Dynamics in Black Phosphorus. <i>Nano Letters</i> , <b>2017</b> , 17, 3675-3680	11.5	40
110	In Situ Tuning of Switching Window in a Gate-Controlled Bilayer Graphene-Electrode Resistive Memory Device. <i>Advanced Materials</i> , <b>2015</b> , 27, 7767-74	24	40
109	Growth and Raman spectra of single-crystal trilayer graphene with different stacking orientations. <i>ACS Nano</i> , <b>2014</b> , 8, 10766-73	16.7	39
108	X-Ray Detector Based on All-Inorganic Lead-Free Cs <sub>2</sub> AgBiBr <sub>6</sub> Perovskite Single Crystal. <i>IEEE Transactions on Electron Devices</i> , <b>2019</b> , 66, 2224-2229	2.9	38
107	Efficient and bright warm-white electroluminescence from lead-free metal halides. <i>Nature Communications</i> , <b>2021</b> , 12, 1421	17.4	38
106	Flexible, ultrathin, and transparent sound-emitting devices using silver nanowires film. <i>Applied Physics Letters</i> , <b>2011</b> , 99, 253507	3.4	37
105	Interface Engineering with MoS <sub>2</sub> -Pd Nanoparticles Hybrid Structure for a Low Voltage Resistive Switching Memory. <i>Small</i> , <b>2018</b> , 14, 1702525	11	37
104	Self-powered flat panel displays enabled by motion-driven alternating current electroluminescence. <i>Nano Energy</i> , <b>2016</b> , 20, 48-56	17.1	35
103	Regulating the respiration of microbe: A bio-inspired high performance microbial supercapacitor with graphene based electrodes and its kinetic features. <i>Nano Energy</i> , <b>2015</b> , 15, 697-708	17.1	34
102	A flexible, transparent and ultrathin single-layer graphene earphone. <i>RSC Advances</i> , <b>2015</b> , 5, 17366-17374	3.7	31
101	Scalable and direct growth of graphene micro ribbons on dielectric substrates. <i>Scientific Reports</i> , <b>2013</b> , 3, 1348	4.9	29
100	Flexible Two-Dimensional TiC MXene Films as Thermoacoustic Devices. <i>ACS Nano</i> , <b>2019</b> , 13, 12613-12620	6.7	28
99	A flexible ultrasound transducer array with micro-machined bulk PZT. <i>Sensors</i> , <b>2015</b> , 15, 2538-47	3.8	27
98	A Review on Bacteriorhodopsin-Based Bioelectronic Devices. <i>Sensors</i> , <b>2018</b> , 18,	3.8	27
97	A novel flexible capacitive touch pad based on graphene oxide film. <i>Nanoscale</i> , <b>2013</b> , 5, 890-4	7.7	27
96	Resistive switching behavior in diamond-like carbon films grown by pulsed laser deposition for resistance switching random access memory application. <i>Journal of Applied Physics</i> , <b>2012</b> , 111, 084501	2.5	27
95	Ultrasensitive Heterojunctions of Graphene and 2D Perovskites Reveal Spontaneous Iodide Loss. <i>Joule</i> , <b>2018</b> , 2, 2133-2144	27.8	27

94	A Ferroelectric Thin Film Transistor Based on Annealing-Free HfZrO Film. <i>IEEE Journal of the Electron Devices Society</i> , <b>2017</b> , 5, 378-383	2.3	26
93	An ultra-high element density pMUT array with low crosstalk for 3-D medical imaging. <i>Sensors</i> , <b>2013</b> , 13, 9624-34	3.8	26
92	Static behavior of a graphene-based sound-emitting device. <i>Nanoscale</i> , <b>2012</b> , 4, 3345-9	7.7	25
91	Coherent Generation of Photo-Thermo-Acoustic Wave from Graphene Sheets. <i>Scientific Reports</i> , <b>2015</b> , 5, 10582	4.9	23
90	Tunable graphene oxide reduction and graphene patterning at room temperature on arbitrary substrates. <i>Carbon</i> , <b>2016</b> , 109, 173-181	10.4	23
89	Light-Enhanced Ion Migration in Two-Dimensional Perovskite Single Crystals Revealed in Carbon Nanotubes/Two-Dimensional Perovskite Heterostructure and Its Photomemory Application. <i>ACS Central Science</i> , <b>2019</b> , 5, 1857-1865	16.8	23
88	Poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate)-based organic, ultrathin, and transparent sound-emitting device. <i>Applied Physics Letters</i> , <b>2011</b> , 99, 233503	3.4	23
87	Substrate-Free Multilayer Graphene Electronic Skin for Intelligent Diagnosis. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 49945-49956	9.5	21
86	A reduced graphene oxide sound-emitting device: a new use for Joule heating. <i>RSC Advances</i> , <b>2013</b> , 3, 17672	3.7	20
85	High-Quality Single Crystal Perovskite for Highly Sensitive X-Ray Detector. <i>IEEE Electron Device Letters</i> , <b>2020</b> , 41, 256-259	4.4	19
84	Graphene-Based Devices for Thermal Energy Conversion and Utilization. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 1903888	15.6	18
83	Two-Mode MoS Filament Transistor with Extremely Low Subthreshold Swing and Record High On/Off Ratio. <i>ACS Nano</i> , <b>2019</b> , 13, 2205-2212	16.7	17
82	Negative Capacitance Oxide Thin-Film Transistor With Sub-60 mV/Decade Subthreshold Swing. <i>IEEE Electron Device Letters</i> , <b>2019</b> , 40, 826-829	4.4	17
81	A record flexible piezoelectric KNN ultrafine-grained nanopowder-based nanogenerator. <i>AIP Advances</i> , <b>2015</b> , 5, 017102	1.5	17
80	Fabrication techniques and applications of flexible graphene-based electronic devices. <i>Journal of Semiconductors</i> , <b>2016</b> , 37, 041001	2.3	17
79	Encapsulated X-Ray Detector Enabled by All-Inorganic Lead-Free Perovskite Film With High Sensitivity and Low Detection Limit. <i>IEEE Transactions on Electron Devices</i> , <b>2020</b> , 67, 3191-3198	2.9	15
78	A 2.7-mW 1.36-1.86-GHz LC-VCO With a FOM of 202 dBc/Hz Enabled by a 26%-Size-Reduced Nano-Particle-Magnetic-Enhanced Inductor. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2014</b> , 62, 1221-1228	4.1	15
77	Unipolar to ambipolar conversion in graphene field-effect transistors. <i>Applied Physics Letters</i> , <b>2012</b> , 101, 253505	3.4	15

76	A Flexible 360-Degree Thermal Sound Source Based on Laser Induced Graphene. <i>Nanomaterials</i> , <b>2016</b> , 6,	5.4	15
75	Proton Conductor Gated Synaptic Transistor Based on Transparent IGZO for Realizing Electrical and UV Light Stimulus. <i>IEEE Journal of the Electron Devices Society</i> , <b>2019</b> , 7, 38-45	2.3	15
74	Low-voltage, large-strain soft electrothermal actuators based on laser-reduced graphene oxide/Ag particle composites. <i>Applied Physics Letters</i> , <b>2018</b> , 112, 133902	3.4	14
73	Intelligent and Multifunctional Graphene Nanomesh Electronic Skin with High Comfort. <i>Small</i> , <b>2021</b> , e2104810	11	14
72	An efficient flexible graphene-based light-emitting device. <i>Nanoscale Advances</i> , <b>2019</b> , 1, 4745-4754	5.1	14
71	A spring-connected nanogenerator based on ZnO nanoparticles and a multiwall carbon nanotube. <i>RSC Advances</i> , <b>2014</b> , 4, 2115-2118	3.7	13
70	A flexible piezoelectric micromachined ultrasound transducer. <i>RSC Advances</i> , <b>2013</b> , 3, 24900	3.7	13
69	High Performance 2D Perovskite/Graphene Optical Synapses as Artificial Eyes <b>2018</b> ,		13
68	Graphene-Based Thermoacoustic Sound Source. <i>ACS Nano</i> , <b>2020</b> , 14, 3779-3804	16.7	12
67	A Graphene-Based Filament Transistor with Sub-10 mVdec <sup>-1</sup> Subthreshold Swing. <i>Advanced Electronic Materials</i> , <b>2018</b> , 4, 1700608	6.4	12
66	Transport Properties and Device Prospects of Ultrathin Black Phosphorus on Hexagonal Boron Nitride. <i>IEEE Transactions on Electron Devices</i> , <b>2017</b> , 64, 5163-5171	2.9	12
65	Au Nanoparticles-Decorated Surface Plasmon Enhanced ZnO Nanorods Ultraviolet Photodetector on Flexible Transparent Mica Substrate. <i>IEEE Journal of the Electron Devices Society</i> , <b>2019</b> , 1-1	2.3	12
64	. <i>IEEE Transactions on Electron Devices</i> , <b>2020</b> , 67, 2153-2156	2.9	11
63	A point acoustic device based on aluminum nanowires. <i>Nanoscale</i> , <b>2016</b> , 8, 5516-25	7.7	11
62	Multi-layer graphene treated by O <sub>2</sub> plasma for transparent conductive electrode applications. <i>Materials Letters</i> , <b>2012</b> , 73, 187-189	3.3	11
61	Graphene-Based Multifunctional Textile for Sensing and Actuating. <i>ACS Nano</i> , <b>2021</b> ,	16.7	11
60	Two-stage amplification of an ultrasensitive MXene-based intelligent artificial eardrum.. <i>Science Advances</i> , <b>2022</b> , 8, eabn2156	14.3	11
59	Fabricating Molybdenum Disulfide Memristors. <i>ACS Applied Electronic Materials</i> , <b>2020</b> , 2, 346-370	4	10

58	Negative Capacitance Black Phosphorus Transistors With Low SS. <i>IEEE Transactions on Electron Devices</i> , <b>2019</b> , 66, 1579-1583	2.9	10
57	High-performance sound source devices based on graphene woven fabrics. <i>Applied Physics Letters</i> , <b>2017</b> , 110, 093110	3.4	9
56	A novel thermal acoustic device based on porous graphene. <i>AIP Advances</i> , <b>2016</b> , 6, 015105	1.5	9
55	High-performance single crystal CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> perovskite x-ray detector. <i>Applied Physics Letters</i> , <b>2021</b> , 118, 063506	3.4	8
54	Surface Amorphous Oxides Induced Electron Transfer into Complex Oxide Heterointerfaces. <i>Advanced Materials Interfaces</i> , <b>2018</b> , 5, 1801216	4.6	8
53	Millimeter-Scale Nonlocal Photo-Sensing Based on Single-Crystal Perovskite Photodetector. <i>IScience</i> , <b>2018</b> , 7, 110-119	6.1	8
52	MoS <sub>2</sub> Synaptic Transistor With Tunable Weight Profile. <i>IEEE Transactions on Electron Devices</i> , <b>2018</b> , 65, 3543-3547	2.9	8
51	Graphene devices based on laser scribing technology. <i>Japanese Journal of Applied Physics</i> , <b>2018</b> , 57, 04FA01		7
50	Electrode/oxide interface engineering by inserting single-layer graphene: Application for HfO <sub>x</sub> -based resistive random access memory <b>2012</b> ,		7
49	Gate-Tunable Negative Differential Resistance Behaviors in a hBN-Encapsulated BP-MoS Heterojunction. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 26161-26169	9.5	7
48	A novel cell-scale bio-nanogenerator based on electron-ion interaction for fast light power conversion. <i>Nanoscale</i> , <b>2018</b> , 10, 526-532	7.7	7
47	A small-signal generator based on a multi-layer graphene/molybdenum disulfide heterojunction. <i>Applied Physics Letters</i> , <b>2013</b> , 103, 263506	3.4	6
46	Laser directed lithography of asymmetric graphene ribbons on a polydimethylsiloxane trench structure. <i>Physical Chemistry Chemical Physics</i> , <b>2013</b> , 15, 6825-30	3.6	6
45	Electrooculography and Tactile Perception Collaborative Interface for 3D Human-Machine Interaction.. <i>ACS Nano</i> , <b>2022</b> ,	16.7	6
44	A Reduced Graphene Oxide (rGO)-Ferroelectrics Hybrid Nanocomposite as High Efficient Visible-Light-Driven Photocatalyst. <i>ChemistrySelect</i> , <b>2016</b> , 1, 6020-6025	1.8	5
43	. <i>Tsinghua Science and Technology</i> , <b>2015</b> , 20, 270-276	3.4	5
42	Bipolar and unipolar resistive switching effects in an Al/DLC/W structure. <i>Journal Physics D: Applied Physics</i> , <b>2012</b> , 45, 365103	3	5
41	Ultrathin Anion Conductors Based Memristor. <i>Advanced Electronic Materials</i> , 2100845	6.4	5



40	The Origin of CBRAM With High Linearity, On/Off Ratio, and State Number for Neuromorphic Computing. <i>IEEE Transactions on Electron Devices</i> , <b>2021</b> , 68, 2568-2571	2.9	5
39	Black phosphorus junctions and their electrical and optoelectronic applications. <i>Journal of Semiconductors</i> , <b>2021</b> , 42, 081001	2.3	5
38	Lower Power, Better Uniformity, and Stability CBRAM Enabled by Graphene Nanohole Interface Engineering. <i>IEEE Transactions on Electron Devices</i> , <b>2020</b> , 67, 984-988	2.9	4
37	The trend of 2D transistors toward integrated circuits: Scaling down and new mechanisms.. <i>Advanced Materials</i> , <b>2022</b> , e2201916	2.4	4
36	In situ observation of electrical property of thin-layer black phosphorus based on dry transfer method. <i>Applied Physics Express</i> , <b>2016</b> , 9, 045202	2.4	3
35	Towards quantitative mapping of the charge distribution along a nanowire by in-line electron holography. <i>Ultramicroscopy</i> , <b>2018</b> , 194, 126-132	3.1	3
34	Wafer-scale flexible graphene loudspeakers <b>2014</b> ,		3
33	Flexible and large-area sound-emitting device using reduced graphene oxide <b>2013</b> ,		3
32	Optimization of graphene/silicon heterojunction solar cells <b>2012</b> ,		3
31	A Novel Fabrication Method for Flexible SOI Substrate Based on Trench Refilling with Polydimethylsiloxane. <i>Chinese Physics Letters</i> , <b>2013</b> , 30, 086201	1.8	3
30	Highly Stretchable and Conformal Electromagnetic Interference Shielding Armor with Strain Sensing Ability. <i>Chemical Engineering Journal</i> , <b>2021</b> , 133908	14.7	3
29	A 10nm Short Channel MoS <sub>2</sub> Transistor without the Resolution Requirement of Photolithography. <i>Advanced Electronic Materials</i> , <b>2021</b> , 7, 2100543	6.4	3
28	Filling the gap: thermal properties and device applications of graphene. <i>Science China Information Sciences</i> , <b>2021</b> , 64, 1	3.4	3
27	Roll-to-roll graphene films for non-disposable electrocardiogram electrodes. <i>Journal Physics D: Applied Physics</i> , <b>2021</b> , 54, 364003	3	3
26	High-Quality Reconfigurable Black Phosphorus p-n Junctions. <i>IEEE Transactions on Electron Devices</i> , <b>2018</b> , 1-5	2.9	3
25	Wafer-Scale Flexible Surface Acoustic Wave Devices Based on an AlN/Si Structure. <i>Chinese Physics Letters</i> , <b>2013</b> , 30, 077701	1.8	2
24	First Principles Study of Memory Selectors using Heterojunctions of 2D Layered Materials <b>2018</b> ,		2
23	Electrospun Nanofibers for Integrated Sensing, Storage, and Computing Applications. <i>Applied Sciences (Switzerland)</i> , <b>2022</b> , 12, 4370	2.6	2

22	Novel electron devices based on laser scribed graphene <b>2017</b> ,		1
21	High Performance and Wireless Graphene Earphone towards Practical Applications <b>2020</b> ,		1
20	High sensitive surface-acoustic-wave optical sensor based on two-dimensional perovskite <b>2019</b> ,		1
19	A micro-scale microbial supercapacitor <b>2014</b> ,		1
18	Memory Devices: In Situ Tuning of Switching Window in a Gate-Controlled Bilayer Graphene-Electrode Resistive Memory Device (Adv. Mater. 47/2015). <i>Advanced Materials</i> , <b>2015</b> , 27, 7766-7766 <sup>24</sup>		1
17	Flexible, transparent single-layer graphene earphone <b>2014</b> ,		1
16	Large-scale fabrication of graphene-based electronic and MEMS devices <b>2014</b> ,		1
15	Comparison of Photovoltaic Performance Enhancement in BiFeO <sub>3</sub> by Using Graphene and Carbon Nanotubes as Transparent Electrode <b>2012</b> ,		1
14	Micromachined piezoelectric devices for acoustic applications <b>2012</b> ,		1
13	Bipolar and unipolar resistive switching effects in Al/DLC/W structure. <i>Journal Physics D: Applied Physics</i> , <b>2012</b> , 45, 429501	3	1
12	Industrial-scale production of high-quality graphene sheets by millstone grinders. <i>Journal Physics D: Applied Physics</i> , <b>2022</b> , 55, 164002	3	1
11	Anomalous thermoacoustic effect in topological insulator for sound applications. <i>Applied Physics Letters</i> , <b>2020</b> , 117, 123502	3.4	1
10	Transistor Subthreshold Swing Lowered by 2-D Heterostructures. <i>IEEE Transactions on Electron Devices</i> , <b>2021</b> , 68, 411-414	2.9	1
9	Graphene-Based Flexible Electrode for Electrocardiogram Signal Monitoring. <i>Applied Sciences (Switzerland)</i> , <b>2022</b> , 12, 4526	2.6	1
8	. <i>IEEE Transactions on Nuclear Science</i> , <b>2018</b> , 65, 473-477	1.7	0
7	Hydrodynamic Sensing Based on Surface-Modified Flexible Nanocomposite Film. <i>Chinese Physics Letters</i> , <b>2015</b> , 32, 114301	1.8	0
6	Novel Field Effect Transistor Fabrication Based on Non-Graphene 2D Materials. <i>MRS Advances</i> , <b>2017</b> , 2, 3675-3684	0.7	
5	A discovery of an ultra-pure water detection method based on water mark. <i>Modern Physics Letters B</i> , <b>2015</b> , 29, 1450271	1.6	

4 Novel photoelectroactive memories and neuromorphic devices based on nanomaterials **2020**, 201-222

3 Thermal Energy Conversion: Graphene-Based Devices for Thermal Energy Conversion and Utilization (Adv. Funct. Mater. 8/2020). *Advanced Functional Materials*, **2020**, 30, 2070052 15.6

2 Graphene-Based Synaptic Devices for Neuromorphic Applications **2019**, 99-142

1 K0.5Na0.5NbO3-based self-powered pressure sensor. *Tsinghua Science and Technology*, **2015**, 20, 264-269.4