Katrina A Moser

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11144183/publications.pdf

Version: 2024-02-01

		759233	888059
19	743	12	17
papers	citations	h-index	g-index
19	19	19	797
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Recent trends in mountain lake primary production: evaluating the response to fish stocking relative to regional environmental stressors. Lake and Reservoir Management, 2021, 37, 47-62.	1.3	O
2	Effects of a century of mining and industrial production on metal contamination of a model saline ecosystem, Great Salt Lake, Utah. Environmental Pollution, 2020, 266, 115072.	7.5	8
3	Prolonged California aridity linked to climate warming and Pacific sea surface temperature. Scientific Reports, 2016, 6, 33325.	3.3	36
4	Compositional changes in sediments of subalpine lakes, Uinta Mountains (Utah): evidence for the effects of human activity on atmospheric dust inputs. Journal of Paleolimnology, 2010, 44, 161-175.	1.6	77
5	Diatom changes in two Uinta mountain lakes, Utah, USA: responses to anthropogenic and natural atmospheric inputs. Hydrobiologia, 2010, 648, 91-108.	2.0	20
6	Late Pleistocene to early Holocene lake level and paleoclimate insights from Stansbury Island, Bonneville basin, Utah. Quaternary Research, 2010, 73, 237-246.	1.7	32
7	Evidence of temperature depression and hydrological variations in the eastern Sierra Nevada during the Younger Dryas Stade. Quaternary Research, 2008, 70, 131-140.	1.7	49
8	UINTAS 2006: the Uinta Interdisciplinary Assessment Symposium, Snowbird, Utah, May 2006â€"Introduction. Arctic, Antarctic, and Alpine Research, 2007, 39, 517-520.	1.1	1
9	Development of a Midge-Based Summer Surface Water Temperature Inference Model for the Great Basin of the Western United States. Arctic, Antarctic, and Alpine Research, 2007, 39, 566-577.	1.1	17
10	Applications of Commonly Used Numerical Techniques in Diatom-Based Paleoecology. The Paleontological Society Papers, 2007, 13, 13-31.	0.6	1
11	Solving Environmental Problems Using Diatom-Based Estimates of Ph, Nutrients, and Lake Levels. The Paleontological Society Papers, 2007, 13, 131-148.	0.6	1
12	A late Quaternary chironomid-inferred temperature record from the Sierra Nevada, California, with connections to northeast Pacific sea surface temperatures. Quaternary Research, 2006, 66, 356-363.	1.7	39
13	Paleolimnology and the Frontiers of Biogeography. Physical Geography, 2004, 25, 453-480.	1.4	8
14	Title is missing!. Journal of Paleolimnology, 2003, 29, 235-255.	1.6	38
15	Late Pleistocene and early Holocene climate and limnological changes in the Sierra Nevada, California, USA inferred from midges (Insecta: Diptera: Chironomidae). Palaeogeography, Palaeoclimatology, Palaeoecology, 2003, 198, 403-422.	2.3	40
16	Title is missing!. Journal of Paleolimnology, 2002, 28, 355-375.	1.6	42
17	Identifying the tundra – forest border in the stomate record: an analysis of lake surface samples from the Yellowknife area, Northwest Territories, Canada. Canadian Journal of Botany, 1996, 74, 796-800.	1.1	38
18	Rapid response of treeline vegetation and lakes to past climate warming. Nature, 1993, 361, 243-246.	27.8	295

ARTICLE

19 Development of a Midge-Based Summer Surface Water Temperature Inference Model for the Great Basin of the Western United States. , 0, .

10 Development of a Midge-Based Summer Surface Water Temperature Inference Model for the Great Laboratory Inference Model for the Gre