

# Emanuel Melachrinoudis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11146142/publications.pdf>

Version: 2024-02-01

31  
papers

959  
citations

687363  
13  
h-index

501196  
28  
g-index

31  
all docs

31  
docs citations

31  
times ranked

762  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reliable maximin-maximum locations for maximum service availability on tree networks vulnerable to disruptions. <i>Annals of Operations Research</i> , 2020, 286, 669-701.	4.1	4
2	Determining the optimal collection period for returned products in a stochastic environment. <i>International Journal of Logistics Systems and Management</i> , 2019, 33, 42.	0.2	0
3	A path-based capacitated network flow model for empty railcar distribution. <i>Annals of Operations Research</i> , 2017, 253, 773-798.	4.1	7
4	A model-based decision support system for solving vehicle routing and driver scheduling problems under hours of service regulations. <i>International Journal of Logistics Research and Applications</i> , 2016, 19, 256-277.	8.8	6
5	The optimal determination of the collection period for returned products in the sustainable supply chain. <i>International Journal of Logistics Research and Applications</i> , 2014, 17, 35-45.	8.8	13
6	A Reverse Logistics Network Model for Handling Returned Products. <i>International Journal of Engineering Business Management</i> , 2014, 6, 13.	3.7	13
7	Optimal Collection Period for Returned Products in the Reverse Supply Chain. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2013, 46, 123-127.	0.4	1
8	Location of a semi-obnoxious facility with elliptic maximin and network minimax objectives. <i>European Journal of Operational Research</i> , 2012, 223, 452-460.	5.7	13
9	The Location of Undesirable Facilities. <i>Profiles in Operations Research</i> , 2011, , 207-239.	0.4	14
10	Network location of a reliable center using the most reliable route policy. <i>Computers and Operations Research</i> , 2009, 36, 1437-1460.	4.0	7
11	Controlled sink mobility for prolonging wireless sensor networks lifetime. <i>Wireless Networks</i> , 2008, 14, 831-858.	3.0	332
12	Location of a reliable center on a tree network. <i>Operational Research</i> , 2007, 7, 419-445.	2.0	2
13	Developing the reverse logistics network for product returns. , 2006, , .		1
14	Semi-obnoxious single facility location in Euclidean space. <i>Computers and Operations Research</i> , 2003, 30, 2191-2209.	4.0	37
15	Fourier-Motzkin elimination method in MOLP problems. <i>Journal of Multi-Criteria Decision Analysis</i> , 2002, 11, 55-64.	1.9	0
16	Optimizing the Design of a CDMA Cellular System Configuration with Multiple Criteria. <i>Annals of Operations Research</i> , 2001, 106, 307-329.	4.1	5
17	The Maximin-Maximum Network Location Problem. <i>Computational Optimization and Applications</i> , 2001, 19, 209-234.	1.6	14
18	The dynamic relocation and phase-out of a hybrid, two-echelon plant/warehousing facility: A multiple objective approach. <i>European Journal of Operational Research</i> , 2000, 123, 1-15.	5.7	118

#	ARTICLE	IF	CITATIONS
19	Interactive Multiobjective Group Decision Making with Interval Parameters. Management Science, 2000, 46, 1585-1601.	4.1	28
20	An O(mn) Algorithm for the 1-maximin problem on a network. Computers and Operations Research, 1999, 26, 849-869.	4.0	12
21	The relocation of a hybrid manufacturing/distribution facility from supply chain perspectives: a case study. Omega, 1999, 27, 75-85.	5.9	81
22	Facility Location and Reliable Route Planning in Hazardous Material Transportation. Transportation Science, 1997, 31, 216-226.	4.4	42
23	Dynamic expansion and location of an airport: A multiple objective approach. Transportation Research, Part A: Policy and Practice, 1997, 31, 403-417.	4.2	24
24	A single facility location problem on a tree with unreliable edges. Networks, 1996, 27, 219-237.	2.7	32
25	A single facility location problem on a tree with unreliable edges. Networks, 1996, 27, 219-237.	2.7	1
26	An O(mn <sup>2</sup> ) algorithm for the Maximin problem in E2. Operations Research Letters, 1995, 18, 25-30.	0.7	18
27	A multiobjective model for the dynamic location of landfills. Location Science, 1995, 3, 143-166.	0.1	65
28	A DISCRETE LOCATION ASSIGNMENT PROBLEM WITH CONGESTION. IIE Transactions, 1994, 26, 83-89.	2.1	1
29	Locating an undesirable facility with a minimax criterion. European Journal of Operational Research, 1986, 24, 239-246.	5.7	23
30	LOCATING AN UNDESIRABLE FACILITY WITHIN A GEOGRAPHICAL REGION USING THE MAXIMIN CRITERION*. Journal of Regional Science, 1985, 25, 115-127.	3.3	40
31	A heuristic approach to the single facility maximin location problem. International Journal of Production Research, 1985, 23, 523-532.	7.5	5