Stephanie R Rainey-Smith

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1114704/publications.pdf

Version: 2024-02-01

122 papers

3,536 citations

147566 31 h-index 51 g-index

126 all docs

126 docs citations

times ranked

126

6303 citing authors

#	Article	IF	Citations
1	The Association Between Alzheimer's Disease-Related Markers and Physical Activity in Cognitively Normal Older Adults. Frontiers in Aging Neuroscience, 2022, 14, 771214.	1.7	8
2	Differential Effects of APOE and Modifiable Risk Factors on Hippocampal Volume Loss and Memory Decline in $\hat{Al^2}\hat{a}$ and $\hat{Al^2}$ + Older Adults. Neurology, 2022, 98, e1704-e1715.	1.5	4
3	Association of \hat{l}^2 -Amyloid Level, Clinical Progression, and Longitudinal Cognitive Change in Normal Older Individuals. Neurology, 2021, 96, e662-e670.	1.5	34
4	A Randomized Controlled Trial of High-Intensity Exercise and Executive Functioning in Cognitively Normal Older Adults. American Journal of Geriatric Psychiatry, 2021, 29, 129-140.	0.6	6
5	Aggregation of Abnormal Memory Scores and Risk of Incident Alzheimer's Disease Dementia: A Measure of Objective Memory Impairment in Amnestic Mild Cognitive Impairment. Journal of the International Neuropsychological Society, 2021, 27, 146-157.	1.2	3
6	Flavonoid intake and incident dementia in the Danish Diet, Cancer, and Health cohort. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12175.	1.8	7
7	Learning deficit in cognitively normal APOE ε4 carriers with LOW βâ€amyloid. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12136.	1.2	7
8	SPON1 Is Associated with Amyloid- \hat{l}^2 and APOE $\hat{l}\mu$ 4-Related Cognitive Decline in Cognitively Normal Adults. Journal of Alzheimer's Disease Reports, 2021, 5, 111-120.	1.2	5
9	High-intensity exercise and cognitive function in cognitively normal older adults: a pilot randomised clinical trial. Alzheimer's Research and Therapy, 2021, 13, 33.	3.0	16
10	Core Alzheimer's disease cerebrospinal fluid biomarker assays are not affected by aspiration or gravity drip extraction methods. Alzheimer's Research and Therapy, 2021, 13, 79.	3.0	0
11	Androgen receptor CAG repeat length as a moderator of the relationship between free testosterone levels and cognition. Hormones and Behavior, 2021, 131, 104966.	1.0	2
12	Fifteen Years of the Australian Imaging, Biomarkers and Lifestyle (AIBL) Study: Progress and Observations from 2,359 Older Adults Spanning the Spectrum from Cognitive Normality to Alzheimer's Disease. Journal of Alzheimer's Disease Reports, 2021, 5, 443-468.	1.2	59
13	Longitudinal Trajectories in Cortical Thickness and Volume Atrophy: Superior Cognitive Performance Does Not Protect Against Brain Atrophy in Older Adults. Journal of Alzheimer's Disease, 2021, 81, 1039-1052.	1.2	2
14	The impact of exercise, sleep, and diet on neurocognitive recovery from mild traumatic brain injury in older adults: A narrative review. Ageing Research Reviews, 2021, 68, 101322.	5.0	18
15	Longitudinal association of intraindividual variability with cognitive decline and dementia: A meta-analysis Neuropsychology, 2021, 35, 669-678.	1.0	7
16	Intake of Products Containing Anthocyanins, Flavanols, and Flavanones, and Cognitive Function: A Narrative Review. Frontiers in Aging Neuroscience, 2021, 13, 640381.	1.7	11
17	The Support Person's Preferences and Perspectives of Physical Activity Programs for Older Adults With Cognitive Impairment. Frontiers in Public Health, 2021, 9, 704561.	1.3	3
18	Relationships between physical activity, sleep and cognitive function: A narrative review. Neuroscience and Biobehavioral Reviews, 2021, 130, 369-378.	2.9	36

#	Article	IF	Citations
19	Sleep Mediates Age-Related Executive Function for Older Adults with Limited Cognitive Reserve. Journal of the International Neuropsychological Society, 2021, 27, 711-721.	1.2	10
20	Higher Coffee Consumption Is Associated With Slower Cognitive Decline and Less Cerebral A \hat{l}^2 -Amyloid Accumulation Over 126 Months: Data From the Australian Imaging, Biomarkers, and Lifestyle Study. Frontiers in Aging Neuroscience, 2021, 13, 744872.	1.7	17
21	Evaluation of GammaH2AX in Buccal Cells as a Molecular Biomarker of DNA Damage in Alzheimer's Disease in the AIBL Study of Ageing. Life, 2020, 10, 141.	1.1	2
22	Plasma High Density Lipoprotein Small Subclass is Reduced in Alzheimer's Disease Patients and Correlates with Cognitive Performance. Journal of Alzheimer's Disease, 2020, 77, 733-744.	1.2	7
23	Risk prediction of late-onset Alzheimer's disease implies an oligogenic architecture. Nature Communications, 2020, 11, 4799.	5.8	110
24	Association of deficits in short-term learning and ${\rm A\hat{l}^2}$ and hippocampal volume in cognitively normal adults. Neurology, 2020, 95, e2577-e2585.	1.5	31
25	Validation and Reliability of the Alzheimer's Disease-Commonwealth Scientific and Industrial Research Organisation Food Frequency Questionnaire. Nutrients, 2020, 12, 3605.	1.7	3
26	Amla Therapy as a Potential Modulator of Alzheimer's Disease Risk Factors and Physiological Change. Journal of Alzheimer's Disease, 2020, 74, 713-733.	1.2	3
27	Sodium Butyrate Reduces Brain Amyloid-β Levels and Improves Cognitive Memory Performance in an Alzheimer's Disease Transgenic Mouse Model at an Early Disease Stage. Journal of Alzheimer's Disease, 2020, 74, 91-99.	1.2	65
28	Personality factors and cerebral glucose metabolism in community-dwelling older adults. Brain Structure and Function, 2020, 225, 1511-1522.	1.2	3
29	Elecsys CSF biomarker immunoassays demonstrate concordance with amyloid-PET imaging. Alzheimer's Research and Therapy, 2020, 12, 36.	3.0	39
30	Comorbidity of Cerebrovascular andÂAlzheimer's Disease in Aging. Journal of Alzheimer's Disease, 2020, 78, 321-334.	1.2	4
31	An Intense, But Ecologically Valid, Resistance Exercise Session Does Not Alter Growth Factors Associated With Cognitive Health. Journal of Aging and Physical Activity, 2020, 28, 605-612.	0.5	2
32	Superior Memory Reduces 8-year Risk of Mild Cognitive Impairment and Dementia But Not Amyloid β-Associated Cognitive Decline in Older Adults. Archives of Clinical Neuropsychology, 2019, 34, 585-598.	0.3	23
33	Twelve weeks of resistance training does not influence peripheral levels of neurotrophic growth factors or homocysteine in healthy adults: a randomized-controlled trial. European Journal of Applied Physiology, 2019, 119, 2167-2176.	1.2	10
34	Resistance training enhances delayed memory in healthy middle-aged and older adults: A randomised controlled trial. Journal of Science and Medicine in Sport, 2019, 22, 1226-1231.	0.6	12
35	Exploring the relationship between physical activity, beta-amyloid and tau: A narrative review. Ageing Research Reviews, 2019, 50, 9-18.	5.0	67
36	Rates of age―and amyloid βâ€associated cortical atrophy in older adults with superior memory performance. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 566-575.	1.2	21

#	Article	IF	CITATIONS
37	Klotho allele status is not associated with Aβ and APOE ε4–related cognitive decline in preclinical Alzheimer's disease. Neurobiology of Aging, 2019, 76, 162-165.	1.5	23
38	COMT val158met is not associated with Al̂²-amyloid and APOE l̂µ4 related cognitive decline in cognitively normal older adults. IBRO Reports, 2019, 6, 147-152.	0.3	5
39	Resistance Exercise-Induced Responses in Physiological Factors Linked with Cognitive Health. Journal of Alzheimer's Disease, 2019, 68, 39-64.	1.2	27
40	Higher Cardiorespiratory Fitness Is Associated With Better Verbal Generativity in Community-Dwelling Older Adults. Journal of Aging and Physical Activity, 2019, 27, 703-710.	0.5	3
41	Validation of a priori candidate Alzheimer's disease SNPs with brain amyloid-beta deposition. Scientific Reports, 2019, 9, 17069.	1.6	15
42	Influence of BDNF Val66Met on the relationship between cardiorespiratory fitness and memory in cognitively normal older adults. Behavioural Brain Research, 2019, 362, 103-108.	1.2	10
43	Subjective memory complaints predict baseline but not future cognitive function over three years: results from the Western Australia Memory Study. International Psychogeriatrics, 2019, 31, 513-525.	0.6	13
44	Genetic variation in Aquaporin-4 moderates the relationship between sleep and brain $\hat{Al^2}$ -amyloid burden. Translational Psychiatry, 2018, 8, 47.	2.4	92
45	Cognitive gene risk profile for the prediction of cognitive decline in presymptomatic Alzheimer's disease. Personalized Medicine in Psychiatry, 2018, 7-8, 14-20.	0.1	13
46	Systematic Evaluation of the Use of Human Plasma and Serum for Mass-Spectrometry-Based Shotgun Proteomics. Journal of Proteome Research, 2018, 17, 1426-1435.	1.8	37
47	Associations of Dietary Protein and Fiber Intake with Brain and Blood Amyloid- \hat{l}^2 . Journal of Alzheimer's Disease, 2018, 61, 1589-1598.	1.2	44
48	KIBRA is associated with accelerated cognitive decline and hippocampal atrophy in APOE $\hat{l}\mu$ 4-positive cognitively normal adults with high A \hat{l}^2 -amyloid burden. Scientific Reports, 2018, 8, 2034.	1.6	31
49	Association of β-Amyloid and Apolipoprotein E Îμ4 With Memory Decline in Preclinical Alzheimer Disease. JAMA Neurology, 2018, 75, 488.	4.5	70
50	Amyloid burden and incident depressive symptoms in preclinical Alzheimer's disease. Journal of Affective Disorders, 2018, 229, 269-274.	2.0	27
51	Alzheimer's Disease: A Journey from Amyloid Peptides and Oxidative Stress, to Biomarker Technologies and Disease Prevention Strategies—Gains from AIBL and DIAN Cohort Studies. Journal of Alzheimer's Disease, 2018, 62, 965-992.	1.2	96
52	Baseline Amnestic Severity Predicts Progression From Amnestic Mild Cognitive Impairment to Alzheimer Disease Dementia at 3 Years. Alzheimer Disease and Associated Disorders, 2018, 32, 190-196.	0.6	19
53	Trajectories of depressive and anxiety symptoms in older adults: a 6â€year prospective cohort study. International Journal of Geriatric Psychiatry, 2018, 33, 405-413.	1.3	20
54	Utility of an Alzheimer's Disease Risk-Weighted Polygenic Risk Score for Predicting Rates of Cognitive Decline in Preclinical Alzheimer's Disease: A Prospective Longitudinal Study. Journal of Alzheimer's Disease, 2018, 66, 1193-1211.	1.2	27

#	Article	IF	CITATIONS
55	A Polygenic Risk Score Derived From Episodic Memory Weighted Genetic Variants Is Associated With Cognitive Decline in Preclinical Alzheimer's Disease. Frontiers in Aging Neuroscience, 2018, 10, 423.	1.7	16
56	Mediterranean diet adherence and rate of cerebral $\hat{Al^2}$ -amyloid accumulation: Data from the Australian Imaging, Biomarkers and Lifestyle Study of Ageing. Translational Psychiatry, 2018, 8, 238.	2.4	49
57	Relationship Between Amyloid-β Positivity and Progression to Mild Cognitive Impairment or Dementia over 8 Years in Cognitively Normal Older Adults. Journal of Alzheimer's Disease, 2018, 65, 1313-1325.	1.2	19
58	Self-Reported Physical Activity is Associated with Tau Burden Measured by Positron Emission Tomography. Journal of Alzheimer's Disease, 2018, 63, 1299-1305.	1.2	28
59	Personality characteristics are independently associated with prospective memory in the laboratory, and in daily Life, among older adults. Journal of Research in Personality, 2018, 76, 32-37.	0.9	2
60	The Role of Nutrition in Cognitive Function and Brain Ageing in the Elderly. Current Nutrition Reports, 2018, 7, 139-149.	2.1	50
61	The effect of preclinical Alzheimer's disease on age-related changes in intelligence in cognitively normal older adults. Intelligence, 2018, 70, 22-29.	1.6	13
62	Estimates of age-related memory decline are inflated by unrecognized Alzheimer's disease. Neurobiology of Aging, 2018, 70, 170-179.	1.5	14
63	Trajectories of irregular word reading ability as a proxy for premorbid intelligence in Alzheimer's disease, mild cognitive impairment, and healthy aging: A longitudinal study Psychological Assessment, 2018, 30, 1308-1316.	1.2	5
64	Amyloid burden and incident depressive symptoms in cognitively normal older adults. International Journal of Geriatric Psychiatry, 2017, 32, 455-463.	1.3	49
65	Serum high-density lipoprotein is associated with better cognitive function in a cross-sectional study of aging women. International Journal of Neuroscience, 2017, 127, 243-252.	0.8	34
66	A multinational study distinguishing Alzheimer's and healthy patients using cerebrospinal fluid tau/A \hat{l}^2 42 cutoff with concordance to amyloid positron emission tomography imaging. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 6, 201-209.	1.2	19
67	APOE É>4 Genotype, Amyloid, and Clinical Disease Progression in Cognitively Normal Older Adults. Journal of Alzheimer's Disease, 2017, 57, 411-422.	1.2	9
68	Habitual exercise levels are associated with cerebral amyloid load in presymptomatic autosomal dominant Alzheimer's disease. Alzheimer's and Dementia, 2017, 13, 1197-1206.	0.4	45
69	Effect of APOE Genotype on Amyloid Deposition, Brain Volume, and Memory in Cognitively Normal Older Individuals. Journal of Alzheimer's Disease, 2017, 58, 1293-1302.	1.2	35
70	Intense resistance exercise increases peripheral brain-derived neurotrophic factor. Journal of Science and Medicine in Sport, 2017, 20, 899-903.	0.6	51
71	Increased Carbohydrate Intake is Associated with Poorer Performance in Verbal Memory and Attention in an APOE Genotype-Dependent Manner. Journal of Alzheimer's Disease, 2017, 58, 193-201.	1.2	12
72	Using Robust Normative Data to Investigate the Neuropsychology of Cognitive Aging. Archives of Clinical Neuropsychology, 2017, 32, 142-154.	0.3	51

#	Article	IF	Citations
73	Insulin resistance is associated with reductions in specific cognitive domains and increases in CSF tau in cognitively normal adults. Scientific Reports, 2017, 7, 9766.	1.6	59
74	BDNF Val66Met in preclinical Alzheimer's disease is associated with short-term changes in episodic memory and hippocampal volume but not serum mBDNF. International Psychogeriatrics, 2017, 29, 1825-1834.	0.6	21
75	Concordance Between Cerebrospinal Fluid Biomarkers with Alzheimer's Disease Pathology Between Three Independent Assay Platforms. Journal of Alzheimer's Disease, 2017, 61, 169-183.	1.2	21
76	Study protocol of the Intense Physical Activity and Cognition study: The effect of highâ€intensity exercise training on cognitive function in older adults. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 562-570.	1.8	15
77	Amyloid $\hat{l}^2\hat{a}$ essociated cognitive decline in the absence of clinical disease progression and systemic illness. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 8, 156-164.	1.2	19
78	Associations of neighborhood environment with brain imaging outcomes in the Australian Imaging, Biomarkers and Lifestyle cohort. Alzheimer's and Dementia, 2017, 13, 388-398.	0.4	23
79	Plasma Cortisol, Brain Amyloid-β, and Cognitive Decline in Preclinical Alzheimer's Disease: A 6-Year Prospective Cohort Study. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 45-52.	1.1	32
80	[O3â€"01â€"04]: HABITUAL EXERCISE LEVELS ARE ASSOCIATED WITH CEREBRAL AMYLOID LOAD IN PRE‧YMPTOMATIC AUTOSOMAL DOMINANT ALZHEIMER's DISEASE. Alzheimer's and Dementia, 2017, 13, P894.	0.4	0
81	Evaluation of Cholinergic Deficiency in Preclinical Alzheimer's Disease Using Pupillometry. Journal of Ophthalmology, 2017, 2017, 1-8.	0.6	29
82	Diet and Inflammation in Alzheimer's Disease and Related Chronic Diseases: A Review. Journal of Alzheimer's Disease, 2016, 50, 301-334.	1.2	46
83	Cerebral Glucose Metabolism is Associated with Verbal but not Visual Memory Performance in Community-Dwelling Older Adults. Journal of Alzheimer's Disease, 2016, 52, 661-672.	1.2	23
84	P3â€303: Effects of ab and Bdnf Val66Met on Episodic Memory, Hippocampal Volume and Serum BDNF in Preclinical Alzheimer'S Disease. Alzheimer's and Dementia, 2016, 12, P957.	0.4	0
85	P3â€154: Plasma Biomarkers of Neocortical Amyloid Burden: An inâ€Depth Plasma Profile Using LCâ€MS. Alzheimer's and Dementia, 2016, 12, P878.	0.4	O
86	O2-04-02: Age Increases Rate of ab- and E4-Related Memory Decline in Preclinical Alzheimer's Disease. , 2016, 12, P229-P230.		0
87	AÎ 2 -related memory decline in <i>APOE</i> Î μ 4 noncarriers. Neurology, 2016, 86, 1635-1642.	1.5	37
88	Curcumin and cognition: a randomised, placebo-controlled, double-blind study of community-dwelling older adults. British Journal of Nutrition, 2016, 115, 2106-2113.	1.2	147
89	\hat{l}^2 -Amyloid, APOE and BDNF Genotype, and Depressive and Anxiety Symptoms in Cognitively Normal Older Women and Men. American Journal of Geriatric Psychiatry, 2016, 24, 1191-1195.	0.6	25
90	Performance on the Cogstate Brief Battery Is Related to Amyloid Levels and Hippocampal Volume in Very Mild Dementia. Journal of Molecular Neuroscience, 2016, 60, 362-370.	1.1	14

#	Article	IF	Citations
91	Predicting Alzheimer disease from a blood-based biomarker profile. Neurology, 2016, 87, 1093-1101.	1.5	26
92	The Relationship between Sleep Quality and Brain Amyloid Burden. Sleep, 2016, 39, 1063-1068.	0.6	123
93	Exploring the bi-directional relationship between sleep and beta-amyloid. Current Opinion in Psychiatry, 2016, 29, 397-401.	3.1	28
94	Plasma apolipoprotein J as a potential biomarker for Alzheimer's disease: Australian Imaging, Biomarkers and Lifestyle study of aging. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2016, 3, 18-26.	1.2	30
95	Cerebral amyloid-β accumulation and deposition following traumatic brain injuryâ€"A narrative review and meta-analysis of animal studies. Neuroscience and Biobehavioral Reviews, 2016, 64, 215-228.	2.9	34
96	Subjective memory decline predicts greater rates of clinical progression in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2016, 12, 796-804.	0.4	135
97	High Content, Multi-Parameter Analyses in Buccal Cells to Identify Alzheimer's Disease. Current Alzheimer Research, 2016, 13, 787-799.	0.7	23
98	Comparative analysis of the Cancer Council of Victoria and the online Commonwealth Scientific and Industrial Research Organisation FFQ. British Journal of Nutrition, 2015, 114, 1683-1693.	1.2	5
99	O4-06-04: Mediterranean diet adherence is associated with less cerebral amyloid accumulation over time: Data from the australian imaging, biomarkers, and lifestyle study of ageing., 2015, 11, P281-P282.		O
100	Phenomenological characterization of memory complaints in preclinical and prodromal Alzheimer's disease Neuropsychology, 2015, 29, 571-581.	1.0	43
101	Alzheimer's Disease Normative Cerebrospinal Fluid Biomarkers Validated inÂPET Amyloid-β Characterized Subjects from the Australian Imaging, Biomarkers andÂLifestyle (AIBL) study. Journal of Alzheimer's Disease, 2015, 48, 175-187.	1.2	47
102	Buccal Cell Cytokeratin 14 Correlates withÂMultiple Blood Biomarkers ofÂAlzheimer's Disease Risk. Journal of Alzheimer's Disease, 2015, 48, 443-452.	1.2	7
103	Alzheimer's disease cerebrospinal fluid biomarkers are not influenced by gravity drip or aspiration extraction methodology. Alzheimer's Research and Therapy, 2015, 7, 71.	3.0	14
104	Bone mineral density, adiposity, and cognitive functions. Frontiers in Aging Neuroscience, 2015, 7, 16.	1.7	23
105	Amyloid-Related Memory Decline in Preclinical Alzheimer's Disease Is Dependent on APOE ε4 and Is Detectable over 18-Months. PLoS ONE, 2015, 10, e0139082.	1.1	22
106	O3-03-04: Characteristics of the neighborhood built environment are associated with MRI brain volumetric and amyloid beta burden measures: Findings from the australian imaging, biomarkers, and lifestyle (AIBL) study., 2015, 11, P223-P225.		0
107	Diet, nutrients and metabolism: cogs in the wheel driving Alzheimer's disease pathology?. British Journal of Nutrition, 2015, 113, 1499-1517.	1.2	24
108	Follow-up plasma apolipoprotein E levels in the Australian Imaging, Biomarkers and Lifestyle Flagship Study of Ageing (AIBL) cohort. Alzheimer's Research and Therapy, 2015, 7, 16.	3.0	22

#	Article	IF	CITATIONS
109	Self and informant memory concerns align in healthy memory complainers and in early stages of mild cognitive impairment but separate with increasing cognitive impairment. Age and Ageing, 2015, 44, 1012-1019.	0.7	31
110	Buccal Cell Cytokeratin 14 Identifies Mild Cognitive Impairment and Alzheimer' s Disease in the AIBL Study of Aging. Current Alzheimer Research, 2015, 12, 233-241.	0.7	11
111	Rates of diagnostic transition and cognitive change at 18-month follow-up among 1,112 participants in the Australian Imaging, Biomarkers and Lifestyle Flagship Study of Ageing (AIBL). International Psychogeriatrics, 2014, 26, 543-554.	0.6	37
112	Autobiographical narratives relate to Alzheimer's disease biomarkers in older adults. International Psychogeriatrics, 2014, 26, 1737-1746.	0.6	9
113	Influence of <i>BDNF</i> Val66Met on the relationship between physical activity and brain volume. Neurology, 2014, 83, 1345-1352.	1.5	58
114	An increased neutrophil–lymphocyte ratio in Alzheimer's disease is a function of age and is weakly correlated with neocortical amyloid accumulation. Journal of Neuroimmunology, 2014, 273, 65-71.	1.1	87
115	Changes in plasma amyloid beta in a longitudinal study of aging and Alzheimer's disease. Alzheimer's and Dementia, 2014, 10, 53-61.	0.4	114
116	Personal Memory Function in Mild Cognitive Impairment and Subjective Memory Complaints: Results from the Australian Imaging, Biomarkers, and Lifestyle (AIBL) Study of Ageing. Journal of Alzheimer's Disease, 2014, 40, 551-561.	1.2	10
117	Research and standardization in Alzheimer's trials: Reaching international consensus. , 2013, 9, 160-168.		20
118	Enabling a multidisciplinary approach to the study of ageing and Alzheimer's disease: An update from the Australian Imaging Biomarkers and Lifestyle (AIBL) study. International Review of Psychiatry, 2013, 25, 699-710.	1.4	15
119	Pupil Response Biomarkers for Early Detection and Monitoring of Alzheimer's Disease. Current Alzheimer Research, 2013, 10, 931-939.	0.7	26
120	Regular Care and Maintenance of a Zebrafish (Danio rerio) Laboratory: An Introduction. Journal of Visualized Experiments, 2012, , e4196.	0.2	189
121	Tumour necrosis factor alpha induces rapid reduction in AMPA receptorâ€mediated calcium entry in motor neurones by increasing cell surface expression of the GluR2 subunit: relevance to neurodegeneration. Journal of Neurochemistry, 2010, 113, 692-703.	2.1	29
122	Neuroprotective effects of hesperetin in mouse primary neurones are independent of CREB activation. Neuroscience Letters, 2008, 438, 29-33.	1.0	52