

Liberato Berrino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11155964/publications.pdf>

Version: 2024-02-01

84
papers

3,989
citations

126708

33
h-index

123241

61
g-index

87
all docs

87
docs citations

87
times ranked

6414
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Therapeutic strategies to fight COVID-19: Which is the <i>status artis</i> ? British Journal of Pharmacology, 2022, 179, 2128-2148. | 2.7 | 33 |
| 2 | <i>ABCA1, TCF7, NFATC1, PRKCZ,</i> and <i>PDGFA</i> DNA methylation as potential epigenetic-sensitive targets in acute coronary syndrome <i>via</i> network analysis. Epigenetics, 2022, 17, 547-563. | 1.3 | 9 |
| 3 | Current and future therapeutic perspective in chronic heart failure. Pharmacological Research, 2022, 175, 106035. | 3.1 | 31 |
| 4 | The Reporting Frequency of Ketoacidosis Events with Dapagliflozin from the European Spontaneous Reporting System: The DAPA-KETO Study. Pharmaceuticals, 2022, 15, 286. | 1.7 | 7 |
| 5 | Deficit of glucocorticoid-induced leucine zipper amplifies angiotensin-induced cardiomyocyte hypertrophy and diastolic dysfunction. Journal of Cellular and Molecular Medicine, 2021, 25, 217-228. | 1.6 | 7 |
| 6 | The Role of Renin-Angiotensin-Aldosterone System in the Heart and Lung: Focus on COVID-19. Frontiers in Pharmacology, 2021, 12, 667254. | 1.6 | 39 |
| 7 | Neuron-specific enolase serum levels in COVID-19 are related to the severity of lung injury. PLoS ONE, 2021, 16, e0251819. | 1.1 | 15 |
| 8 | Glucocorticoid-Induced Leucine Zipper (GILZ) in Cardiovascular Health and Disease. Cells, 2021, 10, 2155. | 1.8 | 4 |
| 9 | In vitro CSC-derived cardiomyocytes exhibit the typical microRNA-mRNA blueprint of endogenous cardiomyocytes. Communications Biology, 2021, 4, 1146. | 2.0 | 15 |
| 10 | Sodium-Glucose Cotransporter 2 Inhibitors and Heart Failure: A Bedside-to-Bench Journey. Frontiers in Cardiovascular Medicine, 2021, 8, 810791. | 1.1 | 12 |
| 11 | Angiotensin II and angiotensin 1-7: which is their role in atrial fibrillation?. Heart Failure Reviews, 2020, 25, 367-380. | 1.7 | 37 |
| 12 | Tisagenlecleucel in Children and Young Adults: Reverse Translational Research by Using Real-World Safety Data. Pharmaceuticals, 2020, 13, 258. | 1.7 | 6 |
| 13 | Cardioprotective effects of miR-34a silencing in a rat model of doxorubicin toxicity. Scientific Reports, 2020, 10, 12250. | 1.6 | 25 |
| 14 | Statins Stimulate New Myocyte Formation After Myocardial Infarction by Activating Growth and Differentiation of the Endogenous Cardiac Stem Cells. International Journal of Molecular Sciences, 2020, 21, 7927. | 1.8 | 27 |
| 15 | Renin-Angiotensin System and Coronavirus Disease 2019: A Narrative Review. Frontiers in Cardiovascular Medicine, 2020, 7, 143. | 1.1 | 35 |
| 16 | Amelioration of diastolic dysfunction by dapagliflozin in a non-diabetic model involves coronary endothelium. Pharmacological Research, 2020, 157, 104781. | 3.1 | 74 |
| 17 | Formulation and Characterization of Solid Lipid Nanoparticles Loading RF22-c, a Potent and Selective 5-LO Inhibitor, in a Monocrotaline-Induced Model of Pulmonary Hypertension. Frontiers in Pharmacology, 2020, 11, 83. | 1.6 | 14 |
| 18 | Quinolones-Induced Musculoskeletal, Neurological, and Psychiatric ADRs: A Pharmacovigilance Study Based on Data From the Italian Spontaneous Reporting System. Frontiers in Pharmacology, 2020, 11, 428. | 1.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Atrial myxomas arise from multipotent cardiac stem cells. <i>European Heart Journal</i> , 2020, 41, 4332-4345. | 1.0 | 51 |
| 20 | Current pharmacological treatments for COVID-19: What's next?. <i>British Journal of Pharmacology</i> , 2020, 177, 4813-4824. | 2.7 | 210 |
| 21 | The European clinical trials regulation (No 536/2014): changes and challenges. <i>Expert Review of Clinical Pharmacology</i> , 2019, 12, 1027-1032. | 1.3 | 9 |
| 22 | The New Paradigms in Clinical Research: From Early Access Programs to the Novel Therapeutic Approaches for Unmet Medical Needs. <i>Frontiers in Pharmacology</i> , 2019, 10, 111. | 1.6 | 31 |
| 23 | Dipeptidyl Peptidase 4 Inhibition Ameliorates Chronic Kidney Disease in a Model of Salt-Dependent Hypertension. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-13. | 1.9 | 18 |
| 24 | Chronic exposure to low dose of bisphenol A impacts on the first round of spermatogenesis via SIRT1 modulation. <i>Scientific Reports</i> , 2018, 8, 2961. | 1.6 | 61 |
| 25 | Doxorubicin targets multiple players: A new view of an old problem. <i>Pharmacological Research</i> , 2018, 127, 4-14. | 3.1 | 123 |
| 26 | Imatinib mesylate-induced cardiomyopathy involves resident cardiac progenitors. <i>Pharmacological Research</i> , 2018, 127, 15-25. | 3.1 | 14 |
| 27 | Doxorubicin Cardiotoxicity: Multiple Targets and Translational Perspectives. , 2018, , . | | 3 |
| 28 | Chemotherapeutic Drugs and Mitochondrial Dysfunction: Focus on Doxorubicin, Trastuzumab, and Sunitinib. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-15. | 1.9 | 237 |
| 29 | Lung Mesenchymal Stem Cells Ameliorate Elastase-Induced Damage in an Animal Model of Emphysema. <i>Stem Cells International</i> , 2018, 2018, 1-10. | 1.2 | 16 |
| 30 | Hyperglycaemia-induced epigenetic changes drive persistent cardiac dysfunction via the adaptor p66Shc. <i>International Journal of Cardiology</i> , 2018, 268, 179-186. | 0.8 | 47 |
| 31 | Neuropsychiatric clinical manifestations in elderly patients treated with hydroxychloroquine: a review article. <i>Inflammopharmacology</i> , 2018, 26, 1141-1149. | 1.9 | 58 |
| 32 | Biosimilars in the European Union from comparability exercise to real world experience: What we achieved and what we still need to achieve. <i>Pharmacological Research</i> , 2017, 119, 265-271. | 3.1 | 10 |
| 33 | Effects of ranolazine in a model of doxorubicin-induced left ventricle diastolic dysfunction. <i>British Journal of Pharmacology</i> , 2017, 174, 3696-3712. | 2.7 | 73 |
| 34 | Sitagliptin reduces inflammation, fibrosis and preserves diastolic function in a rat model of heart failure with preserved ejection fraction. <i>British Journal of Pharmacology</i> , 2017, 174, 4070-4086. | 2.7 | 58 |
| 35 | Results of the safety run-in part of the METAL (METformin in Advanced Lung cancer) study: a multicentre, open-label phase II study of metformin with erlotinib in second-line therapy of patients with stage IV non-small-cell lung cancer. <i>ESMO Open</i> , 2017, 2, e000132. | 2.0 | 61 |
| 36 | Strengths, weaknesses and future challenges of biosimilars™ development. An opinion on how to improve the knowledge and use of biosimilars in clinical practice. <i>Pharmacological Research</i> , 2017, 126, 138-142. | 3.1 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Safety Profile of Anticancer and Immune-Modulating Biotech Drugs Used in a Real World Setting in Campania Region (Italy): BIO-Cam Observational Study. <i>Frontiers in Pharmacology</i> , 2017, 8, 607. | 1.6 | 33 |
| 38 | Upregulation of TH/IL-17 Pathway-Related Genes in Human Coronary Endothelial Cells Stimulated with Serum of Patients with Acute Coronary Syndromes. <i>Frontiers in Cardiovascular Medicine</i> , 2017, 4, 1. | 1.1 | 28 |
| 39 | Oxidative Stress and Cellular Response to Doxorubicin: A Common Factor in the Complex Milieu of Anthracycline Cardiotoxicity. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-13. | 1.9 | 255 |
| 40 | Disclosing negative trial results â€“ procedure. <i>Expert Review of Clinical Pharmacology</i> , 2016, 9, 1517-1519. | 1.3 | 1 |
| 41 | Long-term administration of ranolazine attenuates diastolic dysfunction and adverse myocardial remodeling in a model of heart failure with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2016, 217, 69-79. | 0.8 | 32 |
| 42 | Campania Region (Italy) spontaneous reporting system and preventability assessment through a case-by-case approach: a pilot study on psychotropic drugs. <i>Expert Opinion on Drug Safety</i> , 2016, 15, 9-15. | 1.0 | 36 |
| 43 | Doxorubicin cardiotoxicity and target cells: a broader perspective. <i>Cardio-Oncology</i> , 2016, 2, 2. | 0.8 | 48 |
| 44 | SIRT1 activation attenuates diastolic dysfunction by reducing cardiac fibrosis in a model of anthracycline cardiomyopathy. <i>International Journal of Cardiology</i> , 2016, 205, 99-110. | 0.8 | 114 |
| 45 | MicroRNA-34a regulates doxorubicin-induced cardiotoxicity in rat. <i>Oncotarget</i> , 2016, 7, 62312-62326. | 0.8 | 61 |
| 46 | SIRT1 activation rescues doxorubicin-induced loss of functional competence of human cardiac progenitor cells. <i>International Journal of Cardiology</i> , 2015, 189, 30-44. | 0.8 | 65 |
| 47 | A Multicenter, Open-Label Phase II Study of Metformin With Erlotinib in Second-Line Therapy of Stage IV Nonâ€“Small-Cell Lung Cancer Patients: Treatment Rationale and Protocol Dynamics of the METAL Trial. <i>Clinical Lung Cancer</i> , 2015, 16, 57-59. | 1.1 | 16 |
| 48 | AXL is an oncotarget in human colorectal cancer. <i>Oncotarget</i> , 2015, 6, 23281-23296. | 0.8 | 55 |
| 49 | Novel potential targets for prevention of arterial restenosis: insights from the pre-clinical research. <i>Clinical Science</i> , 2014, 127, 615-634. | 1.8 | 25 |
| 50 | Doxorubicin induces senescence and impairs function of human cardiac progenitor cells. <i>Basic Research in Cardiology</i> , 2013, 108, 334. | 2.5 | 122 |
| 51 | Local inhibition of ornithine decarboxylase reduces vascular stenosis in a murine model of carotid injury. <i>International Journal of Cardiology</i> , 2013, 168, 3370-3380. | 0.8 | 12 |
| 52 | Antitumor activity of pimasertib, a selective MEK 1/2 inhibitor, in combination with PI3K/mTOR inhibitors or with multiâ€“targeted kinase inhibitors in pimasertibâ€“resistant human lung and colorectal cancer cells. <i>International Journal of Cancer</i> , 2013, 133, 2089-2101. | 2.3 | 81 |
| 53 | Increased TGF- β as a Mechanism of Acquired Resistance to the Anti-EGFR Inhibitor Cetuximab through EGFRâ€“MET Interaction and Activation of MET Signaling in Colon Cancer Cells. <i>Clinical Cancer Research</i> , 2013, 19, 6751-6765. | 3.2 | 130 |
| 54 | Stem Cell Therapy for Arterial Restenosis: Potential Parameters Contributing to the Success of Bone Marrow-Derived Mesenchymal Stromal Cells. <i>Cardiovascular Drugs and Therapy</i> , 2012, 26, 9-21. | 1.3 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | DNA damage and repair in a model of rat vascular injury. <i>Clinical Science</i> , 2010, 118, 473-485. | 1.8 | 10 |
| 56 | Anthracycline Cardiomyopathy Is Mediated by Depletion of the Cardiac Stem Cell Pool and Is Rescued by Restoration of Progenitor Cell Function. <i>Circulation</i> , 2010, 121, 276-292. | 1.6 | 239 |
| 57 | Synergistic Antitumor Activity of Sorafenib in Combination with Epidermal Growth Factor Receptor Inhibitors in Colorectal and Lung Cancer Cells. <i>Clinical Cancer Research</i> , 2010, 16, 4990-5001. | 3.2 | 79 |
| 58 | Injury to rat carotid arteries causes time-dependent changes in gene expression in contralateral uninjured arteries. <i>Clinical Science</i> , 2009, 116, 125-136. | 1.8 | 2 |
| 59 | Mesenchymal stem cells effectively reduce surgically induced stenosis in rat carotids. <i>Journal of Cellular Physiology</i> , 2008, 217, 789-799. | 2.0 | 42 |
| 60 | Myocardial Strain Analysis in a Doxorubicin-Induced Cardiomyopathy Model. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 370-378. | 0.7 | 32 |
| 61 | Role of periaqueductal grey prostaglandin receptors in formalin-induced hyperalgesia. <i>European Journal of Pharmacology</i> , 2006, 530, 40-47. | 1.7 | 28 |
| 62 | c-Myc Antisense Oligonucleotides Preserve Smooth Muscle Differentiation and Reduce Negative Remodelling following Rat Carotid Arteriotomy. <i>Journal of Vascular Research</i> , 2005, 42, 214-225. | 0.6 | 21 |
| 63 | Absence of Inducible Nitric Oxide Synthase Reduces Myocardial Damage During Ischemia Reperfusion in Streptozotocin-Induced Hyperglycemic Mice. <i>Diabetes</i> , 2004, 53, 454-462. | 0.3 | 85 |
| 64 | M40403 prevents myocardial injury induced by acute hyperglycaemia in perfused rat heart. <i>European Journal of Pharmacology</i> , 2004, 497, 65-74. | 1.7 | 24 |
| 65 | Antinociceptive effect in mice of intraperitoneal N-methyl-d-aspartate receptor antagonists in the formalin test. <i>European Journal of Pain</i> , 2003, 7, 131-137. | 1.4 | 49 |
| 66 | Stenosis progression after surgical injury in Milan hypertensive rat carotid arteries. <i>Cardiovascular Research</i> , 2003, 60, 654-663. | 1.8 | 9 |
| 67 | Acute Hyperglycemia Induces Nitrotyrosine Formation and Apoptosis in Perfused Heart From Rat. <i>Diabetes</i> , 2002, 51, 1076-1082. | 0.3 | 256 |
| 68 | Interaction between vanilloid and glutamate receptors in the central modulation of nociception. <i>European Journal of Pharmacology</i> , 2002, 439, 69-75. | 1.7 | 120 |
| 69 | Periaqueductal gray matter metabotropic glutamate receptors modulate formalin-induced nociception. <i>Pain</i> , 2000, 85, 183-189. | 2.0 | 76 |
| 70 | The role of A3 adenosine receptors in central regulation of arterial blood pressure. <i>British Journal of Pharmacology</i> , 1998, 125, 437-440. | 2.7 | 24 |
| 71 | Endothelin-1 in periaqueductal gray area of mice induces analgesia via glutamatergic receptors. <i>Pain</i> , 1996, 65, 205-209. | 2.0 | 19 |
| 72 | Angiotensin II, via an action at AT1 receptors, may modulate the behavioural effects of ET-1 in conscious rats. <i>Life Sciences</i> , 1996, 59, PL355-PL358. | 2.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Evidence that A2a and not A2b purinoceptors are coupled to production of nitric oxide in the central regulation of blood pressure. <i>Environmental Toxicology and Pharmacology</i> , 1996, 2, 327-329. | 2.0 | 7 |
| 74 | Hypothalamic paraventricular nucleus involvement in the pressor response to N-methyl-d-aspartic acid in the periaqueductal grey matter. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1996, 353, 157-60. | 1.4 | 11 |
| 75 | Nitric Oxide Participates in the Hypotensive Effect Induced by Adenosine A2 Subtype Receptor Stimulation. <i>Journal of Cardiovascular Pharmacology</i> , 1995, 25, 1001-1005. | 0.8 | 20 |
| 76 | Involvement of opioid receptors in N-Methyl-d-aspartate-induced arterial hypertension in periaqueductal gray matter. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1995, 351, 87-92. | 1.4 | 6 |
| 77 | Effects of L-NAME on endothelin-1-induced barrel-rolling in periaqueductal gray area of rats. <i>Life Sciences</i> , 1995, 57, PL357-PL360. | 2.0 | 7 |
| 78 | Metabotropic and ionotropic glutamate receptors mediate opposite effects on periaqueductal gray matter. <i>European Journal of Pharmacology</i> , 1995, 285, 123-126. | 1.7 | 14 |
| 79 | Endothelin-1 in Rat Periaqueductal Gray Area Induces Hypertension Via Glutamatergic Receptors. <i>Hypertension</i> , 1995, 25, 507-510. | 1.3 | 17 |
| 80 | Periaqueductal gray area and cardiovascular function. <i>Pharmacological Research</i> , 1994, 29, 27-36. | 3.1 | 36 |
| 81 | Evidence that arcaïne increases the cardiovascular effects into the periaqueductal gray area of anesthetized rats. <i>Neuroscience Letters</i> , 1994, 165, 164-166. | 1.0 | 5 |
| 82 | Involvement of periaqueductal gray area NMDA receptors in endothelin-induced behavioural effects. <i>European Journal of Pharmacology</i> , 1993, 250, 209-212. | 1.7 | 9 |
| 83 | Interactive role of l-glutamate and vasopressin, at the level of the PAG area, for cardiovascular tone and stereotyped behaviour. <i>Brain Research</i> , 1992, 597, 166-169. | 1.1 | 23 |
| 84 | Pregnenolone sulfate increases the convulsant potency of N-methyl-D-aspartate in mice. <i>European Journal of Pharmacology</i> , 1992, 219, 477-479. | 1.7 | 61 |