

Sudeep Chandra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11158843/publications.pdf>

Version: 2024-02-01

14
papers

549
citations

933447

10
h-index

1199594

12
g-index

14
all docs

14
docs citations

14
times ranked

684
citing authors

#	ARTICLE	IF	CITATIONS
1	A Prostate-Specific Membrane Antigen-Targeted Monoclonal Antibodyâ€“Chemotherapeutic Conjugate Designed for the Treatment of Prostate Cancer. <i>Cancer Research</i> , 2004, 64, 7995-8001.	0.9	154
2	PKC-Î¼-Deficient Mice Are Protected from Th1-Dependent Antigen-Induced Arthritis. <i>Journal of Immunology</i> , 2006, 177, 1886-1893.	0.8	106
3	SB 239063, a novel p38 inhibitor, attenuates early neuronal injury following ischemia. <i>Brain Research</i> , 2001, 892, 70-77.	2.2	97
4	SB 234551 selective ETA receptor antagonism: Perfusion/Diffusion MRI used to define treatable stroke model, time to treatment and mechanism of protection. <i>Experimental Neurology</i> , 2008, 212, 53-62.	4.1	43
5	Quantitative Analysis of Micro-CT Imaging and Histopathological Signatures of Experimental Arthritis in Rats. <i>Molecular Imaging</i> , 2004, 3, 312-318.	1.4	28
6	Longitudinally Quantitative 2-Deoxy-2-[18F]fluoro-d-glucose Micro Positron Emission Tomography Imaging for Efficacy of New Anticancer Drugs: A Case Study with Bortezomib in Prostate Cancer Murine Model. <i>Molecular Imaging and Biology</i> , 2006, 8, 300-308.	2.6	26
7	Eprosartan reduces cardiac hypertrophy, protects heart and kidney, and prevents early mortality in severely hypertensive stroke-prone rats. <i>Cardiovascular Research</i> , 2001, 50, 525-537.	3.8	25
8	Spiculated periosteal response induced by intraosseous injection of 22Rv1 prostate cancer cells resembles subset of bone metastases in prostate cancer patients. <i>Prostate</i> , 2005, 65, 347-354.	2.3	23
9	Use of Diffusion-Weighted MRI and Neurological Deficit Scores to Demonstrate Beneficial Effects of Isradipine in a Rat Model of Focal Ischemia. <i>Pharmacology</i> , 1999, 58, 292-299.	2.2	22
10	Stroke-prone rats exhibit prolonged behavioral deficits without increased brain injury: an indication of disrupted post-stroke brain recovery of function. <i>Neuroscience Letters</i> , 2004, 354, 229-233.	2.1	13
11	Imaging Biomarkers in Drug Development:Â An Overview of Opportunities and Open Issuesâ€. <i>Journal of Proteome Research</i> , 2005, 4, 1134-1137.	3.7	9
12	MRI in Preclinical Drug Development. , 2006, 124, 299-322.		2
13	Perspectives on molecular and anatomical imaging in drug discovery. <i>BioTechniques</i> , 2005, 39, S26-S32.	1.8	1
14	Application of High Resolution Cardiac Magnetic Resonance Imaging to Monitor a Rodent Model of Cardiac Dysfunction. , 0, , 389-394.		0