

Erica S Zado Pa-C

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1115940/erica-s-zado-pa-c-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

8,439
citations

53
h-index

89
g-index

174
ext. papers

9,881
ext. citations

4.8
avg, IF

5.43
L-index

#	Paper	IF	Citations
154	Utility of Prolonged Duration Endocardial Ablation for Ventricular Arrhythmias Originating From the Left Ventricular Summit.. <i>JACC: Clinical Electrophysiology</i> , 2022 , 8, 465-476	4.6	0
153	2021 HRS Educational Framework for Clinical Cardiac Electrophysiology.. <i>Heart Rhythm O2</i> , 2022 , 3, 120-132	3.2	0
152	Temporal Changes in Pulmonary Vein Reconnection During Repeat Catheter Ablation for Early Recurrence of Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2022 ,	4.6	0
151	Isolated Critical Epicardial Arrhythmogenic Substrate Abnormalities in Patients with Arrhythmogenic Right Ventricular Cardiomyopathy and Ventricular Tachycardia. <i>Heart Rhythm</i> , 2021 ,	6.7	1
150	Substrate Characterization and Outcome of Catheter Ablation of Ventricular Tachycardia in Patients With Nonischemic Cardiomyopathy and Isolated Epicardial Scar. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021 , CIRCEP121010279	6.4	1
149	Right bundle branch block ventricular tachycardia in arrhythmogenic right ventricular cardiomyopathy more commonly originates from the right ventricle: Criteria for identifying chamber of origin. <i>Heart Rhythm</i> , 2021 , 18, 163-171	6.7	1
148	Periprocedural Acute Kidney Injury in Patients With Structural Heart Disease Undergoing Catheter Ablation of VT. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 174-186	4.6	0
147	Myocardial Substrate Characterization by CMR T Mapping in Patients With NICM and No LGE Undergoing Catheter Ablation of VT. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 831-840	4.6	5
146	Interatrial septal tachycardias following atrial fibrillation ablation or cardiac surgery: Electrophysiological features and ablation outcomes. <i>Heart Rhythm</i> , 2021 , 18, 1491-1499	6.7	0
145	Association of scar distribution with epicardial electrograms and surface ventricular tachycardia QRS duration in nonischemic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 2032-2040 ⁰	2.7	0
144	Direct Thrombin Inhibitors as an Alternative to Heparin During Catheter Ablation: A Multicenter Experience. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 484-490	4.6	3
143	Association of Left Atrial High-Resolution Late Gadolinium Enhancement on Cardiac Magnetic Resonance With Electrogram Abnormalities Beyond Voltage in Patients With Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e007586	6.4	4
142	Characterization of Structural Changes in Arrhythmogenic Right Ventricular Cardiomyopathy With Recurrent Ventricular Tachycardia After Ablation: Insights From Repeat Electroanatomic Voltage Mapping. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e007611	6.4	3
141	Incidence of Left Atrial Appendage Triggers in Patients With Atrial Fibrillation Undergoing Catheter Ablation. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 21-30	4.6	7
140	Trends in Successful Ablation Sites and Outcomes of Ablation for Idiopathic Outflow Tract Ventricular Arrhythmias. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 221-230	4.6	4
139	Association of septal late gadolinium enhancement on cardiac magnetic resonance with ventricular tachycardia ablation targets in nonischemic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 3262-3276	2.7	1
138	Analysis of local ventricular repolarization using unipolar recordings in patients with arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 57, 261-270	2.4	0

137	Collateral injury of the conduction system during catheter ablation of septal substrate in nonischemic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 1726-1739	2.7	1
136	"As Needed" nonvitamin K antagonist oral anticoagulants for infrequent atrial fibrillation episodes following atrial fibrillation ablation guided by diligent pulse monitoring: A feasibility study. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 631-638	2.7	9
135	Performance of Prognostic Heart Failure Models in Patients With Nonischemic Cardiomyopathy Undergoing Ventricular Tachycardia Ablation. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 801-813	4.6	6
134	Usefulness of ICD electrograms analysis to distinguish endocardial vs epicardial ventricular tachycardia in arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1526-1534	2.7	1
133	P-wave morphology and multipolar intracardiac atrial activation to facilitate nonpulmonary vein trigger localization. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 865-876	2.7	6
132	Utility of ripple mapping for identification of slow conduction channels during ventricular tachycardia ablation in the setting of arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 366-373	2.7	8
131	Feasibility of complex transfemoral electrophysiology procedures in patients with inferior vena cava filters. <i>Heart Rhythm</i> , 2019 , 16, 873-878	6.7	3
130	Anatomical proximity dictates successful ablation from adjacent sites for outflow tract ventricular arrhythmias linked to the coronary venous system. <i>Europace</i> , 2019 , 21, 484-491	3.9	17
129	Electrophysiologic Substrate, Safety, Procedural Approaches, and Outcomes of Catheter Ablation for Ventricular Tachycardia in Patients After Aortic Valve Replacement. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 28-38	4.6	7
128	Outcomes of Catheter Ablation in Arrhythmogenic Right Ventricular Cardiomyopathy Without Background Implantable Cardioverter Defibrillator Therapy: A Multicenter International Ventricular Tachycardia Registry. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 55-65	4.6	8
127	Variant of ventricular outflow tract ventricular arrhythmias requiring ablation from multiple sites: Intramural origin. <i>Heart Rhythm</i> , 2019 , 16, 724-732	6.7	18
126	Anticoagulation use and clinical outcomes after catheter ablation in patients with persistent and longstanding persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 823-832	2.7	7
125	Association of regional epicardial right ventricular electrogram voltage amplitude and late gadolinium enhancement distribution on cardiac magnetic resonance in patients with arrhythmogenic right ventricular cardiomyopathy: Implications for ventricular tachycardia ablation. <i>Heart Rhythm</i> , 2018 , 15, 987-993	6.7	13
124	Prognostic role of serial quantitative evaluation of F-fluorodeoxyglucose uptake by PET/CT in patients with cardiac sarcoidosis presenting with ventricular tachycardia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1394-1404	8.8	29
123	Electrocardiographic Repolarization Abnormalities and Electroanatomic Substrate in Arrhythmogenic Right Ventricular Cardiomyopathy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005553	6.4	7
122	Long-term outcome of surgical cryoablation for refractory ventricular tachycardia in patients with non-ischemic cardiomyopathy. <i>Europace</i> , 2018 , 20, e30-e41	3.9	14
121	Lack of prognostic value of atrial arrhythmia inducibility and change in inducibility status after catheter ablation of atrial fibrillation. <i>Heart Rhythm</i> , 2018 , 15, 660-665	6.7	20
120	Outcomes with prophylactic use of percutaneous left ventricular assist devices in high-risk patients undergoing catheter ablation of scar-related ventricular tachycardia: A propensity-score matched analysis. <i>Heart Rhythm</i> , 2018 , 15, 1500-1506	6.7	31

119	Unipolar voltage mapping criteria for right ventricular septum: Influence of the aortic root. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1113-1118	2.7	6
118	Long-Term Outcome of Catheter Ablation for Treatment of Bundle Branch Re-Entrant Tachycardia. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 331-338	4.6	7
117	Percutaneous cryoablation for papillary muscle ventricular arrhythmias after failed radiofrequency catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1654-1663	2.7	24
116	Characterization of the Electroanatomic Substrate in Cardiac Sarcoidosis: Correlation With Imaging Findings of Scar and Inflammation. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 291-303	4.6	23
115	Epicardial ventricular tachycardia in ischemic cardiomyopathy: Prevalence, electrophysiological characteristics, and long-term ablation outcomes. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1530-1539	2.7	9
114	Lead I R-wave amplitude to differentiate idiopathic ventricular arrhythmias with left bundle branch block right inferior axis originating from the left versus right ventricular outflow tract. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1515-1522	2.7	12
113	QRS morphology shift following catheter ablation of idiopathic outflow tract ventricular arrhythmias: Prevalence, mapping features, and ablation outcomes. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1664-1671	2.7	14
112	Coronary Sinus Activation and ECG Characteristics of Roof-Dependent Left Atrial Flutter After Pulmonary Vein Isolation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005948	6.4	3
111	Importance of the Interventricular Septum as Part of the Ventricular Tachycardia Substrate in Nonischemic Cardiomyopathy. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 1155-1162	4.6	6
110	Outcomes of Catheter Ablation of Idiopathic Outflow Tract Ventricular Arrhythmias With an R Wave Pattern Break in Lead V2: A Distinct Clinical Entity. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 504-514	2.7	29
109	Cardiac magnetic resonance imaging and electroanatomic voltage discordance in non-ischemic left ventricle ventricular tachycardia and premature ventricular depolarizations. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017 , 49, 11-19	2.4	7
108	12-Lead Electrocardiogram to Localize Region of Abnormal Electroanatomic Substrate in Arrhythmogenic Right Ventricular Cardiomyopathy. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 654-665	4.6	14
107	Long-Term Outcomes of Catheter Ablation of Electrical Storm in Nonischemic Dilated Cardiomyopathy Compared With Ischemic Cardiomyopathy. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 767-778	4.6	42
106	Postoperative atrial tachycardias after mitral valve surgery: Mechanisms and outcomes of catheter ablation. <i>Heart Rhythm</i> , 2017 , 14, 520-526	6.7	25
105	Intravascular fracture of the Impella device during removal. <i>HeartRhythm Case Reports</i> , 2017 , 3, 584-585	1	1
104	Inferior lead discordance in ventricular arrhythmias: A specific marker for certain arrhythmia locations. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 1179-1186	2.7	29
103	Impact of timing of recurrence following catheter ablation of scar-related ventricular tachycardia on subsequent mortality. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 1010-1016	1.6	5
102	Recovery of renal dysfunction after catheter ablation of outflow tract ventricular arrhythmias in patients with ventricular premature depolarization-mediated cardiomyopathy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017 , 48, 43-50	2.4	3

101	Ventricular arrhythmias associated with left ventricular noncompaction: Electrophysiologic characteristics, mapping, and ablation. <i>Heart Rhythm</i> , 2017 , 14, 166-175	6.7	29
100	Long-Term Outcomes of Catheter Ablation of Ventricular Tachycardia in Patients With Cardiac Sarcoidosis. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	56
99	Pulmonary Vein Antral Isolation and Nonpulmonary Vein Trigger Ablation Are Sufficient to Achieve Favorable Long-Term Outcomes Including Transformation to Paroxysmal Arrhythmias in Patients With Persistent and Long-Standing Persistent Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	21
98	Comparative effectiveness of antiarrhythmic drugs and catheter ablation for the prevention of recurrent ventricular tachycardia in patients with implantable cardioverter-defibrillators: A systematic review and meta-analysis of randomized controlled trials. <i>Heart Rhythm</i> , 2016 , 13, 1552-9	6.7	97
97	Prevalence and distribution of focal triggers in persistent and long-standing persistent atrial fibrillation. <i>Heart Rhythm</i> , 2016 , 13, 374-82	6.7	138
96	Management of Periprocedural and Early Pericardial Effusions With Tamponade Following Ablation of Atrial Fibrillation With Uninterrupted Factor Xa Inhibitors: A Case Series. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 399-403	2.7	15
95	Quantification of Left Ventricular Function With Premature Ventricular Complexes Reveals Variable Hemodynamics. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9, e003520	6.4	12
94	Recurrent atrial arrhythmias in the setting of chronic pulmonary vein isolation. <i>Heart Rhythm</i> , 2016 , 13, 2174-2180	6.7	20
93	Long-Term Outcome After Catheter Ablation of Ventricular Tachycardia in Patients With Nonischemic Dilated Cardiomyopathy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	90
92	Ventricular arrhythmias from the coronary venous system: Prevalence, mapping, and ablation. <i>Heart Rhythm</i> , 2015 , 12, 1145-53	6.7	49
91	Early recurrence of atrial arrhythmias following pulmonary vein antral isolation: Timing and frequency of early recurrences predicts long-term ablation success. <i>Heart Rhythm</i> , 2015 , 12, 2461-8	6.7	49
90	Characteristics of ventricular tachycardia ablation in patients with continuous flow left ventricular assist devices. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 592-7	6.4	60
89	Loss of local capture of the pulmonary vein myocardium after antral isolation: prevalence and clinical significance. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 242-50	2.7	8
88	Idiopathic ventricular arrhythmias originating from the moderator band: Electrocardiographic characteristics and treatment by catheter ablation. <i>Heart Rhythm</i> , 2015 , 12, 67-75	6.7	101
87	Echocardiographic diastolic function assessment is of modest utility in patients with persistent and longstanding persistent atrial fibrillation. <i>IJC Heart and Vasculature</i> , 2015 , 9, 89-94	2.4	4
86	Ventricular premature depolarization ablation and reversal of nonischemic cardiomyopathy. <i>Interventional Cardiology</i> , 2015 , 7, 325-328	3	
85	Electrophysiologic findings and long-term outcomes in patients undergoing third or more catheter ablation procedures for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 371-377	2.7	44
84	Feasibility of Transseptal Access in Patients With Previously Scarred or Repaired Interatrial Septum. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 963-968	2.7	10

83	Effects of Age-Related Aortic Root Anatomic Changes on Left Ventricular Outflow Tract Pace-Mapping Morphologies: A Cardiac Magnetic Resonance Imaging Validation Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 994-999	2.7	9
82	Long-Term Outcome With Catheter Ablation of Ventricular Tachycardia in Patients With Arrhythmogenic Right Ventricular Cardiomyopathy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 1413-21	6.4	120
81	Electrical connection between ipsilateral pulmonary veins: prevalence and implications for ablation and adenosine testing. <i>Heart Rhythm</i> , 2015 , 12, 275-82	6.7	13
80	Percutaneous epicardial ablation of ventricular arrhythmias arising from the left ventricular summit: outcomes and electrocardiogram correlates of success. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 337-43	6.4	97
79	Acute hemodynamic decompensation during catheter ablation of scar-related ventricular tachycardia: incidence, predictors, and impact on mortality. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 68-75	6.4	92
78	Unipolar voltage abnormality is associated with greater left ventricular dysfunction in ischemic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 293-8	2.7	4
77	Spatial resolution of defibrillator electrograms to detect distinct exit sites of scar-related ventricular tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 1256-64	1.6	5
76	Risk of stroke or transient ischemic attack after atrial fibrillation ablation with oral anticoagulant use guided by ECG monitoring and pulse assessment. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 591-6	2.7	26
75	Left atrial volume best predicts recurrence after catheter ablation in patients with persistent and longstanding persistent atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 422-9	1.6	21
74	In vitro evaluation of ice-cold saline irrigation during catheter radiofrequency ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 1125-32	2.7	7
73	Effects of sex on the incidence of cardiac tamponade after catheter ablation of atrial fibrillation: results from a worldwide survey in 34 943 atrial fibrillation ablation procedures. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 274-80	6.4	80
72	Catheter ablation of ventricular fibrillation: importance of left ventricular outflow tract and papillary muscle triggers. <i>Heart Rhythm</i> , 2014 , 11, 566-73	6.7	85
71	Scar progression in patients with nonischemic cardiomyopathy and ventricular arrhythmias. <i>Heart Rhythm</i> , 2014 , 11, 755-62	6.7	28
70	Ventricular Tachycardia Ablation - The Right Approach for the Right Patient. <i>Arrhythmia and Electrophysiology Review</i> , 2014 , 3, 161-7	3.2	12
69	Efforts to enhance catheter stability improve atrial fibrillation ablation outcome. <i>Heart Rhythm</i> , 2013 , 10, 347-53	6.7	74
68	Nonischemic cardiomyopathy substrate and ventricular tachycardia in the setting of coronary artery disease. <i>Heart Rhythm</i> , 2013 , 10, 1622-7	6.7	18
67	Percutaneous epicardial ventricular tachycardia ablation after noncoronary cardiac surgery or pericarditis. <i>Heart Rhythm</i> , 2013 , 10, 165-9	6.7	37
66	Time to recurrence of atrial fibrillation influences outcome following catheter ablation. <i>Heart Rhythm</i> , 2013 , 10, 2-9	6.7	36

65	Intracardiac echocardiographic diagnosis of thrombus formation in the left atrial appendage: a complementary role to transesophageal echocardiography. <i>Echocardiography</i> , 2013 , 30, 72-80	1.5	57
64	Dabigatran versus warfarin anticoagulation before and after catheter ablation for the treatment of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013 , 37, 233-9	2.4	27
63	Characterization of trans-septal activation during septal pacing: criteria for identification of intramural ventricular tachycardia substrate in nonischemic cardiomyopathy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 1123-30	6.4	44
62	Inducibility of atrial fibrillation and flutter following pulmonary vein ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 617-23	2.7	31
61	Pulmonary vein antral isolation and nonpulmonary vein trigger ablation without additional substrate modification for treating longstanding persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 806-13	2.7	63
60	Anesthetic management of patients undergoing pulmonary vein isolation for treatment of atrial fibrillation using high-frequency jet ventilation. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012 , 26, 433-8	2.1	32
59	Nearly uniform failure of atrial flutter ablation and continuation of antiarrhythmic agents (hybrid therapy) for the long-term control of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 35, 57-61	2.4	12
58	Sinus rhythm electrocardiogram identification of basal-lateral ischemic versus nonischemic substrate in patients with ventricular tachycardia. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 35, 311-21; discussion 321	2.4	7
57	New unipolar electrogram criteria to identify irreversibility of nonischemic left ventricular cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 2194-204	15.1	58
56	Long-term follow-up of patients with cardiac sarcoidosis and implantable cardioverter-defibrillators. <i>Heart Rhythm</i> , 2012 , 9, 884-91	6.7	128
55	Noninvasive programmed ventricular stimulation early after ventricular tachycardia ablation to predict risk of late recurrence. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 1529-35	15.1	72
54	Influence of left ventricular hypertrophy on scar identification during bipolar voltage mapping. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 34, 45-50	2.4	1
53	Repeat percutaneous epicardial mapping and ablation of ventricular tachycardia: safety and outcome. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 744-9	2.7	18
52	Randomized ablation strategies for the treatment of persistent atrial fibrillation: RASTA study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012 , 5, 287-94	6.4	166
51	Layered activation of epicardial scar in arrhythmogenic right ventricular dysplasia: possible substrate for confined epicardial circuits. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012 , 5, 796-803	6.4	50
50	Reversal of outflow tract ventricular premature depolarization-induced cardiomyopathy with ablation: effect of residual arrhythmia burden and preexisting cardiomyopathy on outcome. <i>Heart Rhythm</i> , 2011 , 8, 1608-14	6.7	132
49	Evidence of atrial functional mitral regurgitation due to atrial fibrillation: reversal with arrhythmia control. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 1474-81	15.1	228
48	Idiopathic right ventricular arrhythmias not arising from the outflow tract: prevalence, electrocardiographic characteristics, and outcome of catheter ablation. <i>Heart Rhythm</i> , 2011 , 8, 511-8	6.7	59

47	Mobile thrombus on device leads in patients undergoing ablation: identification, incidence, location, and association with increased pulmonary artery systolic pressure. <i>Circulation</i> , 2011 , 124, 772-8 ^{16.7}	66
46	Ventricular tachycardia ablation remains treatment of last resort in structural heart disease: argument for earlier intervention. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 1123-8	2.7 53
45	Sinus rhythm ECG criteria associated with basal-lateral ventricular tachycardia substrate in patients with nonischemic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 1351-8	2.7 22
44	Endocardial unipolar voltage mapping to identify epicardial substrate in arrhythmogenic right ventricular cardiomyopathy/dysplasia. <i>Heart Rhythm</i> , 2011 , 8, 76-83	6.7 180
43	Isolated septal substrate for ventricular tachycardia in nonischemic dilated cardiomyopathy: incidence, characterization, and implications. <i>Heart Rhythm</i> , 2011 , 8, 1169-76	6.7 124
42	Surgical ablation of refractory ventricular tachycardia in patients with nonischemic cardiomyopathy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011 , 4, 494-500	6.4 60
41	Antiarrhythmics after ablation of atrial fibrillation (5A Study): six-month follow-up study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011 , 4, 11-4	6.4 102
40	The impact of mitral regurgitation on patients undergoing catheter ablation of atrial fibrillation. <i>Europace</i> , 2011 , 13, 1127-32	3.9 32
39	Lack of uniform progression of endocardial scar in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy and ventricular tachycardia. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010 , 3, 332-8	6.4 38
38	Efficacy and risk of atrial fibrillation ablation before 45 years of age. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010 , 3, 452-7	6.4 65
37	Long-term outcome after successful catheter ablation of atrial fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010 , 3, 237-42	6.4 157
36	Avoidance of left phrenic nerve injury during endocardial ventricular tachycardia substrate modification. <i>Heart Rhythm</i> , 2010 , 7, 266-8	6.7 2
35	Incidence and predictors of mortality following ablation of ventricular tachycardia in patients with an implantable cardioverter-defibrillator. <i>Heart Rhythm</i> , 2010 , 7, 9-14	6.7 37
34	The risk of thromboembolism and need for oral anticoagulation after successful atrial fibrillation ablation. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 735-43	15.1 221
33	Electrocardiographic and electrophysiologic features of ventricular arrhythmias originating from the right/left coronary cusp commissure. <i>Heart Rhythm</i> , 2010 , 7, 312-22	6.7 109
32	Atrial arrhythmias in patients with arrhythmogenic right ventricular cardiomyopathy/dysplasia and ventricular tachycardia. <i>American Journal of Cardiology</i> , 2010 , 106, 720-2	3 43
31	Epicardial substrate and outcome with epicardial ablation of ventricular tachycardia in arrhythmogenic right ventricular cardiomyopathy/dysplasia. <i>Circulation</i> , 2009 , 120, 366-75	16.7 275
30	Antiarrhythmics After Ablation of Atrial Fibrillation (5A Study). <i>Circulation</i> , 2009 , 120, 1036-40	16.7 101

29	Electroanatomic substrate and ablation outcome for suspected epicardial ventricular tachycardia in left ventricular nonischemic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 799-808	15.1	271
28	Single procedure efficacy of isolating all versus arrhythmogenic pulmonary veins on long-term control of atrial fibrillation: a prospective randomized study. <i>Heart Rhythm</i> , 2008 , 5, 174-81	6.7	65
27	Long-term clinical efficacy and risk of catheter ablation for atrial fibrillation in the elderly. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 621-6	2.7	130
26	Incidence and predictors of very late recurrence of atrial fibrillation after ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2007 , 18, 69-74	2.7	88
25	Reversal of left ventricular dysfunction following ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2007 , 18, 9-14	2.7	214
24	Characteristics of patients undergoing atrial fibrillation ablation: trends over a seven-year period 1999-2005. <i>Journal of Cardiovascular Electrophysiology</i> , 2007 , 18, 23-8	2.7	33
23	Changes in ventricular dimensions and function during recovery of atrial tachycardia-induced cardiomyopathy treated with catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2007 , 18, 1104-6	2.7	13
22	Site-specific twelve-lead ECG features to identify an epicardial origin for left ventricular tachycardia in the absence of myocardial infarction. <i>Heart Rhythm</i> , 2007 , 4, 1403-10	6.7	140
21	Proper management of pericardial tamponade as a late complication of implantable cardiac device placement. <i>American Journal of Cardiology</i> , 2006 , 98, 223-5	3	37
20	Atrioventricular nodal reentrant tachycardia in patients referred for atrial fibrillation ablation: response to ablation that incorporates slow-pathway modification. <i>Circulation</i> , 2006 , 114, 191-5	16.7	71
19	Twelve-lead ECG features to identify ventricular tachycardia arising from the epicardial right ventricle. <i>Heart Rhythm</i> , 2006 , 3, 1132-9	6.7	97
18	Comparison of cool tip versus 8-mm tip catheter in achieving electrical isolation of pulmonary veins for long-term control of atrial fibrillation: a prospective randomized pilot study. <i>Journal of Cardiovascular Electrophysiology</i> , 2006 , 17, 1074-9	2.7	44
17	Identification of distinct electrocardiographic patterns from the basal left ventricle: distinguishing medial and lateral sites of origin in patients with idiopathic ventricular tachycardia. <i>Heart Rhythm</i> , 2005 , 2, 485-91	6.7	64
16	Ventricular tachycardia/ventricular fibrillation ablation in the setting of ischemic heart disease. <i>Journal of Cardiovascular Electrophysiology</i> , 2005 , 16 Suppl 1, S59-70	2.7	26
15	Electroanatomic substrate and outcome of catheter ablative therapy for ventricular tachycardia in setting of right ventricular cardiomyopathy. <i>Circulation</i> , 2004 , 110, 2293-8	16.7	206
14	Efficacy of repeat pulmonary vein isolation procedures in patients with recurrent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2004 , 15, 1050-5	2.7	203
13	Favorable effect of pulmonic vein isolation by partial circumferential ablation on ostial flow velocity. <i>Heart Rhythm</i> , 2004 , 1, 262-7	6.7	12
12	Efficacy and safety of targeted focal ablation versus PV isolation assisted by magnetic electroanatomic mapping. <i>Journal of Cardiovascular Electrophysiology</i> , 2003 , 14, 358-65	2.7	96

11	Incidence and location of focal atrial fibrillation triggers in patients undergoing repeat pulmonary vein isolation: implications for ablation strategies. <i>Journal of Cardiovascular Electrophysiology</i> , 2003 , 14, 685-90	2.7	149
10	Utility of exit block for identifying electrical isolation of the pulmonary veins. <i>Journal of Cardiovascular Electrophysiology</i> , 2002 , 13, 971-9	2.7	126
9	Intracardiac Doppler echocardiographic quantification of pulmonary vein flow velocity: an effective technique for monitoring pulmonary vein ostia narrowing during focal atrial fibrillation ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2002 , 13, 1076-81	2.7	84
8	Echocardiographic lesion characteristics associated with successful ablation of inappropriate sinus tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2001 , 12, 814-8	2.7	43
7	Sex-specific triggers for right ventricular outflow tract tachycardia. <i>American Heart Journal</i> , 2000 , 139, 1009-13	4.9	81
6	Linear ablation lesions for control of unmappable ventricular tachycardia in patients with ischemic and nonischemic cardiomyopathy. <i>Circulation</i> , 2000 , 101, 1288-96	16.7	917
5	Hybrid therapy for ventricular arrhythmia management. <i>Cardiology Clinics</i> , 2000 , 18, 391-406	2.5	15
4	Efficacy and safety of catheter ablation in octogenarians. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 458-62	15.1	53
3	Concomitant device and drug therapy: current trends, potential benefits, and adverse interactions. <i>American Journal of Cardiology</i> , 1999 , 84, 69R-75R	3	16
2	Efficacy of radiofrequency catheter ablation for ventricular tachycardia in healed myocardial infarction. <i>American Journal of Cardiology</i> , 1998 , 82, 429-32	3	68
1	Idiopathic right ventricular outflow tract tachycardia: narrowing the anatomic location for successful ablation. <i>American Heart Journal</i> , 1996 , 131, 930-6	4.9	144