

# Carlos Rojas-Fernandez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11160785/publications.pdf>

Version: 2024-02-01

12  
papers

640  
citations

933447

10  
h-index

1125743

13  
g-index

13  
all docs

13  
docs citations

13  
times ranked

1032  
citing authors

#	ARTICLE	IF	CITATIONS
1	Deprescribing recommendations: An essential consideration for clinical guideline developers. <i>Research in Social and Administrative Pharmacy</i> , 2019, 15, 806-810.	3.0	21
2	Deprescribing antipsychotics for behavioural and psychological symptoms of dementia and insomnia: Evidence-based clinical practice guideline. <i>Canadian Family Physician</i> , 2018, 64, 17-27.	0.4	94
3	Deprescribing versus continuation of chronic proton pump inhibitor use in adults. <i>The Cochrane Library</i> , 2017, 2017, CD011969.	2.8	92
4	Lack of Evidence to Guide Deprescribing of Antihyperglycemics: A Systematic Review. <i>Diabetes Therapy</i> , 2017, 8, 23-31.	2.5	30
5	Deprescribing proton pump inhibitors: Evidence-based clinical practice guideline. <i>Canadian Family Physician</i> , 2017, 63, 354-364.	0.4	199
6	Deprescribing antihyperglycemic agents in older persons: Evidence-based clinical practice guideline. <i>Canadian Family Physician</i> , 2017, 63, 832-843.	0.4	72
7	Atypical antipsychotics for insomnia: a systematic review. <i>Sleep Medicine</i> , 2016, 22, 13-17.	1.6	72
8	The Aging, Community and Health Research Unit's Community Partnership Program for older adults with type 2 diabetes and multiple chronic conditions: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2016, 2, 24.	1.2	21
9	Statins and Cognitive Side Effects. <i>Endocrinology and Metabolism Clinics of North America</i> , 2016, 45, 101-116.	3.2	6
10	Use of fall risk increasing drugs in residents of retirement villages: a pilot study of long term care and retirement home residents in Ontario, Canada. <i>BMC Research Notes</i> , 2015, 8, 568.	1.4	9
11	Measuring the implementation of a group-based Lifestyle-integrated Functional Exercise (Mi-LiFE) intervention delivered in primary care for older adults aged 75 years or older: a pilot feasibility study protocol. <i>Pilot and Feasibility Studies</i> , 2015, 1, 20.	1.2	11
12	Statins and Cognitive Side Effects. <i>Cardiology Clinics</i> , 2015, 33, 245-256.	2.2	12