
## Hui Feng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11162360/publications.pdf Version: 2024-02-01



HUL FENC

#	Article	IF	CITATIONS
1	A human neutralizing antibody targets the receptor-binding site of SARS-CoV-2. Nature, 2020, 584, 120-124.	27.8	1,237
2	A Biparatopic HER2-Targeting Antibody-Drug Conjugate Induces Tumor Regression in Primary Models Refractory to or Ineligible for HER2-Targeted Therapy. Cancer Cell, 2016, 29, 117-129.	16.8	281
3	Toripalimab or placebo plus chemotherapy as first-line treatment in advanced nasopharyngeal carcinoma: a multicenter randomized phase 3 trial. Nature Medicine, 2021, 27, 1536-1543.	30.7	197
4	Toripalimab plus chemotherapy in treatment-naÃ <sup>-</sup> ve, advanced esophageal squamous cell carcinoma (JUPITER-06): A multi-center phase 3 trial. Cancer Cell, 2022, 40, 277-288.e3.	16.8	177
5	Efficacy, Safety, and Correlative Biomarkers of Toripalimab in Previously Treated Recurrent or Metastatic Nasopharyngeal Carcinoma: A Phase II Clinical Trial (POLARIS-02). Journal of Clinical Oncology, 2021, 39, 704-712.	1.6	156
6	Axitinib in Combination With Toripalimab, a Humanized Immunoglobulin G <sub>4</sub> Monoclonal Antibody Against Programmed Cell Death-1, in Patients With Metastatic Mucosal Melanoma: An Open-Label Phase IB Trial. Journal of Clinical Oncology, 2019, 37, 2987-2999.	1.6	126
7	Safety and clinical activity with an anti-PD-1 antibody JS001 in advanced melanoma or urologic cancer patients. Journal of Hematology and Oncology, 2019, 12, 7.	17.0	113
8	Safety, Efficacy, and Biomarker Analysis of Toripalimab in Previously Treated Advanced Melanoma: Results of the POLARIS-01 Multicenter Phase II Trial. Clinical Cancer Research, 2020, 26, 4250-4259.	7.0	104
9	Protein Kinase D Is an Essential Regulator of C. elegans Innate Immunity. Immunity, 2009, 30, 521-532.	14.3	75
10	Safety and clinical efficacy of toripalimab, a PD-1 mAb, in patients with advanced or recurrent malignancies in a phase I study. European Journal of Cancer, 2020, 130, 182-192.	2.8	46
11	Toripalimab plus chemotherapy as second-line treatment in previously EGFR-TKI treated patients with EGFR-mutant-advanced NSCLC: a multicenter phase-II trial. Signal Transduction and Targeted Therapy, 2021, 6, 355.	17.1	45
12	Characterization of the Targeting, Binding, and Phosphorylation Site Domains of an A Kinase Anchor Protein and a Myristoylated Alanine-rich C Kinase Substrate-like Analog That Are Encoded by a Single Gene. Journal of Biological Chemistry, 1999, 274, 27201-27210.	3.4	38
13	Preclinical evaluation of the efficacy, pharmacokinetics and immunogenicity of JS-001, a programmed cell death protein-1 (PD-1) monoclonal antibody. Acta Pharmacologica Sinica, 2017, 38, 710-718.	6.1	38
14	Properties, Regulation, and in Vivo Functions of a Novel Protein Kinase D. Journal of Biological Chemistry, 2007, 282, 31273-31288.	3.4	37
15	A broadly neutralizing humanized ACE2-targeting antibody against SARS-CoV-2 variants. Nature Communications, 2021, 12, 5000.	12.8	37
16	Safety, Efficacy, and Biomarker Analysis of Toripalimab in Patients with Previously Treated Advanced Urothelial Carcinoma: Results from a Multicenter Phase II Trial POLARIS-03. Clinical Cancer Research, 2022, 28, 489-497.	7.0	36
17	Potent Immune Modulation by MEDI6383, an Engineered Human OX40 Ligand IgG4P Fc Fusion Protein. Molecular Cancer Therapeutics, 2018, 17, 1024-1038.	4.1	31
18	Glycosylation-independent binding of monoclonal antibody toripalimab to FG loop of PD-1 for tumor immune checkpoint therapy. MAbs, 2019, 11, 681-690.	5.2	30

Ηυι Γενς

#	Article	IF	CITATIONS
19	Toripalimab plus axitinib in patients with metastatic mucosal melanoma: 3-year survival update and biomarker analysis. , 2022, 10, e004036.		24
20	Characterization of a Novel Protein Kinase D. Journal of Biological Chemistry, 2006, 281, 17801-17814.	3.4	21
21	Neuronal and Intestinal Protein Kinase D Isoforms Mediate Na <sup>+</sup> (Salt Taste)–Induced Learning. Science Signaling, 2009, 2, ra42.	3.6	19
22	Tolerability, Safety, Pharmacokinetics, and Immunogenicity of a Novel SARS-CoV-2 Neutralizing Antibody, Etesevimab, in Chinese Healthy Adults: a Randomized, Double-Blind, Placebo-Controlled, First-in-Human Phase 1 Study. Antimicrobial Agents and Chemotherapy, 2021, 65, e0035021.	3.2	18
23	Conserved Domains Subserve Novel Mechanisms and Functions in DKF-1, a Caenorhabditis elegans Protein Kinase D. Journal of Biological Chemistry, 2006, 281, 17815-17826.	3.4	14
24	A novel bicistronic gene design couples stable cell line selection with a fucose switch in a designer CHO host to produce native and afucosylated glycoform antibodies. MAbs, 2018, 10, 416-430.	5.2	13
25	A non-ACE2-blocking neutralizing antibody against Omicron-included SARS-CoV-2 variants. Signal Transduction and Targeted Therapy, 2022, 7, 23.	17.1	11
26	Etesevimab in combination with JS026 neutralizing SARS-CoV-2 and its variants. Emerging Microbes and Infections, 2022, 11, 548-551.	6.5	8
27	Quality comparability assessment of a SARS-CoV-2-neutralizing antibody across transient, mini-pool-derived and single-clone CHO cells. MAbs, 2022, 14, 2005507.	5.2	8