

# Giorgio Guazzoni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11162428/publications.pdf>

Version: 2024-02-01

190  
papers

10,812  
citations

31976

53  
h-index

36028

97  
g-index

197  
all docs

197  
docs citations

197  
times ranked

7208  
citing authors

#	ARTICLE	IF	CITATIONS
1	Retropubic, Laparoscopic, and Robot-Assisted Radical Prostatectomy: A Systematic Review and Cumulative Analysis of Comparative Studies. <i>European Urology</i> , 2009, 55, 1037-1063.	1.9	866
2	Systematic Review and Meta-analysis of Studies Reporting Potency Rates After Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2012, 62, 418-430.	1.9	620
3	Systematic Review and Meta-analysis of Studies Reporting Oncologic Outcome After Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2012, 62, 382-404.	1.9	418
4	Systematic Review and Meta-analysis of Perioperative Outcomes and Complications After Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2012, 62, 431-452.	1.9	404
5	Assessing the Impact of Ischaemia Time During Partial Nephrectomy. <i>European Urology</i> , 2009, 56, 625-635.	1.9	333
6	Holmium Laser Enucleation of the Prostate Versus Open Prostatectomy for Prostates >70g: 24-Month Follow-up. <i>European Urology</i> , 2006, 50, 563-568.	1.9	331
7	Best Practices in Robot-assisted Radical Prostatectomy: Recommendations of the Pasadena Consensus Panel. <i>European Urology</i> , 2012, 62, 368-381.	1.9	251
8	BULBAR URETHROPLASTY USING BUCCAL MUCOSA GRAFTS PLACED ON THE VENTRAL, DORSAL OR LATERAL SURFACE OF THE URETHRA: ARE RESULTS AFFECTED BY THE SURGICAL TECHNIQUE?. <i>Journal of Urology</i> , 2005, 174, 955-958.	0.4	242
9	A Critical Analysis of the Current Knowledge of Surgical Anatomy of the Prostate Related to Optimisation of Cancer Control and Preservation of Continence and Erection in Candidates for Radical Prostatectomy: An Update. <i>European Urology</i> , 2016, 70, 301-311.	1.9	218
10	Transperitoneal Laparoscopic Versus Open Adrenalectomy for Benign Hyperfunctioning Adrenal Tumors: A Comparative Study. <i>Journal of Urology</i> , 1995, 153, 1597-1600.	0.4	211
11	Robot-assisted and Laparoscopic Repair of Ureteropelvic Junction Obstruction: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2014, 65, 430-452.	1.9	187
12	Serum Isoform [ $\alpha^2$ ]proPSA Derivatives Significantly Improve Prediction of Prostate Cancer at Initial Biopsy in a Total PSA Range of 2-10 ng/ml: A Multicentric European Study. <i>European Urology</i> , 2013, 63, 986-994.	1.9	176
13	Prostate-Specific Antigen (PSA) Isoform p2PSA Significantly Improves the Prediction of Prostate Cancer at Initial Extended Prostate Biopsies in Patients with Total PSA Between 2.0 and 10 ng/ml: Results of a Prospective Study in a Clinical Setting. <i>European Urology</i> , 2011, 60, 214-222.	1.9	171
14	LAPAROSCOPIC CRYOABLATION OF SOLID RENAL MASSES: INTERMEDIATE TERM FOLLOWUP. <i>Journal of Urology</i> , 2004, 172, 1267-1270.	0.4	162
15	Preoperative Pelvic Floor Muscle Exercise for Early Continence After Radical Prostatectomy: A Randomised Controlled Study. <i>European Urology</i> , 2010, 57, 1039-1044.	1.9	156
16	One-Stage Bulbar Urethroplasty: Retrospective Analysis of the Results in 375 Patients. <i>European Urology</i> , 2008, 53, 828-833.	1.9	137
17	Identifying Optimal Candidates for Local Treatment of the Primary Tumor Among Patients Diagnosed with Metastatic Prostate Cancer: A SEER-based Study. <i>European Urology</i> , 2015, 67, 3-6.	1.9	136
18	A Critical Analysis of the Actual Role of Minimally Invasive Surgery and Active Surveillance for Kidney Cancer. <i>European Urology</i> , 2010, 57, 223-232.	1.9	130

#	ARTICLE	IF	CITATIONS
19	Sildenafil taken at bedtime significantly increases nocturnal erections: results of a placebo-controlled study. <i>Urology</i> , 2000, 56, 906-911.	1.0	114
20	Long-Term Followup and Deterioration Rate of Anterior Substitution Urethroplasty. <i>Journal of Urology</i> , 2014, 192, 808-813.	0.4	114
21	Margin, Ischemia, and Complications (MIC) Score in Partial Nephrectomy: A New System for Evaluating Achievement of Optimal Outcomes in Nephron-sparing Surgery. <i>European Urology</i> , 2012, 62, 617-618.	1.9	113
22	LONG-TERM OUTCOME OF URETHROPLASTY AFTER FAILED URETHROTOMY VERSUS PRIMARY REPAIR. <i>Journal of Urology</i> , 2001, 165, 1918-1919.	0.4	106
23	Preoperative Prostate-Specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer. <i>European Urology</i> , 2012, 61, 455-466.	1.9	106
24	Intra- and Peri-Operative Outcomes Comparing Radical Retropubic and Laparoscopic Radical Prostatectomy: Results from a Prospective, Randomised, Single-Surgeon Study. <i>European Urology</i> , 2006, 50, 98-104.	1.9	104
25	Biopsy Core Number Represents One of Foremost Predictors of Clinically Significant Gleason Sum Upgrading in Patients With Low-risk Prostate Cancer. <i>Urology</i> , 2009, 73, 1087-1091.	1.0	102
26	Predicting Erectile Function Recovery after Bilateral Nerve Sparing Radical Prostatectomy: A Proposal of a Novel Preoperative Risk Stratification. <i>Journal of Sexual Medicine</i> , 2010, 7, 2521-2531.	0.6	102
27	Clinical performance of serum prostate-specific antigen isoform [â€]p2PSA and its derivatives, %p2PSA and the prostate health index (PHI), in men with a family history of prostate cancer: results from a multicentre European study. the PROMETHEUS project. <i>BJU International</i> , 2013, 112, 313-321.	2.5	93
28	Morbidity of Oral Mucosa Graft Harvesting from a Single Cheek. <i>European Urology</i> , 2010, 58, 33-41.	1.9	92
29	Acceptance of and Discontinuation Rate from Erectile Dysfunction Oral Treatment in Patients following Bilateral Nerve-Sparing Radical Prostatectomy. <i>European Urology</i> , 2008, 53, 564-570.	1.9	88
30	Head-to-Head Comparison of Prostate Health Index and Urinary PCA3 for Predicting Cancer at Initial or Repeat Biopsy. <i>Journal of Urology</i> , 2013, 190, 496-501.	0.4	87
31	<sup>68</sup> Ga-PSMA Positron Emission Tomography/Computerized Tomography for Primary Diagnosis of Prostate Cancer in Men with Contraindications to or Negative Multiparametric Magnetic Resonance Imaging: A Prospective Observational Study. <i>Journal of Urology</i> , 2018, 200, 95-103.	0.4	85
32	Role of Restaging Transurethral Resection for T1 Non-muscle invasive Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2018, 4, 558-567.	3.1	84
33	A multicentre matched-pair analysis comparing robot-assisted versus open partial nephrectomy. <i>BJU International</i> , 2014, 113, 936-941.	2.5	78
34	Effect of yohimbine-trazodone on psychogenic impotence: A randomized, double-blind, placebo-controlled study. <i>Urology</i> , 1994, 44, 732-736.	1.0	77
35	An increased body mass index is associated with a worse prognosis in patients administered BCG immunotherapy for T1 bladder cancer. <i>World Journal of Urology</i> , 2019, 37, 507-514.	2.2	77
36	Holmium Laser Enucleation Versus Transurethral Resection of the Prostate. Are Histological Findings Comparable?. <i>Journal of Urology</i> , 2004, 171, 1203-1206.	0.4	73

#	ARTICLE	IF	CITATIONS
37	Multicenter European External Validation of a Prostate Health Index-based Nomogram for Predicting Prostate Cancer at Extended Biopsy. <i>European Urology</i> , 2014, 66, 906-912.	1.9	73
38	Feasibility and Preliminary Clinical Outcomes of Robotic Laparoendoscopic Single-Site (R-LESS) Pyeloplasty Using a New Single-Port Platform. <i>European Urology</i> , 2012, 62, 175-179.	1.9	72
39	Ventral Oral Mucosal Onlay Graft Urethroplasty in Nontraumatic Bulbar Urethral Strictures: Surgical Technique and Multivariable Analysis of Results in 214 Patients. <i>European Urology</i> , 2013, 64, 440-447.	1.9	70
40	Preoperative Prostate-specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer: Results from a Multicentric European Prospective Study. <i>European Urology</i> , 2015, 68, 132-138.	1.9	67
41	Systemic Inflammatory Markers and Oncologic Outcomes in Patients with High-risk Non-muscle-invasive Urothelial Bladder Cancer. <i>European Urology Oncology</i> , 2018, 1, 403-410.	5.4	66
42	Vascular Abnormalities in Peyronie's Disease: The Role of Color Doppler Sonography. <i>Journal of Urology</i> , 1994, 151, 373-375.	0.4	65
43	Oncologic Results of Laparoscopic Renal Cryoablation for Clinical T1a Tumors: 8 Years of Experience in a Single Institution. <i>Urology</i> , 2010, 76, 624-629.	1.0	65
44	A Multicentre Evaluation of the Role of the Prostate Health Index (PHI) in Regions with Differing Prevalence of Prostate Cancer: Adjustment of PHI Reference Ranges is Needed for European and Asian Settings. <i>European Urology</i> , 2019, 75, 558-561.	1.9	64
45	Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>European Urology</i> , 2017, 71, 945-951.	1.9	63
46	En Bloc Resection of Nonmuscle Invasive Bladder Cancer: A Prospective Single-center Study. <i>Urology</i> , 2016, 90, 126-130.	1.0	62
47	Comparison of the Diagnostic Accuracy of Micro-ultrasound and Magnetic Resonance Imaging/Ultrasound Fusion Targeted Biopsies for the Diagnosis of Clinically Significant Prostate Cancer. <i>European Urology Oncology</i> , 2019, 2, 329-332.	5.4	62
48	Effectiveness and Safety of Laparoscopic Adrenalectomy. <i>Journal of Urology</i> , 1994, 152, 1375-1378.	0.4	61
49	EIGHT-YEAR EXPERIENCE WITH TRANSPERITONEAL LAPAROSCOPIC ADRENAL SURGERY. <i>Journal of Urology</i> , 2001, 166, 820-824.	0.4	58
50	Initial Extended Transrectal Prostate Biopsy: Are More Prostate Cancers Detected With 18 Cores Than With 12 Cores?. <i>Journal of Urology</i> , 2008, 179, 1327-1331.	0.4	57
51	Prediction of Early and Late Complications after Oral Mucosal Graft Harvesting: Multivariable Analysis from a Cohort of 553 Consecutive Patients. <i>Journal of Urology</i> , 2014, 191, 688-693.	0.4	57
52	NEW 2-STAGE BUCCAL MUCOSAL GRAFT URETHROPLASTY. <i>Journal of Urology</i> , 2002, 167, 130-132.	0.4	56
53	Validation of Neutrophil-to-lymphocyte Ratio in a Multi-institutional Cohort of Patients With T1G3 Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 445-452.	1.9	55
54	Active Surveillance for Low Risk Nonmuscle Invasive Bladder Cancer: A Confirmatory and Resource Consumption Study from the BIAS Project. <i>Journal of Urology</i> , 2018, 199, 401-406.	0.4	54

#	ARTICLE	IF	CITATIONS
55	Transrectal Microwave Hyperthermia for Benign Prostatic Hyperplasia: Long-Term Clinical, Pathological and Ultrastructural Patterns. <i>Journal of Urology</i> , 1992, 148, 321-325.	0.4	53
56	Serum Index Test %[-2]proPSA and Prostate Health Index are More Accurate than Prostate Specific Antigen and %fPSA in Predicting a Positive Repeat Prostate Biopsy. <i>Journal of Urology</i> , 2012, 188, 1137-1143.	0.4	53
57	Development and Internal Validation of a Prostate Health Index Based Nomogram for Predicting Prostate Cancer at Extended Biopsy. <i>Journal of Urology</i> , 2012, 188, 1144-1150.	0.4	53
58	Prediction of Complications Following Partial Nephrectomy: Implications for Ablative Techniques Candidates. <i>European Urology</i> , 2016, 69, 676-682.	1.9	52
59	Retroperitoneal and Transperitoneal Robot-Assisted Pyeloplasty in Adults: Techniques and Results. <i>European Urology</i> , 2010, 58, 711-718.	1.9	51
60	Indication for and Extension of Pelvic Lymph Node Dissection During Robot-assisted Radical Prostatectomy: An Analysis of Five European Institutions. <i>European Urology</i> , 2014, 66, 635-643.	1.9	51
61	EAU Policy on Live Surgery Events. <i>European Urology</i> , 2014, 66, 87-97.	1.9	50
62	Mitochondrial metabolic reprogramming controls the induction of immunogenic cell death and efficacy of chemotherapy in bladder cancer. <i>Science Translational Medicine</i> , 2021, 13, .	12.4	50
63	Laparoscopic bilateral adrenalectomy for persistent Cushing's disease after transsphenoidal surgery. <i>Surgery</i> , 1998, 123, 144-150.	1.9	49
64	Testing the most stringent criteria for selection of candidates for active surveillance in patients with low-risk prostate cancer. <i>BJU International</i> , 2010, 105, 1548-1552.	2.5	49
65	The Surgical Learning Curve for One-stage Anterior Urethroplasty: A Prospective Single-surgeon Study. <i>European Urology</i> , 2016, 69, 686-690.	1.9	49
66	The Effect of Intracorporeal Injection Plus Genital and Audiovisual Sexual Stimulation Versus Second Injection on Penile Color Doppler Sonography Parameters. <i>Journal of Urology</i> , 1996, 155, 536-540.	0.4	47
67	Holmium laser enucleation of the prostate and holmium laser ablation of the prostate: indications and outcome. <i>Current Opinion in Urology</i> , 2009, 19, 38-43.	1.8	45
68	Pharmacological Management of Erectile Dysfunction. <i>Drugs</i> , 1995, 50, 465-479.	10.9	44
69	Long-term oncologic outcomes of laparoscopic renal cryoablation as primary treatment for small renal masses. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 22.e1-22.e9.	1.6	44
70	Laparoscopic unroofing of simple renal cysts. <i>Urology</i> , 1994, 43, 154-159.	1.0	43
71	Margin, Ischemia, and Complications System to Report Perioperative Outcomes of Robotic Partial Nephrectomy: A European Multicenter Observational Study (EMOS Project). <i>Urology</i> , 2015, 85, 589-595.	1.0	43
72	Assessing the Impact of Surgeon Experience on Urinary Continence Recovery After Robot-Assisted Radical Prostatectomy: Results of Four High-Volume Surgeons. <i>Journal of Endourology</i> , 2017, 31, 872-877.	2.1	43

#	ARTICLE	IF	CITATIONS
73	Type 2 diabetes mellitus predicts worse outcomes in patients with high-grade T1 bladder cancer receiving bacillus Calmette-Guérin after transurethral resection of the bladder tumor. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 459-464.	1.6	42
74	Robot-assisted, Single-site, Dismembered Pyeloplasty for Ureteropelvic Junction Obstruction with the New da Vinci Platform: A Stage 2a Study. <i>European Urology</i> , 2015, 67, 151-156.	1.9	41
75	Is there a role for transrectal microwave hyperthermia of the prostate in the treatment of abacterial prostatitis and prostatodynia?. <i>Prostate</i> , 1993, 22, 139-146.	2.3	39
76	Diagnostic Accuracy of Microultrasound in Patients with a Suspicion of Prostate Cancer at Magnetic Resonance Imaging: A Single-institutional Prospective Study. <i>European Urology Focus</i> , 2021, 7, 1019-1026.	3.1	39
77	What Is the Definition of a Satisfactory Erectile Function After Bilateral Nerve Sparing Radical Prostatectomy?. <i>Journal of Sexual Medicine</i> , 2011, 8, 1210-1217.	0.6	38
78	Is Robot-assisted Surgery Contraindicated in the Case of Partial Nephrectomy for Complex Tumours or Relevant Comorbidities? A Comparative Analysis of Morbidity, Renal Function, and Oncologic Outcomes. <i>European Urology Oncology</i> , 2018, 1, 61-68.	5.4	38
79	A modified prostatic urolume wallstent for healthy patients with symptomatic benign prostatic hyperplasia: A european multicenter study. <i>Urology</i> , 1994, 44, 364-370.	1.0	37
80	Mesenchymal stem cells expressing therapeutic genes induce autochthonous prostate tumour regression. <i>European Journal of Cancer</i> , 2014, 50, 2478-2488.	2.8	37
81	Effectiveness and safety of multidrug intracavernous therapy for vasculogenic impotence. <i>Urology</i> , 1993, 42, 554-558.	1.0	36
82	Remembered International Index of Erectile Function Domain Scores Are Not Accurate in Assessing Preoperative Potency in Candidates for Bilateral Nerve-Sparing Radical Retropubic Prostatectomy. <i>Journal of Sexual Medicine</i> , 2008, 5, 677-683.	0.6	36
83	Complications and Quality of Life After Template-assisted Transperineal Prostate Biopsy in Patients Eligible for Focal Therapy. <i>Urology</i> , 2013, 81, 1291-1296.	1.0	36
84	Nerve-Sparing Radical Retropubic Prostatectomy in Patients Previously Submitted to Holmium Laser Enucleation of the Prostate for Bladder Outlet Obstruction Due to Benign Prostatic Enlargement. <i>European Urology</i> , 2008, 53, 1180-1185.	1.9	35
85	Preoperative Erectile Function Represents a Significant Predictor of Postoperative Urinary Continence Recovery in Patients Treated With Bilateral Nerve Sparing Radical Prostatectomy. <i>Journal of Urology</i> , 2012, 187, 569-574.	0.4	35
86	Choosing the Best Candidates for Penile Rehabilitation After Bilateral Nerve-Sparing Radical Prostatectomy. <i>Journal of Sexual Medicine</i> , 2012, 9, 608-617.	0.6	35
87	Open Surgical Revision of Laparoscopic Pelvic Lymphadenectomy for Staging of Prostate Cancer: The Impact of Laparoscopic Learning Curve. <i>Journal of Urology</i> , 1994, 151, 930-933.	0.4	34
88	Relationship of Chronic Histologic Prostatic Inflammation in Biopsy Specimens With Serum Isoform [-2]proPSA (p2PSA), %p2PSA, and Prostate Health Index in Men With a Total Prostate-specific Antigen of 4-10 ng/mL and Normal Digital Rectal Examination. <i>Urology</i> , 2014, 83, 606-612.	1.0	34
89	Laparoscopic Nerve- and Seminal-Sparing Cystectomy with Orthotopic Ileal Neobladder: The First Three Cases. <i>European Urology</i> , 2003, 44, 567-572.	1.9	33
90	Impact of the introduction of a robotic training programme on prostate cancer stage migration at a single tertiary referral centre. <i>BJU International</i> , 2013, 111, 1222-1230.	2.5	33

#	ARTICLE	IF	CITATIONS
91	Usefulness of pT1 substaging in papillary urothelial bladder carcinoma. <i>Diagnostic Pathology</i> , 2016, 11, 6.	2.0	33
92	Four-Drug Intracavernous Therapy for Impotence Due to Corporeal Venous Occlusive Dysfunction. <i>Journal of Urology</i> , 1993, 149, 1291-1295.	0.4	32
93	Clinical performance of serum isoform [â€²]pro<sc>PSA</sc> (<sc>p2PSA</sc>), and its derivatives %<sc>p2PSA</sc> and the Prostate Health Index, in men aged <math>\leq 60</math> years: results from a multicentric <sc>E</sc>uropean study. <i>BJU International</i> , 2015, 115, 913-920.	2.5	32
94	Prospective Evaluation of 68Ga-labeled Prostate-specific Membrane Antigen Ligand Positron Emission Tomography/Computed Tomography in Primary Prostate Cancer Diagnosis. <i>European Urology Focus</i> , 2021, 7, 764-771.	3.1	32
95	Feasibility and Clinical Roles of Different Substaging Systems at First and Second Transurethral Resection in Patients with T1 High-Grade Bladder Cancer. <i>European Urology Focus</i> , 2018, 4, 87-93.	3.1	31
96	One-stage circumferential buccal mucosa graft urethroplasty for bulbous stricture repair. <i>Urology</i> , 2003, 61, 452-455.	1.0	28
97	Simplifying Patient Positioning and Port Placement During Robotic-Assisted Laparoscopic Prostatectomy. <i>European Urology</i> , 2010, 57, 530-533.	1.9	28
98	Impact of stage migration and practice changes on high-risk prostate cancer: results from patients treated with radical prostatectomy over the last two decades. <i>BJU International</i> , 2016, 117, 740-747.	2.5	28
99	Robot-Assisted Uretero-Ureterostomy for Iatrogenic Lumbar and Iliac Ureteral Stricture: Technical Details and Preliminary Clinical Results. <i>European Urology</i> , 2011, 60, 1221-1225.	1.9	27
100	Managing chronic bladder diseases with the administration of exogenous glycosaminoglycans: an update on the evidence. <i>Therapeutic Advances in Urology</i> , 2016, 8, 91-99.	2.0	27
101	Predictors of Residual T1 High Grade on Re-Transurethral Resection in a Large Multi-Institutional Cohort of Patients with Primary T1 High-Grade/Grade 3 Bladder Cancer. <i>Journal of Cancer</i> , 2018, 9, 4250-4254.	2.5	26
102	Prostatic Urolume Wallstent for Benign Prostatic Hyperplasia Patients at Poor Operative Risk: Clinical, Uroflowmetric and Ultrasonographic Patterns. <i>Journal of Urology</i> , 1993, 150, 1641-1646.	0.4	25
103	Clinical Use of [-2]proPSA (p2PSA) and Its Derivatives (%p2PSA and Prostate Health Index) for the Detection of Prostate Cancer: A Review of the Literature. <i>Korean Journal of Urology</i> , 2014, 55, 436.	1.2	25
104	Methods and Priorities of Robotic Surgery Training Program. <i>European Urology</i> , 2014, 65, 1-2.	1.9	25
105	Clinical performance of the Prostate Health Index (<sc>PHI</sc>) for the prediction of prostate cancer in obese men: data from the <sc>PROMetheus</sc> project, a multicentre <sc>E</sc>uropean prospective study. <i>BJU International</i> , 2015, 115, 537-545.	2.5	25
106	Bladder Cancer and Urothelial Impairment: The Role of TRPV1 as Potential Drug Target. <i>BioMed Research International</i> , 2014, 2014, 1-10.	1.9	24
107	Active surveillance for low-risk non-muscle-invasive bladder cancer: mid-term results from the Bladder cancer Italian Active Surveillance (<sc>BIAS</sc>) project. <i>BJU International</i> , 2016, 118, 935-939.	2.5	24
108	The Use of Multiparametric Magnetic Resonance Imaging for Follow-up of Patients Included in Active Surveillance Protocol. Can PSA Density Discriminate Patients at Different Risk of Reclassification?. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e698-e704.	1.9	24

#	ARTICLE	IF	CITATIONS
109	Bulbar urethroplasty using the dorsal approach: current techniques. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2003, 29, 155-161.	1.5	23
110	Comparison of Two Prostate Cancer Risk Calculators that Include the Prostate Health Index. European Urology Focus, 2015, 1, 185-190.	3.1	23
111	How to Optimize Patient Selection for Robot-Assisted Radical Prostatectomy: Functional Outcome Analyses from a Tertiary Referral Center. Journal of Endourology, 2014, 28, 792-800.	2.1	22
112	High-Grade T1 on Re-Transurethral Resection after Initial High-Grade T1 Confers Worse Oncological Outcomes: Results of a Multi-Institutional Study. Urologia Internationalis, 2018, 101, 7-15.	1.3	22
113	Focal therapy meets prostate cancer. Lancet, The, 2010, 376, 1036-1037.	13.7	21
114	Evaluation of positive surgical margins in patients undergoing robot-assisted and open radical prostatectomy according to preoperative risk groups. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 57.e1-57.e7.	1.6	21
115	Clinical performance of prostate health index in men with tPSA>10ng/ml: Results from a multicentric European study. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 415.e13-415.e19.	1.6	20
116	Oncological outcomes and complication rates after laparoscopic-assisted cryoablation: a European Registry for Renal Cryoablation (Eu<sc>RECA</sc>) multi-institutional study. BJU International, 2017, 119, 390-395.	2.5	20
117	Assessing the Feasibility and Accuracy of High-resolution Microultrasound Imaging for Bladder Cancer Detection and Staging. European Urology, 2020, 77, 727-732.	1.9	20
118	Clinical performance of Xpert Bladder Cancer (BC) Monitor, a mRNA-based urine test, in active surveillance (AS) patients with recurrent non-muscle-invasive bladder cancer (NMIBC): results from the Bladder Cancer Italian Active Surveillance (BIAS) project. World Journal of Urology, 2020, 38, 2215-2220.	2.2	20
119	Long-Term Clinical Reliability of Transurethral and Open Prostatectomy for Benign Prostatic Obstruction: A Term of Comparison for Nonsurgical Procedures. European Urology, 1993, 23, 262-266.	1.9	18
120	The probability of Gleason score upgrading between biopsy and radical prostatectomy can be accurately predicted. International Journal of Urology, 2009, 16, 526-529.	1.0	18
121	Transperitoneal Laparoscopic Versus Open Adrenalectomy for Benign Hyperfunctioning Adrenal Tumors. Journal of Urology, 1995, , 1597-1600.	0.4	18
122	Postoperative Orgasmic Function Increases over Time in Patients Undergoing Nerve-Sparing Radical Prostatectomy. Journal of Sexual Medicine, 2010, 7, 149-155.	0.6	17
123	The Impact of Insurance Status on Tumor Characteristics and Treatment Selection in Contemporary Patients With Prostate Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2015, 13, 1351-1358.	4.9	17
124	Morphodynamic and biochemical assessment of seminal plasma in patients who underwent local prostatic hyperthermia. Prostate, 1990, 16, 325-330.	2.3	16
125	Morphodynamic Assessment of Penile Circulation in Impotent Patients: The Role of Duplex and Color Doppler Sonography. Scandinavian Journal of Urology and Nephrology, 1993, 27, 399-408.	1.4	16
126	Intracavernous Vasoactive Pharmacotherapy: The Impact of a New Self-Injection Device. Journal of Urology, 1993, 150, 1829-1832.	0.4	16

#	ARTICLE	IF	CITATIONS
127	Urethral Lift for Benign Prostatic Hyperplasia: A Comprehensive Review of the Literature. <i>Current Urology Reports</i> , 2013, 14, 620-627.	2.2	16
128	The use of 29 MHz transrectal micro-ultrasound to stratify the prostate cancer risk in patients with PI-RADS III lesions at multiparametric MRI: A single institutional analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 832.e1-832.e7.	1.6	16
129	Use of high-resolution micro-ultrasound to predict extraprostatic extension of prostate cancer prior to surgery: a prospective single-institutional study. <i>World Journal of Urology</i> , 2022, 40, 435-442.	2.2	16
130	Multimodal Therapy for Stones in Pelvic Kidneys. <i>Urologia Internationalis</i> , 1991, 46, 29-34.	1.3	15
131	Update of the minimally invasive therapies for benign prostatic hyperplasia. <i>Current Opinion in Urology</i> , 2005, 15, 49-53.	1.8	15
132	Preoperative prostate health index is an independent predictor of early biochemical recurrence after radical prostatectomy: Results from a prospective single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 337.e7-337.e14.	1.6	15
133	Long Term Experience with the Prostatic Spiral for Urinary Retention due to Benign Prostatic Hyperplasia. <i>Scandinavian Journal of Urology and Nephrology</i> , 1991, 25, 21-24.	1.4	14
134	Long-term outcomes of high-grade T1 bladder cancer treated with intravesical bacillus Calmette-Guérin: experience of a single center. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018, 70, 501-508.	3.9	14
135	Pathological Outcomes for Patients Who Failed To Remain Under Active Surveillance for Low-risk Non-muscle-invasive Bladder Cancer: Update and Results from the Bladder Cancer Italian Active Surveillance Project. <i>European Urology Oncology</i> , 2018, 1, 437-442.	5.4	14
136	Extracorporeal lithotripsy and combined surgical procedures in the treatment of renoureteral stone disease: Our experience with 2,955 patients. <i>World Journal of Surgery</i> , 1989, 13, 765-774.	1.6	13
137	Prostatic Urolume Wallstent for Urinary Retention due to Advanced Prostate Cancer: A 1-Year Followup Study. <i>Journal of Urology</i> , 1994, 152, 1530-1532.	0.4	13
138	Early Catheter Removal After Robot-assisted Radical Prostatectomy: Results from a Prospective Single-institutional Randomized Trial (Ripreca Study). <i>European Urology Focus</i> , 2020, 6, 259-266.	3.1	13
139	The relationship between continence and perineal body tone before and after radical prostatectomy: A pilot study. <i>Neurourology and Urodynamics</i> , 2012, 31, 513-516.	1.5	12
140	Laparoscopic Unroofing of Adrenal Cysts. <i>European Urology</i> , 1997, 31, 499-502.	1.9	11
141	Early 21st Century renal cell carcinoma. <i>Cancer</i> , 2010, 116, 3080-3083.	4.1	11
142	Minimally Invasive Partial Nephrectomy Versus Laparoscopic Cryoablation for Patients Newly Diagnosed with a Single Small Renal Mass. <i>European Urology Focus</i> , 2015, 1, 66-72.	3.1	11
143	Use of 29-MHz Micro-ultrasound for Local Staging of Prostate Cancer in Patients Scheduled for Radical Prostatectomy: A Feasibility Study. <i>European Urology Open Science</i> , 2020, 19, 20-23.	0.4	11
144	Long-term Follow-up After En Bloc Transurethral Resection of Non-muscle-invasive Bladder Cancer: Results from a Single-center Experience. <i>European Urology Open Science</i> , 2021, 26, 64-71.	0.4	11

#	ARTICLE	IF	CITATIONS
145	Long-term Follow-up and Factors Associated with Active Surveillance Failure for Patients with Non-muscle-invasive Bladder Cancer: The Bladder Cancer Italian Active Surveillance (BIAS) Experience. <i>European Urology Oncology</i> , 2022, 5, 251-255.	5.4	11
146	Xpert Bladder Cancer Monitor May Avoid Cystoscopies in Patients Under Active Surveillance for Recurrent Bladder Cancer (BIAS Project): Longitudinal Cohort Study. <i>Frontiers in Oncology</i> , 2022, 12, 832835.	2.8	11
147	Laparoscopic Cryoablation of Small Renal Masses: Technique and Results after 6-Year Experience. <i>European Urology Supplements</i> , 2007, 6, 646-652.	0.1	10
148	68Ga Prostate-specific Membrane Antigen PET/CT for Primary Diagnosis of Prostate Cancer: Complementary or Alternative to Multiparametric MR Imaging. <i>Radiology</i> , 2018, 287, 725-726.	7.3	10
149	A comparison of transrectal hyperthermia, transurethral thermotherapy, urolume wallstent, and prostatic spiral for benign prostatic hyperplasia patients at poor operative risk. <i>Prostate</i> , 1994, 24, 156-161.	2.3	9
150	Laparoscopic adrenalectomy and adrenal-preserving surgery. <i>Current Opinion in Urology</i> , 2005, 15, 69-74.	1.8	9
151	Open partial nephrectomy: ancient art or currently available technique?. <i>International Urology and Nephrology</i> , 2015, 47, 1923-1932.	1.4	9
152	Targeted 11C-choline PET-CT/TRUS software fusion-guided prostate biopsy in men with persistently elevated PSA and negative mpMRI after previous negative biopsy. <i>European Journal of Hybrid Imaging</i> , 2017, 1, 9.	1.5	9
153	Transrectal Hyperthermia-Induced Histological and Ultrastructural Changes of Human Benign Prostatic Hyperplasia Tissue. <i>European Urology</i> , 1992, 22, 74-78.	1.9	8
154	A critical analysis of laser prostatectomy in the management of benign prostatic hyperplasia. <i>BJU International</i> , 2005, 96, 736-739.	2.5	8
155	Head-to-Head Comparison between High-Resolution Microultrasound Imaging and Multiparametric MRI in Detecting and Local Staging of Bladder Cancer: The BUS-MISS Protocol. <i>Bladder Cancer</i> , 2022, 8, 119-127.	0.4	7
156	Is There a Role for Transrectal Microwave Hyperthermia in the Treatment of Benign Prostatic Hyperplasia? A Critical Review of a Six-Year Experience. <i>Journal of Endourology</i> , 1995, 9, 333-337.	2.1	6
157	An original balloon-expanding urethral suture guide for radical prostatectomy. <i>Urology</i> , 1995, 46, 562-564.	1.0	6
158	Nerve-sparing laparoscopic cystectomy. <i>Current Urology Reports</i> , 2005, 6, 101-105.	2.2	6
159	Pelvic floor muscle training after prostate surgery. <i>Lancet, The</i> , 2012, 379, 120-121.	13.7	6
160	Multiparametric magnetic resonance imaging and clinical variables: Which is the best combination to predict reclassification in active surveillance patients?. <i>Prostate International</i> , 2020, 8, 167-172.	2.3	6
161	Post-Biopsy Cell-Free DNA From Blood: An Open Window on Primary Prostate Cancer Genetics and Biology. <i>Frontiers in Oncology</i> , 2021, 11, 654140.	2.8	6
162	Original Dissecting Balloon for Retroperitoneal Laparoscopy: A Cost-Effective Alternative to the Commercially Available Device. <i>Journal of Endourology</i> , 2007, 21, 714-717.	2.1	6

#	ARTICLE	IF	CITATIONS
163	Extracorporeal Shock Wave Lithotripsy: First Choice Therapy For Ureteral Stones. Scandinavian Journal of Urology and Nephrology, 1989, 23, 67-69.	1.4	5
164	The Motion: A Robot is Necessary for Laparoscopic Enucleation of Renal Masses. European Urology, 2009, 55, 1229-1232.	1.9	5
165	How Should We Report Incontinence After Radical Prostatectomy?. Journal of Urology, 2010, 184, 829-830.	0.4	5
166	Reply to Sergey Tadtayev, Thomas A. McNicholas, and Gregory B. Boustead's Letter to the Editor re: Giorgio Guazzoni, Massimo Lazzeri, Luciano Nava, et al. Preoperative Prostate-Specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer. Eur Urol 2012;61:455-66. European Urology, 2012, 62, e16-e17.	1.9	5
167	Re: "Trifecta" in Partial Nephrectomy. Journal of Urology, 2013, 190, 810-811.	0.4	5
168	Highly-trained dogs' olfactory system for detecting biochemical recurrence following radical prostatectomy. Clinical Chemistry and Laboratory Medicine, 2016, 54, e67-70.	2.3	5
169	Combination of AST to ALT and neutrophils to lymphocytes ratios as predictors of locally advanced disease in patients with bladder cancer subjected to radical cystectomy: Results from a single-institutional series. Urologia, 2021, , 039156032110351.	0.7	5
170	Transrectal Prostatic Hyperthermia and Urinary Retention Secondary to Benign Prostatic Hyperplasia: A 2-Year Follow-Up Study. Journal of Endourology, 1992, 6, 261-264.	2.1	4
171	Cost Containment in Laparoscopic Radical Nephrectomy: Feasibility and Advantages over Open Radical Nephrectomy. Journal of Endourology, 2006, 20, 509-513.	2.1	4
172	Prevention and Management of Postprostatectomy Erectile Dysfunction. European Urology Supplements, 2009, 8, 80-87.	0.1	4
173	The Motion: Cryotherapy is an Efficient Alternative for Kidney Cancer. European Urology, 2010, 57, 168-170.	1.9	4
174	Reply from Authors re: Ricardo Brandina, Inderbir S. Gill. Robotic Partial Nephrectomy: New Beginnings. Eur Urol 2010;57:778-9. European Urology, 2010, 58, 53-56.	1.9	4
175	Focal HIFU for prostate cancer. Lancet Oncology, The, 2012, 13, e281-e282.	10.7	4
176	p2PSA for predicting biochemical recurrence of prostate cancer earlier than total prostate-specific antigen after radical prostatectomy: an observational prospective cohort study. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2019, 71, 273-279.	3.9	4
177	Re: Systematic Review and Meta-Analysis of Perioperative and Oncologic Outcomes of Laparoscopic Cryoablation versus Laparoscopic Partial Nephrectomy for the Treatment of Small Renal Tumors. Journal of Urology, 2014, 192, 1887-1888.	0.4	3
178	Is Robotic Surgery Unnecessary for Adrenalectomy? Weighting the Pros and Cons of the Robotic Approach. European Urology Focus, 2016, 1, 263-264.	3.1	3
179	Robotic assisted radical prostatectomy in morbidly obese patients: how to create a cost-effective adequate optical trocar. Journal of Robotic Surgery, 2013, 7, 47-51.	1.8	2
180	Safety and Feasibility of Salvage Endoscopic Combined Intrarenal Surgery in Embolized Kidney. Journal of Endourology Case Reports, 2016, 2, 127-130.	0.3	2

#	ARTICLE	IF	CITATIONS
181	Intratumoral Switch of Molecular Phenotype and Overall Survival in Muscle Invasive Bladder Cancer. <i>Cancers</i> , 2022, 14, 3256.	3.7	2
182	Re: Orgasm Associated Incontinence (Climacturia) Following Radical Pelvic Surgery: Rates of Occurrence and Predictors. <i>Journal of Urology</i> , 2008, 180, 1187-1188.	0.4	1
183	Reply from Authors re: Monique J. Roobol. Prostate Cancer Biomarkers to Improve Risk Stratification: Is Our Knowledge of Prostate Cancer Sufficient to Spare Prostate Biopsies Safely? <i>Eur Urol</i> 2011;60:223-225 and re: Carvell T. Nguyen, Michael W. Kattan. How to Tell If a New Marker Improves Prediction. <i>Eur Urol</i> 2011;60:226-228. <i>European Urology</i> , 2011, 60, 228-230.	1.9	1
184	Reply to Marc A. Bjurlin, Lee C. Zhao, and Michael D. Stifelman's Letter to the Editor Re: NicolÃ² Maria Buffi, Giovanni Lughezzani, Rodolfo Hurle, et al. Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>Eur Urol</i> . In press. <a href="http://dx.doi.org/10.1016/j.eururo.2016.07.022">http://dx.doi.org/10.1016/j.eururo.2016.07.022</a> . <i>European Urology</i> , 2017, 71, e92-e93.	1.9	1
185	The Effect of Intracorporeal Injection Plus Genital and Audiovisual Sexual Stimulation Versus Second Injection on Penile Color Doppler Sonography Parameters. <i>Journal of Urology</i> , 1996, , 536-540.	0.4	1
186	Reply to Jacques Hubert and Richard M. Satava's Letter to the Editor re: NicolÃ²maria Buffi, Henk Van Der Poel, Giorgio Guazzoni, Alexander Mottrie, on behalf of the Junior European Association of Urology (EAU) Robotic Urology Section with the collaboration of the EAU Young Academic Urologists Robotic Section. Methods and Priorities of Robotic Surgery Training Program. <i>Eur Urol</i> 2014;65:1-2. <i>European Urology</i> , 2014, 66, e11-e12.	1.9	0
187	Reply. <i>Urology</i> , 2015, 85, 595.	1.0	0
188	Re: Comparative Analysis of Transperineal Template Saturation Prostate Biopsy Versus Magnetic Resonance Imaging Targeted Biopsy with Magnetic Resonance Imaging-Ultrasound Fusion Guidance. <i>European Urology</i> , 2015, 68, 535-536.	1.9	0
189	Predicting Cancer-specific Mortality After Radical Prostatectomy: Still a Long Way To Go. <i>European Urology</i> , 2016, 69, 1044-1045.	1.9	0
190	Hope for Ostomates: A Carbon and Zeolite Impregnated Polyester Fabric Inhibits Urine Odor in Cancer Patients: A Randomized Experimental Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2021, 22, 2917-2921.	1.2	0