

Mara Jess Del Nozal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/111634/maria-jesus-del-nozal-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157
papers

4,446
citations

36
h-index

56
g-index

158
ext. papers

4,859
ext. citations

4
avg, IF

5.13
L-index

#	Paper	IF	Citations
157	Analytical Methodologies for Neonicotinoid Determination in Bee Products. <i>Methods in Pharmacology and Toxicology</i> , 2022 , 65-90	1.1	
156	Determination of Neonicotinoid Insecticides in Bee Products by Using Ultra-High-Performance Liquid Chromatography-Tandem Mass Spectrometry. <i>Methods in Pharmacology and Toxicology</i> , 2022 , 27-52	1.1	1
155	An Optimized Extraction Procedure for Determining Acaricide Residues in Foundation Sheets of Beeswax by Using Gas Chromatography-Mass Spectrometry. <i>Agronomy</i> , 2021 , 11, 804	3.6	1
154	Analysis of herbal bioactives 2021 , 201-232		1
153	Simultaneous determination of carvacrol and thymol in bee pollen by using a simple and efficient solvent extraction method and gas chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 181, 113124	3.5	9
152	Simultaneous determination of spinetoram J and L in bee pollen by liquid chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2020 , 154, 104546	4.8	4
151	Simultaneous determination of betaines and other quaternary ammonium related compounds in bee pollen by hydrophilic interaction liquid chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2020 , 157, 105000	4.8	3
150	Determination of Carvacrol and Thymol in Honey by Using a Simple and Efficient Headspace-Gas Chromatography-Mass Spectrometry Method. <i>Food Analytical Methods</i> , 2020 , 13, 2138-2146	3.4	4
149	Trace analysis of flubendiamide in bee pollen using enhanced matrix removal-lipid sorbent clean-up and liquid chromatography-electrospray ionization mass spectrometry. <i>Microchemical Journal</i> , 2019 , 148, 541-547	4.8	10
148	Effect of the Storage Conditions (Light and Temperature) on the Detection of Thiamethoxam and Clothianidin Content in Rapeseeds by LC-DAD. <i>Food Analytical Methods</i> , 2018 , 11, 161-169	3.4	3
147	Fast determination of neonicotinoid insecticides in beeswax by ultra-high performance liquid chromatography-tandem mass spectrometry using an enhanced matrix removal-lipid sorbent for clean-up. <i>Microchemical Journal</i> , 2018 , 142, 70-77	4.8	19
146	Development and validation of ultra high performance-liquid chromatography-tandem mass spectrometry based methods for the determination of neonicotinoid insecticides in honey. <i>Food Chemistry</i> , 2018 , 266, 215-222	8.5	21
145	Extraction and determination of bioactive compounds from bee pollen. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 110-124	3.5	89
144	Development and validation of UHPLC/MS/MS methods for determination of neonicotinoid insecticides in royal jelly-based products. <i>Journal of Food Composition and Analysis</i> , 2018 , 70, 105-113	4.1	16
143	Determination of flubendiamide in honey at trace levels by using solid phase extraction and liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Food Chemistry</i> , 2017 , 232, 169-176	8.5	16
142	Simultaneous determination of thiamethoxam, clothianidin, and metazachlor residues in soil by ultrahigh performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Journal of Separation Science</i> , 2017 , 40, 1083-1090	3.4	7
141	Inhibition of fermentation evolution in bread doughs for aroma analyses. <i>Flavour and Fragrance Journal</i> , 2017 , 32, 461-469	2.5	2

140	Chiral analysis of aromatic amino acids in food supplements using subcritical fluid chromatography and Chirobiotic T2 column. <i>Journal of Supercritical Fluids</i> , 2016 , 107, 519-525	4.2	34
139	Analysis of Intact Glucosinolates in Beeswax by Liquid Chromatography Tandem Mass Spectrometry. <i>Food Analytical Methods</i> , 2016 , 9, 795-804	3.4	2
138	Development and validation of a specific method to quantify intact glucosinolates in honey by LCMS/MS. <i>Journal of Food Composition and Analysis</i> , 2016 , 46, 114-122	4.1	8
137	An alternative method based on enzymatic fat hydrolysis to quantify volatile compounds in wheat bread crumb. <i>Food Chemistry</i> , 2016 , 206, 110-8	8.5	7
136	Trace analysis of sulforaphane in bee pollen and royal jelly by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1012-1013, 130-6	3.2	5
135	Simultaneous determination of neonicotinoid insecticides in sunflower-treated seeds (hull and kernel) by LC-MS/MS. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016 , 33, 442-51	3.2	11
134	Residues of neonicotinoids and their metabolites in honey and pollen from sunflower and maize seed dressing crops. <i>Journal of Chromatography A</i> , 2016 , 1428, 220-7	4.5	44
133	Fast determination of neonicotinoid insecticides in bee pollen using QuEChERS and ultra-high performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Electrophoresis</i> , 2016 , 37, 2470-2477	3.6	28
132	Determination of Resveratrol and Piceid Isomers in Bee Pollen by Liquid Chromatography Coupled to Electrospray Ionization-Mass Spectrometry. <i>Food Analytical Methods</i> , 2015 , 8, 1565-1575	3.4	11
131	Development and validation of a LC-MS/MS method to determine sulforaphane in honey. <i>Food Chemistry</i> , 2015 , 181, 263-9	8.5	12
130	Development and validation of a liquid chromatography-tandem mass spectrometry method to determine intact glucosinolates in bee pollen. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1000, 49-56	3.2	12
129	Fast determination of intact glucosinolates in broccoli leaf by pressurized liquid extraction and ultra high performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Food Research International</i> , 2015 , 76, 498-505	7	19
128	Development and validation of a liquid chromatography with mass spectrometry method to determine resveratrol and piceid isomers in beeswax. <i>Journal of Separation Science</i> , 2015 , 38, 197-204	3.4	8
127	Effect of Temperature and Light Exposure on the Detection of Total Intact Glucosinolate Content by LC-ESI-MS in Broccoli Leaves. <i>Food Analytical Methods</i> , 2014 , 7, 1687-1692	3.4	7
126	Optimized Formation, Extraction, and Determination of Sulforaphane in Broccoli by Liquid Chromatography with Diode Array Detection. <i>Food Analytical Methods</i> , 2014 , 7, 730-740	3.4	22
125	Effects of organic modifier and temperature on the enantiomeric separation of several azole drugs using supercritical fluid chromatography and the Chiralpak AD column. <i>Biomedical Chromatography</i> , 2014 , 28, 152-8	1.7	29
124	Optimized extraction, separation and quantification of twelve intact glucosinolates in broccoli leaves. <i>Food Chemistry</i> , 2014 , 152, 66-74	8.5	36
123	Comprehensive two-dimensional gas chromatography coupled with static headspace sampling to analyze volatile compounds: application to almonds. <i>Journal of Separation Science</i> , 2014 , 37, 675-83	3.4	20

122	Determination of spinosad at trace levels in bee pollen and beeswax with solid-liquid extraction and LC-ESI-MS. <i>Journal of Separation Science</i> , 2014 , 37, 204-10	3.4	11
121	Holistic screening of collapsing honey bee colonies in Spain: a case study. <i>BMC Research Notes</i> , 2014 , 7, 649	2.3	52
120	Trace Analysis of Seven Neonicotinoid Insecticides in Bee Pollen by Solid-Liquid Extraction and Liquid Chromatography Coupled to Electrospray Ionization Mass Spectrometry. <i>Food Analytical Methods</i> , 2014 , 7, 490-499	3.4	28
119	Extraction, chemical characterization and biological activity determination of broccoli health promoting compounds. <i>Journal of Chromatography A</i> , 2013 , 1313, 78-95	4.5	69
118	Simultaneous determination of nine anticoagulant rodenticides in soil and water by LC-ESI-MS. <i>Journal of Separation Science</i> , 2013 , 36, 2593-601	3.4	7
117	Analysis of anticoagulant rodenticide residues in <i>Microtus arvalis</i> tissues by liquid chromatography with diode array, fluorescence and mass spectrometry detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 925, 76-85	3.2	13
116	Determination of seven neonicotinoid insecticides in beeswax by liquid chromatography coupled to electrospray-mass spectrometry using a fused-core column. <i>Journal of Chromatography A</i> , 2013 , 1285, 110-7	4.5	66
115	Fast Determination of Imidacloprid in Beeswax by Liquid Chromatography Coupled to Electrospray-Mass Spectrometry. <i>Current Analytical Chemistry</i> , 2013 , 9, 495-503	1.7	13
114	Liquid Chromatographic Determination of Resveratrol and Piceid Isomers in Honey. <i>Food Analytical Methods</i> , 2012 , 5, 162-171	3.4	7
113	Liquid chromatography coupled to ion trap-tandem mass spectrometry to evaluate juvenile hormone III levels in bee hemolymph from <i>Nosema</i> spp. infected colonies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 899, 146-53	3.2	17
112	Supercritical fluid extraction of free amino acids from broccoli leaves. <i>Journal of Chromatography A</i> , 2012 , 1250, 49-53	4.5	31
111	Gas chromatography-mass spectrometry approach to study fatty acid profiles in fried potato crisps. <i>Journal of Food Composition and Analysis</i> , 2012 , 28, 31-39	4.1	10
110	Development and application of a liquid chromatography-mass spectrometry method to evaluate the glyphosate and aminomethylphosphonic acid dissipation in maize plants after foliar treatment. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4017-25	5.7	32
109	Improved Separation of FAME Isomers Using Comprehensive Two-Dimensional Gas Chromatography. Application to Broccoli Samples. <i>Food Analytical Methods</i> , 2012 , 5, 920-927	3.4	4
108	Simultaneous determination of tryptophan, kynurenine, kynurenic and xanthurenic acids in honey by liquid chromatography with diode array, fluorescence and tandem mass spectrometry detection. <i>Journal of Chromatography A</i> , 2011 , 1218, 7592-600	4.5	24
107	The stability and effectiveness of fumagillin in controlling <i>Nosema ceranae</i> (Microsporidia) infection in honey bees (<i>Apis mellifera</i>) under laboratory and field conditions. <i>Apidologie</i> , 2011 , 42, 364-377	2.3	63
106	Sequential Supercritical Fluid Extraction of Lipids. Application to the Obtention of the Fatty Acid Profile of Some Genetically Modified Varieties of Corn. <i>Food Analytical Methods</i> , 2011 , 4, 196-202	3.4	16
105	An exposure study to assess the potential impact of fipronil in treated sunflower seeds on honey bee colony losses in Spain. <i>Pest Management Science</i> , 2011 , 67, 1320-31	4.6	15

104	Study of the enantiomeric separation of an acetamide intermediate by using supercritical fluid chromatography and several polysaccharide based chiral stationary phases. <i>Journal of Chromatography A</i> , 2011 , 1218, 4886-91	4.5	29
103	Determination of tylosins A, B, C and D in bee larvae by liquid chromatography coupled to ion trap-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 1596-604	3.2	7
102	Overview of pesticide residues in stored pollen and their potential effect on bee colony (<i>Apis mellifera</i>) losses in Spain. <i>Journal of Economic Entomology</i> , 2010 , 103, 1964-71	2.2	76
101	A preliminary study of the epidemiological factors related to honey bee colony loss in Spain. <i>Environmental Microbiology Reports</i> , 2010 , 2, 243-50	3.7	85
100	Development and validation of a liquid chromatography-fluorescence-mass spectrometry method to measure glyphosate and aminomethylphosphonic acid in rat plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 3290-6	3.2	34
99	Identification of adulterants added to beeswax: Estimation of detectable minimum percentages. <i>European Journal of Lipid Science and Technology</i> , 2009 , 111, 902-911	3	12
98	A new and simple method to determine trace levels of sulfonamides in honey by high performance liquid chromatography with fluorescence detection. <i>Journal of Chromatography A</i> , 2009 , 1216, 7275-80	4.5	35
97	Profile and relative concentrations of fatty acids in corn and soybean seeds from transgenic and isogenic crops. <i>Journal of Chromatography A</i> , 2009 , 1216, 7288-95	4.5	27
96	Toxicokinetics of glyphosate and its metabolite aminomethyl phosphonic acid in rats. <i>Toxicology Letters</i> , 2009 , 190, 91-5	4.4	68
95	Honeybee colony collapse due to <i>Nosema ceranae</i> in professional apiaries. <i>Environmental Microbiology Reports</i> , 2009 , 1, 110-3	3.7	208
94	How natural infection by <i>Nosema ceranae</i> causes honeybee colony collapse. <i>Environmental Microbiology</i> , 2008 , 10, 2659-69	5.2	474
93	Solubility of triamcinolone acetonide and other anti-inflammatory drugs in silicone oil: implications for Therapeutic Efficacy. <i>Retina</i> , 2008 , 28, 1247-50	3.6	7
92	Semipreparative chiral supercritical fluid chromatography in the fractionation of lansoprazole and two related antiulcer drugs enantiomers. <i>Journal of Separation Science</i> , 2008 , 31, 1307-13	3.4	16
91	Trace analysis of fumagillin in honey by liquid chromatography-diode array-electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1190, 224-31	4.5	22
90	Use of supercritical fluid extraction and gas chromatography-mass spectrometry to obtain amino acid profiles from several genetically modified varieties of maize and soybean. <i>Journal of Chromatography A</i> , 2008 , 1192, 266-72	4.5	22
89	Sample preparation methods to analyze fipronil in honey by gas chromatography with electron-capture and mass spectrometric detection. <i>Journal of Chromatography A</i> , 2008 , 1187, 40-5	4.5	30
88	Detection of beeswax adulterations using concentration guide-values. <i>European Journal of Lipid Science and Technology</i> , 2007 , 109, 682-690	3	13
87	Use of SPE-GC/EIMS for residue analysis in wine elaborated from musts spiked with formulations of chlorpyrifos-methyl, methiocarb, dicofol, and cyproconazol. <i>Journal of Separation Science</i> , 2007 , 30, 547-56	3.4	8

86	Persistence and degradation of metalaxyl, lindane, fenvalerate and deltamethrin during the wine making process. <i>Food Chemistry</i> , 2007 , 104, 216-223	8.5	30
85	Enantiomeric separation of several antimycotic azole drugs using supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 2007 , 1144, 255-61	4.5	43
84	Comparative study of sample preparation procedures to determine fipronil in pollen by gas chromatography with mass spectrometric and electron-capture detection. <i>Journal of Chromatography A</i> , 2007 , 1146, 8-16	4.5	25
83	Enantiomeric separation of chiral sulfoxides by supercritical fluid chromatography. <i>Journal of Separation Science</i> , 2006 , 29, 1363-72	3.4	36
82	Enantiomeric resolution of bifonazole by supercritical fluid chromatography. <i>Journal of Separation Science</i> , 2006 , 29, 1373-8	3.4	17
81	Presence of mitomycin-C in the anterior chamber after photorefractive keratectomy. <i>Journal of Cataract and Refractive Surgery</i> , 2006 , 32, 67-71	2.3	52
80	Study of the enantiomeric separation of oxfendazole and cetirizine using subcritical fluid chromatography on an amylose-based column. <i>Journal of Chromatography A</i> , 2006 , 1121, 268-73	4.5	20
79	Semipreparative enantiomeric separation of omeprazole by supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 2006 , 1137, 30-5	4.5	33
78	Trace analysis of tiamulin in honey by liquid chromatography-diode array-electrospray ionization mass spectrometry detection. <i>Journal of Chromatography A</i> , 2006 , 1116, 102-8	4.5	16
77	Sample preparation methods for beeswax characterization by gas chromatography with flame ionization detection. <i>Journal of Chromatography A</i> , 2006 , 1129, 262-72	4.5	25
76	LC-ESI-MSD fast determination of residual mitomycin C in hen aqueous humour after corneal refractive surgery. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 100-4	3.5	11
75	The use of carbohydrate profiles and chemometrics in the characterization of natural honeys of identical geographical origin. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 3095-100	5.7	55
74	Determination of azolic fungicides in wine by solid-phase extraction and high-performance liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry. <i>Journal of Chromatography A</i> , 2005 , 1076, 90-6	4.5	52
73	Comparative study of the enantioselective separation of several antiulcer drugs by high-performance liquid chromatography and supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 2005 , 1091, 118-23	4.5	53
72	Physico-chemical parameters for the characterization of pure beeswax and detection of adulterations. <i>European Journal of Lipid Science and Technology</i> , 2005 , 107, 158-166	3	36
71	Residues of organic contaminants in beeswax. <i>European Journal of Lipid Science and Technology</i> , 2005 , 107, 896-902	3	29
70	A comparative study of several HPLC methods for determining free amino acid profiles in honey. <i>Journal of Separation Science</i> , 2005 , 28, 1039-47	3.4	37
69	Quality assurance of commercial beeswax. Part I. Gas chromatography-electron impact ionization mass spectrometry of hydrocarbons and monoesters. <i>Journal of Chromatography A</i> , 2004 , 1024, 147-54	4.5	42

68	Determination of impurities in pesticides and their degradation products formed during the wine-making process by solid-phase extraction and gas chromatography with detection by electron ionization mass spectrometry. II. Bromopropylate, trichlorphon, parathion-methyl and tebuconazole. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 2629-36	2.2	7
67	Chiral separation of omeprazole and several related benzimidazoles using supercritical fluid chromatography. <i>Journal of Separation Science</i> , 2004 , 27, 1023-9	3.4	32
66	Rapid and sensitive method for determining free amino acids in honey by gas chromatography with flame ionization or mass spectrometric detection. <i>Journal of Chromatography A</i> , 2004 , 1047, 137-46	4.5	80
65	Liquid-liquid extraction followed by solid-phase extraction for the determination of lipophilic pesticides in beeswax by gas chromatography-electron-capture detection and matrix-matched calibration. <i>Journal of Chromatography A</i> , 2004 , 1048, 89-97	4.5	5
64	Development and validation of a liquid chromatographic method for determination of lacidipine residues on surfaces in the manufacture of pharmaceuticals. <i>Journal of Chromatography A</i> , 2004 , 1024, 115-22	4.5	15
63	Extraction and clean-up methods for the determination of amitraz total residues in beeswax by gas chromatography with electron capture detection. <i>Analytica Chimica Acta</i> , 2004 , 524, 271-278	6.6	25
62	HPLC Determination of Low Molecular Weight Organic Acids in Honey with Series-Coupled Ion-Exclusion Columns. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2003 , 26, 1231-1253	1.3	21
61	Separation of triadimefon and triadimenol enantiomers and diastereoisomers by supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 2003 , 986, 135-41	4.5	33
60	Use of semipreparative supercritical fluid chromatography to obtain small quantities of the albendazole sulfoxide enantiomers. <i>Journal of Chromatography A</i> , 2003 , 1011, 155-61	4.5	27
59	Variability of brewer's spent grain within a brewery. <i>Food Chemistry</i> , 2003 , 80, 17-21	8.5	173
58	Factors affecting the extraction, hydrolysis and derivatization steps for the quantitation of total residues of amitraz in honey by gas chromatography with electron capture detection. <i>Analytical and Bioanalytical Chemistry</i> , 2002 , 374, 300-4	4.4	17
57	Development and validation of an LC assay for sumatriptan succinate residues on surfaces in the manufacture of pharmaceuticals. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 30, 285-91	3.5	44
56	Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey. <i>Journal of Chromatography A</i> , 2002 , 946, 247-53	4.5	12
55	Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection. <i>Journal of Chromatography A</i> , 2002 , 954, 207-15	4.5	50
54	Pentoses and Hydroxycinnamic Acids in Brewer's Spent Grain. <i>Journal of Cereal Science</i> , 2002 , 36, 51-58	3.8	47
53	Separation of antifungal chiral drugs by SFC and HPLC: a comparative study. <i>Journal of Proteomics</i> , 2002 , 54, 245-54		36
52	Separation of albendazole sulfoxide enantiomers by chiral supercritical-fluid chromatography. <i>Journal of Proteomics</i> , 2002 , 54, 339-45		23
51	Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen-phosphorus detection. <i>Journal of Chromatography A</i> , 2001 , 919, 147-56	4.5	76

50	High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey. <i>Journal of Chromatography A</i> , 2001 , 917, 95-103	4.5	61
49	Validation of a liquid chromatographic method for the determination of ranitidine hydrochloride residues on surfaces in the manufacture of pharmaceuticals. <i>Journal of Chromatography A</i> , 2001 , 919, 87-93	4.5	19
48	Use of deactivated fused-silica capillary precolumns in pesticide analysis by gas chromatography with electron-capture detection. <i>Journal of Chromatography A</i> , 2001 , 919, 373-9	4.5	4
47	Applications of the Chiralpak AD and Chiralcel OD chiral columns in the enantiomeric separation of several dioxolane compounds by supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 2001 , 921, 305-13	4.5	37
46	Gas chromatographic determination of acrinathrine and 3-phenoxybenzaldehyde residues in honey. <i>Journal of Chromatography A</i> , 2000 , 882, 239-43	4.5	12
45	Chiral separation of four 1,3-dioxolane derivatives by supercritical fluid chromatography on an amylose-based column. <i>Journal of Chromatography A</i> , 2000 , 871, 127-37	4.5	20
44	Validation of the removal of acetylsalicylic acid. Recovery and determination of residues on various surfaces by high performance liquid chromatographic. <i>Journal of Chromatography A</i> , 2000 , 870, 69-75	4.5	23
43	Red wine aging in oak barrels: evolution of the monosaccharides content. <i>Food Chemistry</i> , 2000 , 71, 189-93	4.5	29
42	Determination of the 2-bromomethyl-2-(2,4-dichlorophenyl)-1, 3-dioxolan-4-yl)methyl benzoate diastereoisomers by supercritical fluid chromatography. <i>Journal of Proteomics</i> , 2000 , 43, 251-60		1
41	Separation of ketoconazole enantiomers by chiral subcritical-fluid chromatography. <i>Journal of Proteomics</i> , 2000 , 43, 241-50		27
40	Gas chromatography with electron-capture and nitrogen-phosphorus detection in the analysis of pesticides in honey after elution from a Florisil column. Influence of the honey matrix on the quantitative results. <i>Journal of Chromatography A</i> , 1998 , 823, 381-7	4.5	39
39	Packed-column supercritical fluid chromatography coupled with solid-phase extraction for the determination of organic microcontaminants in water. <i>Journal of Chromatography A</i> , 1998 , 823, 163-70	4.5	18
38	Solid-phase microextraction applied to the analysis of pesticide residues in honey using gas chromatography with electron-capture detection. <i>Journal of Chromatography A</i> , 1998 , 829, 269-77	4.5	55
37	Quantitation of active ingredients and excipients in nasal sprays by high-performance liquid chromatography, capillary electrophoresis and UV spectroscopy. <i>Journal of Chromatography A</i> , 1998 , 823, 423-31	4.5	25
36	Pharmacokinetics of intravitreal vancomycin in normal and infected rabbit eyes. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 1998 , 14, 555-63	2.6	26
35	Matrix effects in the determination of acaricides and fungicides in must by gas chromatography with electron-capture and nitrogen-phosphorus detection. <i>Journal of Chromatography A</i> , 1997 , 778, 111-17	4.5	39
34	Determination of polycyclic aromatic hydrocarbons in waters by use of supercritical fluid chromatography coupled on-line to solid-phase extraction with disks. <i>Journal of Chromatography A</i> , 1997 , 778, 321-8	4.5	25
33	High-performance liquid chromatographic determination of benomyl and carbendazim residues in apiarian samples. <i>Journal of Chromatography A</i> , 1997 , 787, 129-36	4.5	40

32	Determination of phenolic compounds in water samples by on-line solid-phase extraction-supercritical-fluid chromatography with diode-array detection. <i>Chromatographia</i> , 1997 , 46, 295-300	2.1	18
31	Characterization and monitoring of amitraz degradation products in honey. <i>Journal of High Resolution Chromatography</i> , 1997 , 20, 81-84		11
30	Influence of solvent and storage conditions on the stability of acaricide standard stock solutions. <i>Journal of Chromatography A</i> , 1997 , 765, 109-114	4.5	13
29	Determination of pesticide residues in waters from small loughs by solid-phase extraction and combined use of gas chromatography with electron-capture and nitrogen-phosphorus detection and high-performance liquid chromatography with diode array detection. <i>Journal of Chromatography A</i> , 1997 , 770, 399-409	4.5	43
28	Determination of glutathione, cysteine and N-acetylcysteine in rabbit eye tissues using high-performance liquid chromatography and post-column derivatization with 5,5'-dithiobis(2-nitrobenzoic acid). <i>Journal of Chromatography A</i> , 1997 , 778, 347-53	4.5	39
27	High-performance liquid chromatographic determination of vancomycin in rabbit serum, vitreous and aqueous humour after intravitreal injection of the drug. <i>Journal of Chromatography A</i> , 1996 , 727, 231-8	4.5	18
26	Possibilities of gas chromatography-atomic emission detection in pesticide multiresidue analysis Application to herbicide analysis in soils. <i>Journal of Chromatography A</i> , 1996 , 754, 245-256	4.5	25
25	Determination of the fungicide vinclozolin in honey and bee larvae by solid-phase and solvent extraction with gas chromatography and electron-capture and mass spectrometric detection. <i>Journal of Chromatography A</i> , 1996 , 754, 507-13	4.5	17
24	On-line solid-phase extraction coupled to supercritical fluid chromatography with diode array detection for the determination of pesticides in water. <i>Journal of Chromatography A</i> , 1996 , 754, 145-157	4.5	13
23	Extraction Procedures for the HPLC Determination of 5-Fluorouracil in Biological Samples. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1994 , 17, 1621-1636		8
22	HPLC Determination of Residual Ivermectin in Cattle Dung Following Subcutaneous Injection. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1994 , 17, 2429-2444		18
21	Determination of the concentrations of 5-fluorouracil and its metabolites in rabbit plasma and tissues by high-performance liquid chromatography. <i>Biomedical Applications</i> , 1994 , 656, 397-405		18
20	Extraction of basic drugs from whole blood and determination by high performance liquid chromatography. <i>Chromatographia</i> , 1994 , 38, 617-623	2.1	16
19	Incidence of organochlorine pesticide and PCB residues in an aquatic ecosystem of river duero in castile and Leon (Spain). <i>Toxicological and Environmental Chemistry</i> , 1993 , 39, 37-50	1.4	2
18	Purpald (4-Amino-3-hydrazino-5-mercapto-1, 2, 4-triazole) as a Reagent for Post-Column Derivatization of Neutral Monosaccharides in High Pressure Liquid Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1993 , 16, 1105-1116		7
17	Polychlorinated biphenyls analysis in sediments from Castile and Leon reservoirs. <i>Toxicological and Environmental Chemistry</i> , 1992 , 35, 137-148	1.4	1
16	Use of methyl and ethyl acetate as organic modifiers in reversed-phase high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1992 , 607, 175-181	4.5	7
15	Determination of 5-fluorouracil in vitreous gel and liquid by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1992 , 607, 183-189	4.5	7

14	Post-column derivatization of carbohydrates with ethanolamineBoric acid prior to their detection by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1992 , 607, 191-198	4.5	11
13	Some observations on clean-up procedures using sulphuric acid and Florisil. <i>Journal of Chromatography A</i> , 1992 , 607, 303-309	4.5	25
12	Multidetermination of PCBs and pesticides by use of a dual GC column-dual detector system. <i>Chromatographia</i> , 1992 , 33, 67-76	2.1	35
11	Use of a high-pressure Soxhlet extractor for the determination of organochlorine residues by gas chromatography. <i>Chromatographia</i> , 1992 , 34, 468-474	2.1	13
10	Analytical application of ion selective electrodes for the determination of nitrates in wines. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1991 , 26, 305-316		1
9	Application of HPLC mobile phase optimization methods to the detection of impurities in bulk drug steroids. <i>Chromatographia</i> , 1990 , 29, 338-346	2.1	4
8	Effects of selected trace elements on plant growth. <i>Journal of the Science of Food and Agriculture</i> , 1990 , 51, 447-479	4.3	34
7	A comparative study of a number of methods for sensitive selenium determination in waters and fodder correctors. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1990 , 25, 391-404		
6	Modification of the methylene blue method for spectrophotometric selenium determination. <i>Talanta</i> , 1990 , 37, 931-6	6.2	18
5	Analytical properties of the amidoxime group. <i>Thermochimica Acta</i> , 1986 , 103, 259-266	2.9	1
4	Analytical properties of the amidoxime group. XII. <i>Journal of Theoretical Biology</i> , 1986 , 31, 931-940	2.3	3
3	Determination of ammonia in wine and milk with an ammonia gas-sensing probe. <i>Analyst, The</i> , 1986 , 111, 631-4	5	4
2	Determination of indium in aluminium alloys by flame atomic-absorption spectroscopy and flame atomic-emission spectrometry. <i>Talanta</i> , 1982 , 29, 1113-6	6.2	5
1	An indirect method for determining phosphorus in aluminium alloys by atomic-absorption spectrometry. <i>Talanta</i> , 1981 , 28, 469-72	6.2	2