

Christian SÃ¸rensen Bork

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/111663/publications.pdf>

Version: 2024-02-01

23
papers

230
citations

933264

10
h-index

996849

15
g-index

24
all docs

24
docs citations

24
times ranked

375
citing authors

#	ARTICLE	IF	CITATIONS
1	Marine n-3 Polyunsaturated Fatty Acids and the Risk of Ischemic Stroke. <i>Stroke</i> , 2019, 50, 274-282.	1.0	33
2	Association of fish consumption and dietary intake of marine n-3 PUFA with myocardial infarction in a prospective Danish cohort study. <i>British Journal of Nutrition</i> , 2016, 116, 167-177.	1.2	23
3	Dietary intake and adipose tissue content of α -linolenic acid and risk of myocardial infarction: a Danish cohort study. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 41-48.	2.2	18
4	Polyunsaturated Fatty Acids and Risk of Ischemic Stroke. <i>Nutrients</i> , 2019, 11, 1467.	1.7	18
5	Marine and plant-based n-3 PUFA and atherosclerotic cardiovascular disease. <i>Proceedings of the Nutrition Society</i> , 2020, 79, 22-29.	0.4	17
6	Lowering the linoleic acid to alpha-linolenic acid ratio decreases the production of inflammatory mediators by cultured human endothelial cells. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2019, 141, 1-8.	1.0	15
7	Linoleic Acid in Adipose Tissue and Development of Ischemic Stroke: A Danish Case-Cohort Study. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	14
8	Marine n-3 Fatty Acids and the Risk of Peripheral Arterial Disease. <i>Journal of the American College of Cardiology</i> , 2018, 72, 1576-1584.	1.2	13
9	Dietary Intake of α -Linolenic Acid Is Not Appreciably Associated with Risk of Ischemic Stroke among Middle-Aged Danish Men and Women. <i>Journal of Nutrition</i> , 2018, 148, 952-958.	1.3	13
10	Adipose Tissue Content of Marine N-3 Polyunsaturated Fatty Acids Is Inversely Associated With Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1008-1009.	1.2	10
11	Adipose tissue content of alpha-linolenic acid and the risk of ischemic stroke and ischemic stroke subtypes: A Danish case-cohort study. <i>PLoS ONE</i> , 2018, 13, e0198927.	1.1	10
12	Substitution of poultry and red meat with fish and the risk of peripheral arterial disease: a Danish cohort study. <i>European Journal of Nutrition</i> , 2019, 58, 2731-2739.	1.8	9
13	Plant n-3 PUFA intake may lower the risk of atherosclerotic cardiovascular disease only among subjects with a low intake of marine n-3 PUFAs. <i>European Journal of Nutrition</i> , 2022, 61, 557-559.	1.8	8
14	Marine n-3 fatty acids and CVD: new insights from recent follow-up studies and clinical supplementation trials. <i>Proceedings of the Nutrition Society</i> , 2020, 79, 428-434.	0.4	7
15	Accuracy of angina pectoris and acute coronary syndrome in the Danish National Patient Register. <i>Danish Medical Journal</i> , 2017, 64, .	0.5	6
16	Substitution of Fish for Red Meat or Poultry and Risk of Ischemic Stroke. <i>Nutrients</i> , 2018, 10, 1648.	1.7	5
17	Intake of α -linolenic acid is not consistently associated with a lower risk of peripheral artery disease: results from a Danish cohort study. <i>British Journal of Nutrition</i> , 2019, 122, 86-92.	1.2	4
18	Linoleic acid in adipose tissue and the risk of myocardial infarction: a case-cohort study. <i>European Journal of Nutrition</i> , 2021, 60, 3639-3646.	1.8	3

#	ARTICLE	IF	CITATIONS
19	Intake of marine n-3 polyunsaturated fatty acids and the risk of incident peripheral artery disease. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 1483-1490.	1.3	2
20	Familial hypercholesterolaemia: a study protocol for identification and investigation of potential causes and markers of subclinical coronary artery disease in the Faroe Islands. <i>BMJ Open</i> , 2022, 12, e050857.	0.8	2
21	P0945STUDY PROTOCOL: ADIPOSE TISSUE CONTENT OF N-3 POLYUNSATURATED FATTY ACIDS AND THE RISK OF CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
22	Adipose tissue content of alpha-linolenic acid and development of peripheral artery disease: a Danish case-cohort study. <i>European Journal of Nutrition</i> , 2020, 59, 3191-3200.	1.8	0
23	Intake of marine n-3 polyunsaturated fatty acids and the risk of rheumatoid arthritis: protocol for a cohort study using data from the Danish Diet, Cancer and Health cohort and Danish health registers. <i>BMJ Open</i> , 2021, 11, e047982.	0.8	0