Jiashen Li

List of Publications by Citations

Source: https://exaly.com/author-pdf/1116955/jiashen-li-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62 36 1,451 23 h-index g-index citations papers 66 6.2 4.61 1,796 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
62	Sustainable production of highly conductive multilayer graphene ink for wireless connectivity and IoT applications. <i>Nature Communications</i> , 2018 , 9, 5197	17.4	121
61	PLLA scaffolds with biomimetic apatite coating and biomimetic apatite/collagen composite coating to enhance osteoblast-like cells attachment and activity. <i>Surface and Coatings Technology</i> , 2006 , 201, 575-580	4.4	92
60	Nano-curcumin prepared via supercritical: Improved anti-bacterial, anti-oxidant and anti-cancer efficacy. <i>International Journal of Pharmaceutics</i> , 2015 , 496, 732-40	6.5	70
59	Isolation and characterization of biofunctional keratin particles extracted from wool wastes. <i>Powder Technology</i> , 2013 , 246, 356-362	5.2	64
58	Preparation and biodegradation of electrospun PLLA/keratin nonwoven fibrous membrane. <i>Polymer Degradation and Stability</i> , 2009 , 94, 1800-1807	4.7	60
57	A one-step method to fabricate PLLA scaffolds with deposition of bioactive hydroxyapatite and collagen using ice-based microporogens. <i>Acta Biomaterialia</i> , 2010 , 6, 2013-9	10.8	54
56	Formation of apatite on poly(alpha-hydroxy acid) in an accelerated biomimetic process. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2005 , 73, 68-76	3.5	54
55	Porous poly(L-lactic acid)/chitosan nanofibres for copper ion adsorption. <i>Carbohydrate Polymers</i> , 2020 , 227, 115343	10.3	54
54	A 5-fluorouracil-loaded polydioxanone weft-knitted stent for the treatment of colorectal cancer. <i>Biomaterials</i> , 2013 , 34, 9451-61	15.6	49
53	Fabrication of silk fibroin nanoparticles for controlled drug delivery. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	43
52	Strategy to introduce an hydroxyapatite-keratin nanocomposite into a fibrous membrane for bone tissue engineering. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 432-437	7.3	42
51	Fabrication and structural characterization of porous biodegradable poly(dl-lactic-co-glycolic acid) scaffolds with controlled range of pore sizes. <i>Polymer Degradation and Stability</i> , 2005 , 87, 487-493	4.7	42
50	Composite coating of bonelike apatite particles and collagen fibers on poly L-lactic acid formed through an accelerated biomimetic coprecipitation process. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2006 , 77, 315-22	3.5	41
49	Hierarchical Porous Poly(l-lactic acid) Nanofibrous Membrane for Ultrafine Particulate Aerosol Filtration. <i>ACS Applied Materials & Emp; Interfaces</i> , 2019 , 11, 46261-46268	9.5	38
48	An implantable and controlled drug-release silk fibroin nanofibrous matrix to advance the treatment of solid tumour cancers. <i>Biomaterials</i> , 2016 , 103, 33-43	15.6	37
47	Generation of Silk Fibroin Nanoparticles via Solution-Enhanced Dispersion by Supercritical CO2. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 3752-3761	3.9	34
46	Biodegradable weft-knitted intestinal stents: fabrication and physical changes investigation in vitro degradation. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 982-90	5.4	31

(2007-2009)

45	Fabrication and degradation of poly(l-lactic acid) scaffolds with wool keratin. <i>Composites Part B: Engineering</i> , 2009 , 40, 664-667	10	29
44	Hydraulic permeability of polyglycolic acid scaffolds as a function of biomaterial degradation. <i>Journal of Biomaterials Applications</i> , 2005 , 19, 253-66	2.9	28
43	Solubility enhancement of curcumin via supercritical CO2 based silk fibroin carrier. <i>Journal of Supercritical Fluids</i> , 2015 , 103, 1-9	4.2	27
42	Controlled reduction of graphene oxide laminate and its applications for ultra-wideband microwave absorption. <i>Carbon</i> , 2020 , 160, 307-316	10.4	27
41	Design of an Ultrasensitive Flexible Bend Sensor Using a Silver-Doped Oriented Poly(vinylidene fluoride) Nanofiber Web for Respiratory Monitoring. <i>ACS Applied Materials & amp; Interfaces</i> , 2020 , 12, 1359-1367	9.5	25
40	Synthesis and characterization of wool keratin/hydroxyapatite nanocomposite. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2012 , 100, 896-902	3.5	23
39	Transfer of apatite coating from porogens to scaffolds: uniform apatite coating within porous poly(DL-lactic-co-glycolic acid) scaffold in vitro. <i>Journal of Biomedical Materials Research - Part A</i> , 2007 , 80, 226-33	5.4	23
38	Polydopamine-assisted grafting of chitosan on porous poly (L-lactic acid) electrospun membranes for adsorption of heavy metal ions. <i>International Journal of Biological Macromolecules</i> , 2021 , 167, 1479-	1490	20
37	Morphology and adhesion of mesenchymal stem cells on PLLA, apatite and apatite/collagen surfaces. <i>Journal of Materials Science: Materials in Medicine</i> , 2008 , 19, 2563-7	4.5	19
36	Screen-Printed Graphite Nanoplate Conductive Ink for Machine Learning Enabled Wireless Radiofrequency-Identification Sensors. <i>ACS Applied Nano Materials</i> , 2019 , 2, 6197-6208	5.6	18
35	Smart moisture management and thermoregulation properties of stimuli-responsive cotton modified with polymer brushes. <i>RSC Advances</i> , 2014 , 4, 63691-63695	3.7	17
34	Development of silk fibroin-derived nanofibrous drug delivery system in supercritical CO2. <i>Materials Letters</i> , 2016 , 167, 175-178	3.3	15
33	Hybrid coating of hydroxyapatite and collagen within poly(D,L-lactic-co-glycolic acid) scaffold. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008 , 86, 381-8	3.5	15
32	Recent Progress in Tissue Engineering and Regenerative Medicine. <i>Journal of Biomaterials and Tissue Engineering</i> , 2016 , 6, 755-766	0.3	15
31	Composite Membranes of Recombinant Silkworm Antimicrobial Peptide and Poly (L-lactic Acid) (PLLA) for biomedical application. <i>Scientific Reports</i> , 2016 , 6, 31149	4.9	15
30	Fabrication, characterization, and in vitro evaluation of biomimetic silk fibroin porous scaffolds via supercritical CO2 technology. <i>Journal of Supercritical Fluids</i> , 2019 , 150, 86-93	4.2	14
29	Heterogeneous carbon/N-doped reduced graphene oxide wrapping LiMn0.8Fe0.2PO4 composite for higher performance of lithium ion batteries. <i>Applied Surface Science</i> , 2019 , 476, 513-520	6.7	14
28	Transfer of collagen coating from porogen to scaffold: Collagen coating within poly(dl-lactic-co-glycolic acid) scaffold. <i>Composites Part B: Engineering</i> , 2007 , 38, 317-323	10	13

27	5-Fluorouracil-loaded poly-l-lactide fibrous membrane for the prevention of intestinal stent restenosis. <i>Journal of Materials Science</i> , 2013 , 48, 6186-6193	4.3	12
26	Electrospun highly porous poly(L-lactic acid)-dopamine-SiO fibrous membrane for bone regeneration. <i>Materials Science and Engineering C</i> , 2020 , 117, 111359	8.3	12
25	Iron-assisted carbon coating strategy for improved electrochemical LiMn0.8Fe0.2PO4 cathodes. <i>Electrochimica Acta</i> , 2016 , 212, 800-807	6.7	12
24	Biomimetic Presentation of Cryptic Ligands Single-Chain Nanogels for Synergistic Regulation of Stem Cells. <i>ACS Nano</i> , 2020 , 14, 4027-4035	16.7	11
23	Antibacterial Properties of Nanosilver PLLA Fibrous Membranes. <i>Journal of Nanomaterials</i> , 2009 , 2009, 1-5	3.2	11
22	Ultrafast bone-like apatite formation on highly porous poly(l-lactic acid)-hydroxyapatite fibres. Materials Science and Engineering C, 2020 , 116, 111168	8.3	10
21	Hierarchical porous silk fibroin/poly(L-lactic acid) fibrous membranes towards vascular scaffolds. <i>International Journal of Biological Macromolecules</i> , 2021 , 166, 1111-1120	7.9	10
20	Surface Modification of Carbon Fibres for Interface Improvement in Textile Composites. <i>Applied Composite Materials</i> , 2018 , 25, 853-860	2	9
19	Functionalized Fiber-Based Strain Sensors: Pathway to Next-Generation Wearable Electronics <i>Nano-Micro Letters</i> , 2022 , 14, 61	19.5	9
18	EcoFlex Sponge with Ultrahigh Oil Absorption Capacity. <i>ACS Applied Materials & Discrete Section</i> , 11, 20037-20044	9.5	8
17	Nano polypeptide particles reinforced polymer composite fibers. <i>ACS Applied Materials & Amp; Interfaces</i> , 2015 , 7, 3871-6	9.5	8
16	A Review on Chitosan for the Removal of Heavy Metals Ions. <i>Journal of Fiber Bioengineering and Informatics</i> , 2019 , 12, 103-128	2	7
15	Novel pH-sensitive drug-loaded electrospun nanofibers based on regenerated keratin for local tumor chemotherapy. <i>Textile Reseach Journal</i> , 2020 , 90, 2336-2349	1.7	6
14	Ultrasensitive Label-Free DNA Detection Based on Solution-Gated Graphene Transistors Functionalized with Carbon Quantum Dots <i>Analytical Chemistry</i> , 2022 ,	7.8	6
13	Modification of negative auto-photosensitive polyimide. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 943-947	2.9	5
12	Generation of biofunctional and biodegradable electrospun nanofibers composed of poly (l-lactic acid) and wool isoelectric precipitate. <i>Textile Reseach Journal</i> , 2014 , 84, 355-367	1.7	4
11	Toxicity study of isolated polypeptide from wool hydrolysate. <i>Food and Chemical Toxicology</i> , 2013 , 57, 338-45	4.7	4
10	Fabrication of hierarchical porous poly (l-lactide) (PLLA) fibrous membrane by electrospinning. <i>Polymer</i> , 2021 , 226, 123797	3.9	4

LIST OF PUBLICATIONS

9	Controllable release of vascular endothelial growth factor (VEGF) by wheel spinning alginate/silk fibroin fibers for wound healing. <i>Materials and Design</i> , 2021 , 212, 110231	8.1	3
8	Engineering the biological performance of hierarchical nanostructured poly(Larpolactone) scaffolds for bone tissue engineering. CIRP Annals - Manufacturing Technology, 2020, 69, 217-220	4.9	3
7	Hierarchical porous poly(l-lactic acid)/SiO2 nanoparticles fibrous membranes for oil/water separation. <i>Journal of Materials Science</i> , 2020 , 55, 16096-16110	4.3	3
6	Temperature induced modulation of lipid oxidation and lipid accumulation in palmitate-mediated 3T3-L1 adipocytes and 3T3-L1 adipocytes. <i>Journal of Thermal Biology</i> , 2016 , 58, 1-7	2.9	3
5	Hierarchical Porous Recycled PET Nanofibers for High-Efficiency Aerosols and Virus Capturing. <i>ACS Applied Materials & Applied & Applied</i>	9.5	2
4	Cytotoxicity and Cell Adhesion of PLLA/keratin Composite Fibrous Membranes. <i>IFMBE Proceedings</i> , 2009 , 1492-1495	0.2	1
3	Biomimetic coating of apatite/collagen composite on Poly L-lactic Acid facilitates cell seeding. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2005, 2005, 408	7-90	1
2	Cross-linked chitosan coated biodegradable porous electrospun membranes for the removal of synthetic dyes. <i>Reactive and Functional Polymers</i> , 2021 , 166, 104995	4.6	1
1	Photo-Patternable, High-Speed Electrospun Ultrafine Fibers Fabricated by Intrinsically Negative Photosensitive Polyimide. <i>ACS Omega</i> , 2021 , 6, 18458-18464	3.9	O