

# Prakash Sojitra

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11169938/publications.pdf>

Version: 2024-02-01

10  
papers

148  
citations

1937685

4  
h-index

1474206

9  
g-index

11  
all docs

11  
docs citations

11  
times ranked

190  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | A novel nanocarrier sirolimus-coated balloon for coronary interventions: 12-Month data from the Nanolut <sup>®</sup> Registry. <i>Cardiovascular Revascularization Medicine</i> , 2019, 20, 235-240.   | 0.8 | 16        |
| 2  | Technical Insights on Drug-Coated Balloons II. , 2019, , 45-57.  |     | 4         |
| 3  | Design Parameters for Drug-Coated Balloons II. , 2019, , 59-67.  |     | 0         |
| 4  | Merging the properties of a sirolimus coated balloon with those of a bioresorbable polymer sirolimus eluting stent to address the "diabetes issue". Results from the En-Abl multicenter registry. <i>Minerva Cardioangiologica</i> , 2018, 66, 536-542.          | 1.2 | 5         |
| 5  | Biological effect on restenosis and vascular healing of encapsulated paclitaxel nanocrystals delivered via coated balloon technology in the familial hypercholesterolaemic swine model of in-stent restenosis. <i>EuroIntervention</i> , 2016, 12, 1164-1173.    | 3.2 | 7         |
| 6  | A new polymer-free drug-eluting stent with nanocarriers eluting sirolimus from stent-plus-balloon compared with bare-metal stent and with biolimus A9 eluting stent in porcine coronary arteries. <i>Cardiovascular Diagnosis and Therapy</i> , 2015, 5, 113-21. | 1.7 | 4         |
| 7  | Preclinical evaluation of a novel abluminal surface coated sirolimus eluting stent with biodegradable polymer matrix. <i>Cardiovascular Diagnosis and Therapy</i> , 2015, 5, 254-63.   | 1.7 | 10        |
| 8  | Unprotected distal left main bifurcation drug eluting stent restenosis: first successful experience with simultaneous kissing balloon dilatation using sirolimus coated balloon. <i>Cardiovascular Diagnosis and Therapy</i> , 2015, 5, 484-7.                   | 1.7 | 3         |
| 9  | CRT-123 A Novel Nano Particle Sirolimus Delivery Via Coated Balloon. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, S40.   | 2.9 | 4         |
| 10 | Emerging technologies: polymer-free phospholipid encapsulated sirolimus nanocarriers for the controlled release of drug from a stent-plus-balloon or a stand-alone balloon catheter. <i>EuroIntervention</i> , 2013, 9, 148-156.                                 | 3.2 | 93        |