
Héla Saidi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11178572/publications.pdf Version: 2024-02-01



ΗÃΩιλ Sλισι

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Biological and Technical Variables Affecting Immunoassay Recovery of Cytokines from Human Serum and Simulated Vaginal Fluid: A Multicenter Study. Analytical Chemistry, 2008, 80, 4741-4751. | 6.5 | 161 |
| 2 | Extracellular ATP acts on P2Y2 purinergic receptors to facilitate HIV-1 infection. Journal of Experimental Medicine, 2011, 208, 1823-1834. | 8.5 | 156 |
| 3 | The antimicrobial peptide dermaseptin S4 inhibits HIV-1 infectivity in vitro. Virology, 2005, 334, 264-275. | 2.4 | 130 |
| 4 | R5- and X4-HIV-1 use differentially the endometrial epithelial cells HEC-1A to ensure their own spread: Implication for mechanisms of sexual transmission. Virology, 2007, 358, 55-68. | 2.4 | 67 |
| 5 | Escape of HIV-1-Infected Dendritic Cells from TRAIL-Mediated NK Cell Cytotoxicity during NK-DC Cross-Talk—A Pivotal Role of HMGB1. PLoS Pathogens, 2010, 6, e1000862. | 4.7 | 60 |
| 6 | Opsonization of HIV with Complement Enhances Infection of Dendritic Cells and Viral Transfer to CD4 T Cells in a CR3 and DC-SIGN-Dependent Manner. Journal of Immunology, 2007, 178, 1086-1095. | 0.8 | 57 |
| 7 | HMGB1-Dependent Triggering of HIV-1 Replication and Persistence in Dendritic Cells as a Consequence of NK-DC Cross-Talk. PLoS ONE, 2008, 3, e3601. | 2.5 | 40 |
| 8 | Inhibition of HIV-1 transmission in trans from dendritic cells to CD4+T lymphocytes by natural antibodies to the CRD domain of DC-SIGN purified from breast milk and intravenous immunoglobulins. Immunology, 2008, 123, 508-518. | 4.4 | 36 |
| 9 | Differential Modulation of Human Lactoferrin Activity against Both R5 and X4-HIV-1 Adsorption on Epithelial Cells and Dendritic Cells by Natural Antibodies. Journal of Immunology, 2006, 177, 5540-5549. | 0.8 | 31 |
| 10 | HIV-1 Envelope Overcomes NLRP3-Mediated Inhibition of F-Actin Polymerization for Viral Entry. Cell Reports, 2019, 28, 3381-3394.e7. | 6.4 | 28 |
| 11 | HMGB1 Is Involved in IFN-α Production and TRAIL Expression by HIV-1-Exposed Plasmacytoid Dendritic Cells: Impact of the Crosstalk with NK Cells. PLoS Pathogens, 2016, 12, e1005407. | 4.7 | 25 |
| 12 | Differential in vitro inhibitory activity against HIV-1 of alpha-(1-3)- and alpha-(1-6)-D-mannose specific plant lectins : Implication for microbicide development. Journal of Translational Medicine, 2007, 5, 28. | 4.4 | 24 |
| 13 | HMGB1/anti-HMGB1 antibodies define a molecular signature of early stages of HIV-Associated Neurocognitive Disorders (HAND). Heliyon, 2017, 3, e00245. | 3.2 | 17 |
| 14 | Infection of Macrophages and Dendritic Cells with Primary R5-Tropic Human Immunodeficiency Virus Type 1 Inhibited by Natural Polyreactive Anti-CCR5 Antibodies Purified from Cervicovaginal Secretions. Vaccine Journal, 2008, 15, 872-884. | 3.1 | 16 |
| 15 | Chapter Three Analysis of Apoptotic Pathways by Multiparametric Flow Cytometry: Application to HIV Infection. Methods in Enzymology, 2008, 442, 51-82. | 1.0 | 15 |
| 16 | In vitro synergistic activity against CCR5-tropic HIV-1 with combinations of potential candidate microbicide molecules HHA, KRV2110 and enfuvirtide (T20). Journal of Antimicrobial Chemotherapy, 2009, 64, 1192-1195. | 3.0 | 12 |
| 17 | IFN-Î ³ -activated monocytes weakly produce HIV-1 but induce the recruitment of HIV-sensitive T cells and enhance the viral production by these recruited T cells. Journal of Leukocyte Biology, 2007, 81, 642-653. | 3.3 | 11 |
| 18 | Apical Interactions of HIV Type 1 with Polarized HEC-1 Cell Monolayer Modulate R5-HIV Type 1 Spread by Submucosal Macrophages. AIDS Research and Human Retroviruses, 2009, 25, 497-509. | 1.1 | 11 |

Héla Saidi

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Pre-clinical development as microbicide of zinc tetra-ascorbo-camphorate, a novel terpenoid derivative: Potent in vitro inhibitory activity against both R5- and X4-tropic HIV-1 strains without significant in vivo mucosal toxicity. AIDS Research and Therapy, 2008, 5, 10. | 1.7 | 10 |
| 20 | Differential modulation of CCR5-tropic human immunodeficiency virus–1 transfer from macrophages towards T cells under interleukin-4/interleukin-13 microenvironment. Human Immunology, 2010, 71, 1-13. | 2.4 | 8 |
| 21 | Combinatorial prevention of HIV transmission in women: the case for a vaginal microbicide. Future Microbiology, 2011, 6, 731-737. | 2.0 | 7 |
| 22 | Understanding Factors That Modulate HIV Infection at the Female Genital Tract Mucosae for the Rationale Design of Microbicides. AIDS Research and Human Retroviruses, 2012, 28, 1485-1497. | 1.1 | 7 |
| 23 | Differential activity of candidate microbicides against early steps of HIV-1 infection upon complement virus opsonization. AIDS Research and Therapy, 2010, 7, 16. | 1.7 | 6 |
| 24 | Early events in vaginal HIV transmission: implications in microbicide development. Future Virology, 2009, 4, 259-269. | 1.8 | 5 |
| 25 | Potent In Vitro Inactivation of Both Free and Cell-Associated CCR5- and CXCR4-Tropic HIV-1 by Common Commercial Soap Bars From South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 54, 340-342. | 2.1 | 1 |
| 26 | Partial inactivation of CCR5- and CXCR4- tropic HIV-1 by human urine. Archives of Virology, 2011, 156, 2181-2186. | 2.1 | 0 |
| 27 | Microbicide-vaccine Combination Provides Significant Protection against Vaginal SHIV-162P3 Challenge in Cynomolgous Monkeys. AIDS Research and Human Retroviruses, 2014, 30, A26-A26. | 1.1 | 0 |