Annora Thoeng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11179330/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Orchestrated Intron Retention Regulates Normal Granulocyte Differentiation. Cell, 2013, 154, 583-595.	28.9	408
2	Androgen Receptor and Nutrient Signaling Pathways Coordinate the Demand for Increased Amino Acid Transport during Prostate Cancer Progression. Cancer Research, 2011, 71, 7525-7536.	0.9	145
3	C9orf72 arginine-rich dipeptide proteins interact with ribosomal proteins in vivo to induce a toxic translational arrest that is rescued by elF1A. Acta Neuropathologica, 2019, 137, 487-500.	7.7	94
4	Intron retention is regulated by altered MeCP2-mediated splicing factor recruitment. Nature Communications, 2017, 8, 15134.	12.8	92
5	RPS25 is required for efficient RAN translation of C9orf72 and other neurodegenerative disease-associated nucleotide repeats. Nature Neuroscience, 2019, 22, 1383-1388.	14.8	87
6	Sense and antisense RNA are not toxic in Drosophila models of C9orf72-associated ALS/FTD. Acta Neuropathologica, 2018, 135, 445-457.	7.7	59
7	RBM3 regulates temperature sensitive miR-142–5p and miR-143 (thermomiRs), which target immune genes and control fever. Nucleic Acids Research, 2016, 44, 2888-2897.	14.5	50
8	Bidirectional nucleolar dysfunction in C9orf72 frontotemporal lobar degeneration. Acta Neuropathologica Communications, 2017, 5, 29.	5.2	43
9	LAT1 is a putative therapeutic target in endometrioid endometrial carcinoma. International Journal of Cancer, 2016, 139, 2529-2539.	5.1	36
10	DNA methylation/hydroxymethylation regulate gene expression and alternative splicing during terminal granulopoiesis. Epigenomics, 2019, 11, 95-109.	2.1	18
11	Androgen receptor and nutrient signaling pathways coordinate increased amino acid transport in prostate cancer progression. BMC Proceedings, 2012, 6, .	1.6	1