

Prince Anandarajah

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1118078/prince-anandarajah-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

1,257
citations

19
h-index

28
g-index

204
ext. papers

1,659
ext. citations

3.1
avg, IF

4.42
L-index

#	Paper	IF	Citations
127	. <i>IEEE Photonics Journal</i> , 2011 , 3, 112-122	1.8	85
126	40 nm wavelength tunable gain-switched optical comb source. <i>Optics Express</i> , 2011 , 19, B415-20	3.3	68
125	100 Gb/s Multicarrier THz Wireless Transmission System With High Frequency Stability Based on A Gain-Switched Laser Comb Source. <i>IEEE Photonics Journal</i> , 2015 , 7, 1-11	1.8	60
124	Discrete mode lasers for communication applications. <i>IET Optoelectronics</i> , 2009 , 3, 1-17	1.5	47
123	A Survey of Optical Carrier Generation Techniques for Terabit Capacity Elastic Optical Networks. <i>IEEE Communications Surveys and Tutorials</i> , 2018 , 20, 211-263	37.1	43
122	Optimized pulse source employing an externally injected gain-switched laser diode in conjunction with a nonlinearly chirped grating. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2006 , 12, 255-264	2.8	35
121	Multifunctional operation of a fiber Bragg grating in a WDM/SCM radio over fiber distribution system. <i>IEEE Photonics Technology Letters</i> , 2004 , 16, 605-607	2.2	33
120	Improved performance of a hybrid radio/fiber system using a directly modulated laser transmitter with external injection. <i>IEEE Photonics Technology Letters</i> , 2002 , 14, 233-235	2.2	32
119	Flexible Optical Comb Source for Super Channel Systems 2013 ,		30
118	Phase noise analysis of injected gain switched comb source for coherent communications. <i>Optics Express</i> , 2014 , 22, 8120-5	3.3	28
117	Enhanced Optical Comb Generation by Gain-Switching a Single-Mode Semiconductor Laser Close to Its Relaxation Oscillation Frequency. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2015 , 21, 592-600	3.8	26
116	Optical pulse generation at frequencies up to 20 GHz using external-injection seeding of a gain-switched commercial Fabry-Perot laser. <i>IEEE Photonics Technology Letters</i> , 2001 , 13, 1014-1016	2.2	24
115	Phase Noise Investigation of Multicarrier Sub-THz Wireless Transmission System Based on an Injection-Locked Gain-Switched Laser. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2015 , 5, 590-597	3.4	22
114	Software reconfigurable highly flexible gain switched optical frequency comb source. <i>Optics Express</i> , 2015 , 23, 23225-35	3.3	22
113	25-Gb/s OFDM 60-GHz Radio Over Fiber System Based on a Gain Switched Laser. <i>Journal of Lightwave Technology</i> , 2015 , 33, 1635-1643	4	22
112	Chromatic Dispersion-Induced Optical Phase Decorrelation in a 60 GHz OFDM-RoF System. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 2016-2019	2.2	22
111	60 GHz Radio Over Fiber System Based on Gain-Switched Laser. <i>Journal of Lightwave Technology</i> , 2014 , 32, 3695-3703	4	21

110	WDM-OFDM-PON Based on Compatible SSB Technique Using a Mode Locked Comb Source. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 2058-2061	2.2	20
109	Integrated Two-Section Discrete Mode Laser. <i>IEEE Photonics Journal</i> , 2012 , 4, 2085-2094	1.8	20
108	Numerical investigation into the injection-locking phenomena of gain switched lasers for optical frequency comb generation. <i>Applied Physics Letters</i> , 2015 , 106, 211105	3.4	19
107	A Review of Chipless Remote Sensing Solutions Based on RFID Technology. <i>Sensors</i> , 2019 , 19,	3.8	18
106	InP photonic integrated externally injected gain switched optical frequency comb. <i>Optics Letters</i> , 2017 , 42, 555-558	3	16
105	Phase shift keyed systems based on a gain switched laser transmitter. <i>Optics Express</i> , 2009 , 17, 12668-773	3	15
104	Performance Investigation of IM/DD Compatible SSB-OFDM Systems Based on Optical Multicarrier Sources. <i>IEEE Photonics Journal</i> , 2014 , 6, 1-10	1.8	14
103	Design, Characterization, and Applications of Index-Patterned Fabry-Pérot Lasers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2011 , 17, 1621-1631	3.8	14
102	Effect of side-mode suppression ratio on the performance of self-seeded gain-switched optical pulses in lightwave communications systems. <i>IEEE Photonics Technology Letters</i> , 1999 , 11, 1360-1362	2.2	14
101	. <i>IEEE Journal of Quantum Electronics</i> , 2015 , 51, 1-8	2	13
100	Photonic Integrated Gain Switched Optical Frequency Comb for Spectrally Efficient Optical Transmission Systems. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-8	1.8	13
99	Electro-Optical Generation and Distribution of Ultrawideband Signals Based on the Gain Switching Technique. <i>Journal of Optical Communications and Networking</i> , 2010 , 2, 122	4.1	13
98	Lyot filter based multiwavelength fiber ring laser actively mode-locked at 10GHz using an electroabsorption modulator. <i>Optics Communications</i> , 2008 , 281, 3538-3541	2	13
97	Multiple RF carrier distribution in a hybrid radio/fiber system employing a self-pulsating laser diode transmitter. <i>IEEE Photonics Technology Letters</i> , 2002 , 14, 1599-1601	2.2	13
96	Monolithically Integrated 2-Section Lasers for Injection Locked Gain Switched Comb Generation 2014 ,		12
95	Performance improvement of 10 Gb/s direct modulation OFDM by optical injection using monolithically integrated Discrete Mode lasers. <i>Optics Express</i> , 2011 , 19, B289-94	3.3	12
94	Optical Generation of Modulated Millimeter Waves Based on a Gain-Switched Laser. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2010 , 58, 3372-3380	4.1	12
93	Inverse scattering approach to multiwavelength Fabry-Pérot laser design. <i>Physical Review A</i> , 2006 , 74,	2.6	12

92	Self-seeding of a gain-switched integrated dual-laser source for the generation of highly wavelength-tunable picosecond optical pulses. <i>IEEE Photonics Technology Letters</i> , 2004 , 16, 629-631	2.2	11
91	Gain-switched semiconductor laser driven soliton microcombs. <i>Nature Communications</i> , 2021 , 12, 1425	17.4	11
90	WDM Orthogonal Subcarrier Multiplexing. <i>Journal of Lightwave Technology</i> , 2016 , 34, 1815-1823	4	10
89	Implementation of a cost-effective optical comb source in a WDM-PON with 10.7 Gb/s data to each ONU and 50 km reach. <i>Optics Express</i> , 2010 , 18, 15672-81	3.3	10
88	Dynamic Linewidth Measurement Method via an Optical Quadrature Front End. <i>IEEE Photonics Technology Letters</i> , 2011 , 23, 1591-1593	2.2	10
87	Performance issues associated with WDM optical systems using self-seeded gain switched pulse sources due to mode partition noise effects. <i>IEEE Photonics Technology Letters</i> , 2002 , 14, 1202-1204	2.2	10
86	Expansion and phase correlation of a wavelength tunable gain-switched optical frequency comb. <i>Optics Express</i> , 2019 , 27, 16560-16570	3.3	10
85	EKF for Joint Mitigation of Phase Noise, Frequency Offset and Nonlinearity in 400 Gb/s PM-16-QAM and 200 Gb/s PM-QPSK Systems. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-10	1.8	9
84	80-km Coherent DWDM-PON on 20-GHz Grid With Injected Gain Switched Comb Source. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 364-367	2.2	9
83	Effects of intermodulation distortion on the performance of a hybrid radio/fiber system employing a self-pulsating laser diode transmitter. <i>IEEE Photonics Technology Letters</i> , 2003 , 15, 852-854	2.2	9
82	100 km Coherent Nyquist Ultradense Wavelength Division Multiplexed Passive Optical Network Using a Tunable Gain-Switched Comb Source. <i>Journal of Optical Communications and Networking</i> , 2016 , 8, 112	4.1	8
81	Gain-switched multicarrier transmitter in a long-reach UDWDM PON with a digital coherent receiver. <i>Optics Letters</i> , 2013 , 38, 4797-800	3	8
80	Modulated Millimeter-Wave Generation by External Injection of a Gain Switched Laser. <i>IEEE Photonics Technology Letters</i> , 2011 , 23, 447-449	2.2	8
79	Novel Frequency Chirp Compensation Scheme for Directly Modulated SG DBR Tunable Lasers. <i>IEEE Photonics Technology Letters</i> , 2009 , 21, 340-342	2.2	8
78	Generation of widely tunable picosecond pulses with large SMSR by externally injecting a gain-switched dual laser source. <i>IEEE Photonics Technology Letters</i> , 2004 , 16, 2344-2346	2.2	8
77	Frequency division using a soliton-injected semiconductor gain-switched frequency comb. <i>Science Advances</i> , 2020 , 6,	14.3	8
76	Integrated Gain Switched Comb Source for 100 Gb/s WDM-SSB-DD-OFDM System. <i>Journal of Lightwave Technology</i> , 2015 , 33, 3525-3532	4	7
75	Experimental demonstration of optical phase conjugation using counter-propagating dual pumped four-wave mixing in semiconductor optical amplifier. <i>Optics Communications</i> , 2016 , 369, 106-110	2	7

74	Low cost comb source in a coherent wavelength division multiplexed system 2010 ,		7
73	Two-Photon-Absorption-Based OSNR Monitor for NRZ-PSK Transmission Systems. <i>IEEE Photonics Technology Letters</i> , 2010 , 22, 275-277	2.2	7
72	Integrated dual optical frequency comb source. <i>Optics Express</i> , 2020 , 28, 16900-16906	3.3	7
71	60-GHz Direct Modulation-Direct Detection OFDM-RoF System Using Gain-Switched Laser. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 193-196	2.2	6
70	Dynamic characteristics of InGaAs/InP multiple quantum well discrete mode laser diodes emitting at 2 μ m. <i>Electronics Letters</i> , 2014 , 50, 948-950	1.1	6
69	Optical millimeter-wave generation and transmission system for 1.25Gbit/s downstream link using a gain switched laser. <i>Optics Communications</i> , 2009 , 282, 4789-4792	2	6
68	Linewidth of SG-DBR laser and its effect on DPSK transmission. <i>Optics Communications</i> , 2010 , 283, 5040-5045		6
67	Investigation of noise suppression, pulse intensity and chirp of an actively mode-locked semiconductor fiber ring laser. <i>Optics Communications</i> , 2007 , 280, 142-146	2	6
66	System-Performance Analysis of Optimized Gain-Switched Pulse Source Employed in 40- and 80-Gb/s OTDM Systems. <i>Journal of Lightwave Technology</i> , 2007 , 25, 1495-1502	4	6
65	Optimized pulse source for 40-Gb/s systems based on a gain-switched laser diode in conjunction with a nonlinearly chirped grating. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 196-198	2.2	6
64	Investigation of pulse pedestal and dynamic chirp formation on picosecond pulses after propagation through an SOA. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1800-1802	2.2	6
63	Characterization of Frequency Drift of Sampled-Grating DBR Laser Module Under Direct Modulation. <i>IEEE Photonics Technology Letters</i> , 2008 , 20, 72-74	2.2	5
62	Analysis of bit rate dependence up to 80Gbit/s of a simple wavelength converter based on XPM in a SOA and a shifted filtering. <i>Optics Communications</i> , 2008 , 281, 5731-5738	2	5
61	Flexible wavelength de-multiplexer for elastic optical networking. <i>Optics Letters</i> , 2016 , 41, 2241-4	3	5
60	Numerical investigation into the dynamics of externally-injected, gain-switched lasers for optical comb generation 2014 ,		4
59	Penalty-free wavelength conversion with variable channel separation using gain-switched comb source. <i>Optics Communications</i> , 2014 , 324, 69-72	2	4
58	Increased Bit Rate Direct Modulation AMO-OFDM Transmission by Optical Injection Using Monolithically Integrated Lasers. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 879-881	2.2	4
57	Experimental investigation of the impact of optical injection on vital parameters of a gain-switched pulse source. <i>Optics Communications</i> , 2007 , 277, 150-155	2	4

56	Active demultiplexer enabled mmW ARoF transmission of directly modulated 64-QAM UF-OFDM signals. <i>Optics Letters</i> , 2020 , 45, 5246-5249	3	4
55	Absolute distance measurement with a gain-switched dual optical frequency comb. <i>Optics Express</i> , 2021 , 29, 8108-8116	3-3	4
54	Characterization of a multifunctional active demultiplexer for optical frequency combs. <i>Optics and Laser Technology</i> , 2021 , 134, 106637	4-2	4
53	100 Gbit/s real-time all-analogue filter bank OFDM based on a gain-switched optical comb 2015 ,		3
52	Long Reach UDWDM PON with SCM-QPSK Modulation and Direct Detection 2014 ,		3
51	Optical comb generation and expansion by gain switched discrete mode laser diode 2011 ,		3
50	Narrow-Linewidth Discrete-Mode Laser Diodes for Coherent Communication Applications. <i>Journal of Optical Communications and Networking</i> , 2012 , 4, A90	4-1	3
49	Discrete mode lasers for communications applications 2009 ,		3
48	Optimized performance map of an EAM for pulse generation and demultiplexing via FROG characterization. <i>Optics Communications</i> , 2007 , 273, 500-505	2	3
47	Signal degradation due to output filtering of self-seeded gain-switched pulses exhibiting weak inherent side-mode-suppression ratios. <i>Applied Optics</i> , 2005 , 44, 7867-71	1-7	3
46	FROG characterisation of SOA-based wavelength conversion using XPM in conjunction with shifted filtering up to line rates of 80 GHz 2006 ,		3
45	Characterization of wavelength interleaving in radio-over-fiber systems employing WDM/SCM. <i>Optics Communications</i> , 2006 , 260, 144-149	2	3
44	Cross-channel interference due to mode partition noise in WDM optical systems using self-seeded gain-switched pulse sources. <i>IEEE Photonics Technology Letters</i> , 2001 , 13, 242-244	2-2	3
43	Optical frequency comb generation via pulsed gain-switching in externally-injected semiconductor lasers using step-recovery diodes. <i>Optics and Laser Technology</i> , 2020 , 131, 106392	4-2	3
42	Tunable mm-wave A-RoF transmission scheme employing an optical frequency comb and dual-stage active demultiplexer. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	3
41	Injection-locking criteria for simultaneously locking single-mode lasers to optical frequency combs from gain-switched lasers 2017 ,		2
40	Cascaded Fabry-Pérot lasers for coherent expansion of wavelength tunable gain switched comb 2014 ,		2
39	Direct modulation of a tuneable slotted Fabry-Pérot laser with adaptive modulation OFDM. <i>Optics Express</i> , 2012 , 20, B399-404	3-3	2

38	Optical Generation and Wireless Transmission of 60 GHz OOK Signals Using Gain Switched Laser 2010,		2
37	. <i>IEEE Photonics Technology Letters</i> , 2007 , 19, 321-323	2.2	2
36	Cavity Length Independent Continuous Repetition Rate Tuning of a Self-Seeded Gain-Switched Fabry-Pérot Laser. <i>IEEE Photonics Technology Letters</i> , 2007 , 19, 1625-1627	2.2	2
35	Generation and Characterisation of 40 GHz Picosecond Optical Pulses Generated Using an EAM 2006,		2
34	Expansion and phase correlation of gain-switched optical frequency combs through FWM in an SOA 2019,		2
33	Bidirectional fiber transmission of mmW signals using remote downconversion and wavelength reuse 2019,		2
32	Optimum optical frequency comb generation via externally injection of a gain switched VCSEL 2019 ,		2
31	Performance evaluation of a comb-based transmission system employing multi-functional active demultiplexers 2020,		2
30	Extended Kalman Filter For Estimation of Phase Noises and Frequency Offset in 400G PM-16-QAM systems 2016,		2
29	Current Progress towards the Integration of Thermocouple and Chipless RFID Technologies and the Sensing of a Dynamic Stimulus. <i>Micromachines</i> , 2020 , 11,	3.3	2
28	Characterization and Direct Modulation of a Multi-Section PIC Suited for Short Reach Optical Communication Systems. <i>Photonics</i> , 2020 , 7, 55	2.2	2
27	Off-Axis Cavity-Enhanced Absorption Spectroscopy of NH in Air Using a Gain-Switched Frequency Comb at 1.514 μm . <i>Sensors</i> , 2019 , 19,	3.8	2
26	Proof of Concept Novel Configurable Chipless RFID Strain Sensor. <i>Sensors</i> , 2021 , 21,	3.8	2
25	Compensation of nonlinearity in a fiber-optic transmission system using frequency-degenerate phase conjugation through counter-propagating dual pump FWM in a semiconductor optical amplifier. <i>Journal of Optics (United Kingdom)</i> , 2018 , 20, 045702	1.7	1
24	Performance of a Semi-Nyquist NRZ-DQPSK System Employing a Flexible Gain-Switched Multicarrier Transmitter. <i>Journal of Optical Communications and Networking</i> , 2014 , 6, 282	4.1	1
23	Integrated frequency combs for flexible optical networks 2017,		1
22	Dual mode injection locking of a Fabry-Pérot laser for tunable broadband gain switched comb generation 2015,		1
21	Optical multicarrier based IM/DD DWDM-SSB-OFDM access networks with SOAs for power budget extension 2014,		1

20	25 Gb/s OFDM 60 GHz radio over fibre system using an externally injected gain switched distributed feedback laser 2014 ,		1
19	Transmission over 50 km using a directly modulated integrated two-section discrete mode laser at 1550 nm 2013 ,		1
18	Photonic generation and distribution of a modulated 60 GHz signal using a directly modulated gain switched laser 2010 ,		1
17	Discrete mode laser diodes for FTTH/PON applications up to 10 Gbit/s 2012 ,		1
16	SG-DBR tunable laser linewidth and its impact on advanced modulation format transmission 2009 ,		1
15	Optimization of a 42.7 Gb/s wavelength tunable RZ transmitter using a linear spectrogram technique. <i>Optics Express</i> , 2008 , 16, 11281-8	3.3	1
14	2008 ,		1
13	Discrete Mode Lasers for Applications in Access Networks 2007 ,		1
12	Actively Mode-locked Multiwavelength Fibre Ring Laser Incorporating a Lyot Filter, Hybrid Gain Medium and Birefringence Compensated LiNbO3 Modulator 2007 ,		1
11	Some emerging photonic technologies and their device impact: photonic crystals, plasmonics, and electromagnetically induced transparency (Invited Paper) 2005 ,		1
10	Sub-harmonic injection locking of quantum-dash lasers using spectral enrichment from semiconductor optical amplifiers. <i>Applied Optics</i> , 2017 , 56, 9913	1.7	1
9	Performance of an injection-locked active demultiplexer for FSR-tunable optical frequency combs 2019 ,		1
8	Phase Modulated Optical Millimeter Wave Generation Based on Externally Injected Gain Switched Laser 2011 ,		1
7	Photonic integrated gain-switched lasers for optical frequency comb generation. <i>Microwave and Optical Technology Letters</i> , 2021 , 63, 2219-2226	1.2	1
6	Optical Frequency Comb Expansion Using Mutually Injection-Locked Gain-Switched Lasers. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7108	2.6	0
5	Active Demultiplexer-enabled Directly Modulated DMT Transmission Using Optical Frequency Combs for Data Center Interconnects. <i>Journal of Lightwave Technology</i> , 2021 , 39, 5468-5473	4	0
4	Experimental Investigation of External Optical Injection and its Application in Gain-Switched Wavelength Tunable Optical Frequency Comb Generation. <i>Journal of Lightwave Technology</i> , 2021 , 39, 5884-5895	4	0
3	Compact gain switched optical frequency comb generator for sensing applications. <i>Journal of Physics: Conference Series</i> , 2019 , 1289, 012048	0.3	

- 2 Performance enhancement of 10 Gb/s direct modulation optical OFDM by external optical injection. *Optics Communications*, **2012**, 285, 136-139 2
- 1 Optical linewidth tolerant mmW generation employing a dual-stage active demultiplexer. *IEEE Photonics Technology Letters*, **2022**, 1-1 2.2