## Alain Leplege

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11181387/publications.pdf

Version: 2024-02-01

236612 360668 9,091 34 25 35 citations h-index g-index papers 37 37 37 11569 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Cross-Validation of Item Selection and Scoring for the SF-12 Health Survey in Nine Countries. Journal of Clinical Epidemiology, 1998, 51, 1171-1178.	2.4	2,428
2	Translating Health Status Questionnaires and Evaluating Their Quality. Journal of Clinical Epidemiology, 1998, 51, 913-923.	2.4	761
3	Health-related quality of life associated with chronic conditions in eight countries: Results from the International Quality of Life Assessment (IQOLA) Project. Quality of Life Research, 2004, 13, 283-298.	1.5	623
4	The Factor Structure of the SF-36 Health Survey in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1159-1165.	2.4	574
5	The French SF-36 Health Survey. Journal of Clinical Epidemiology, 1998, 51, 1013-1023.	2.4	565
6	The Equivalence of SF-36 Summary Health Scores Estimated Using Standard and Country-Specific Algorithms in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1167-1170.	2.4	513
7	The Problem of Quality of Life in Medicine. JAMA - Journal of the American Medical Association, 1997, 278, 47.	3.8	468
8	Tests of Data Quality, Scaling Assumptions, and Reliability of the SF-36 in Eleven Countries. Journal of Clinical Epidemiology, 1998, 51, 1149-1158.	2.4	359
9	Person-centredness: Conceptual and historical perspectives. Disability and Rehabilitation, 2007, 29, 1555-1565.	0.9	328
10	The impact of herpes zoster and post-herpetic neuralgia on quality-of-life. BMC Medicine, 2010, 8, 37.	2.3	282
11	Validation of a French-language version of the MOS 36-Item Short Form Health Survey (SF-36) in young healthy adults. Journal of Clinical Epidemiology, 1995, 48, 1051-1060.	2.4	262
12	Cross-Cultural Comparisons of the Content of SF-36 Translations across 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 925-932.	2.4	250
13	Use of Structural Equation Modeling to Test the Construct Validity of the SF-36 Health Survey in Ten Countries. Journal of Clinical Epidemiology, 1998, 51, 1179-1188.	2.4	210
14	Characteristics of Patients with Herpes Zoster on Presentation to Practitioners in France. Clinical Infectious Diseases, 2001, 33, 62-69.	2.9	209
15	Missing data methods for dealing with missing items in quality of life questionnaires. A comparison by simulation of personal mean score, full information maximum likelihood, multiple imputation, and hot deck techniques applied to the SF-36 in the French 2003 decennial health survey. Quality of Life Research. 2011. 20. 287-300.	1.5	196
16	Quality-of-Life Impairment in Neurofibromatosis Type 1. Archives of Dermatology, 2001, 137, 1421-5.	1.7	177
17	Cross-Cultural Adaptation of a Psychometric Instrument. Journal of Clinical Epidemiology, 1999, 52, 1037-1046.	2.4	140
18	The case for an international patient-reported outcomes measurement information system (PROMIS $\hat{A}^{\otimes}$ ) initiative. Health and Quality of Life Outcomes, 2013, 11, 210.	1.0	127

#	Article	IF	CITATIONS
19	Impact of neurofibromatosis $1$ on Quality of Life: A cross-sectional study of $176$ American cases. American Journal of Medical Genetics, Part A, 2006, $140A$ , $1893-1898$ .	0.7	121
20	Testing the Equivalence of Translations of Widely Used Response Choice Labels. Journal of Clinical Epidemiology, 1998, 51, 933-944.	2.4	90
21	Methodological issues in determining the dimensionality of composite health measures using principal component analysis: Case illustration and suggestions for practice. Quality of Life Research, 2005, 14, 641-654.	1.5	71
22	Why is rehabilitation not yet fully person-centred and should it be more person-centred?. Disability and Rehabilitation, 2007, 29, 1616-1624.	0.9	62
23	Measurement invariance and general population reference values of the PROMIS Profile 29 in the UK, France, and Germany. Quality of Life Research, 2018, 27, 999-1014.	1.5	58
24	Herpes Zoster Pain, Postherpetic Neuralgia, and Quality of Life in the Elderly. Pain Practice, 2011, 11, 397-402.	0.9	51
25	Visibility of Neurofibromatosis 1 and Psychiatric Morbidity. Archives of Dermatology, 2003, 139, 103.	1.7	24
26	Outcome, recovery and return to work in severe mental illnesses. Disability and Rehabilitation, 2010, 32, 1043-1050.	0.9	24
27	Contrasted trends in health-related quality of life across gender, age categories and work status in France, 1995–2016: repeated population-based cross-sectional surveys using the SF-36. Journal of Epidemiology and Community Health, 2019, 73, 65-72.	2.0	19
28	From visual function deficiency to handicap: Measuring visual handicap in Mali. Ophthalmic Epidemiology, 2002, 9, 133-148.	0.8	17
29	Identifying type and determinants of missing items in quality of life questionnaires: Application to the SF-36 French version of the 2003 Decennial Health Survey. Health and Quality of Life Outcomes, 2010, 8, 16.	1.0	14
30	Semantic primes theory may be helpful in designing questionnaires such as to prevent response shift. Journal of Clinical Epidemiology, 2015, 68, 646-654.	2.4	9
31	Spatio-temporal Rasch analysis of quality of life outcomes in the French general population. Measurement invariance and group comparisons. BMC Medical Research Methodology, 2012, 12, 182.	1.4	8
32	A New Condition Specific Quality of Life Measure for the Blind and the Partially Sighted in Sub-Saharan Africa, the IOTAQOL: Methodological Aspects of the Development Procedure. Quality of Life Research, 2006, 15, 1373-1382.	1.5	7
33	Rehabilitation outcomes: values, methodologies and applications. Disability and Rehabilitation, 2010, 32, 961-964.	0.9	6
34	Quality of life scale and impact of a topical treatment on symptoms of gastro-esophageal reflux without severe esophagitis. Gastroenterologie Clinique Et Biologique, 2005, 29, 676-681.	0.9	4