

Jurgen Unutzer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11184905/jurgen-unutzer-publications-by-year.pdf>

Version: 2024-02-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

280
papers

20,920
citations

74
h-index

138
g-index

297
ext. papers

23,574
ext. citations

5.2
avg, IF

6.63
L-index

#	Paper	IF	Citations
280	Modifying Group Interpersonal Psychotherapy for Peripartum Adolescents in Sub-Saharan African Context: Reviewing Differential Contextual and Implementation Considerations. <i>Clinical Medicine Insights Psychiatry</i> , 2022 , 13, 117955732210755	0.7	
279	Mental health problems and service gaps experienced by pregnant adolescents and young women in Sub-Saharan Africa: A systematic review.. <i>EclinicalMedicine</i> , 2022 , 44, 101289	11.3	2
278	Associations of Common Depression Treatment Metrics With Patient-centered Outcomes. <i>Medical Care</i> , 2021 , 59, 579-587	3.1	
277	The Patient Mania Questionnaire (PMQ-9): a Brief Scale for Assessing and Monitoring Manic Symptoms. <i>Journal of General Internal Medicine</i> , 2021 , 1	4	2
276	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis. <i>General Hospital Psychiatry</i> , 2021 , 71, 27-35	5.6	0
275	Assessing the Impact of Different Depression Treatment Success Metrics on Organizational Performance. <i>Psychiatric Services</i> , 2021 , 72, 830-834	3.3	
274	Design, implement, and diffuse scalable and sustainable solutions for dementia care. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1755-1762	5.6	2
273	Harnessing Collaborative Care to Meet Mental Health Demands in the Era of COVID-19. <i>JAMA Psychiatry</i> , 2021 , 78, 355-356	14.5	8
272	Transforming Population-Based Depression Care: a Quality Improvement Initiative Using Remote, Centralized Care Management. <i>Journal of General Internal Medicine</i> , 2021 , 36, 333-340	4	2
271	Provision of Collaborative Care Model and General Behavioral Health Integration Services in Medicare. <i>Psychiatric Services</i> , 2021 , 72, 822-825	3.3	0
270	Randomized trial of promoting first relationships for new mothers who received community mental health services in pregnancy. <i>Developmental Psychology</i> , 2021 , 57, 1228-1241	3.7	1
269	Comparison of Teleintegrated Care and Telereferral Care for Treating Complex Psychiatric Disorders in Primary Care: A Pragmatic Randomized Comparative Effectiveness Trial. <i>JAMA Psychiatry</i> , 2021 , 78, 1189-1199	14.5	5
268	Variation In The Effectiveness Of Collaborative Care For Depression: Does It Matter Where You Get Your Care?. <i>Health Affairs</i> , 2020 , 39, 1943-1950	7	10
267	Longitudinal Remote Coaching for Implementation of Perinatal Collaborative Care: A Mixed-Methods Analysis. <i>Psychiatric Services</i> , 2020 , 71, 518-521	3.3	5
266	Bipolar disorder and PTSD screening and telepsychiatry diagnoses in primary care. <i>General Hospital Psychiatry</i> , 2020 , 65, 28-32	5.6	3
265	Development of a Tailored Behavioral Weight Loss Program for Veterans With PTSD (MOVE!+UP): A Mixed-Methods Uncontrolled Iterative Pilot Study. <i>American Journal of Health Promotion</i> , 2020 , 34, 587-598	2.5	3
264	Complexity in partnerships: A qualitative examination of collaborative depression care in primary care clinics and community-based organisations in California, United States. <i>Health and Social Care in the Community</i> , 2020 , 28, 1199-1208	2.6	6

263	Leveraging collaborative care to improve access to mental health care on a global scale. <i>World Psychiatry</i> , 2020 , 19, 36-37	14.4	16
262	Sustaining the Collaborative Care Model (CoCM): Billing Newly Available CoCM CPT Codes in an Academic Primary Care System. <i>Psychiatric Services</i> , 2020 , 71, 972-974	3.3	7
261	Commentary. <i>Translational Behavioral Medicine</i> , 2020 , 10, 674-675	3.2	
260	Achieving Mental Health Equity: Collaborative Care. <i>Psychiatric Clinics of North America</i> , 2020 , 43, 501-510	3.1	4
259	Rural clinics implementing collaborative care for low-income patients can achieve comparable or better depression outcomes. <i>Families, Systems and Health</i> , 2020 , 38, 242-254	0.7	1
258	Study to promote innovation in rural integrated telepsychiatry (SPIRIT): Rationale and design of a randomized comparative effectiveness trial of managing complex psychiatric disorders in rural primary care clinics. <i>Contemporary Clinical Trials</i> , 2020 , 90, 105873	2.3	17
257	Implementing combined WHO mhGAP and adapted group interpersonal psychotherapy to address depression and mental health needs of pregnant adolescents in Kenyan primary health care settings (INSPIRE): a study protocol for pilot feasibility trial of the integrated intervention in LMIC settings. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 136	1.9	4
256	Best Practices for Systematic Case Review in Collaborative Care. <i>Psychiatric Services</i> , 2019 , 70, 1064-1067	3.3	9
255	Costs of implementing and sustaining enhanced collaborative care programs involving community partners. <i>Implementation Science</i> , 2019 , 14, 37	8.4	12
254	Parenting and perinatal depression: meeting women's needs. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2019 , 40, 274-282	3.6	2
253	Feasibility of a family-centered intervention for depressed older men in primary care. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1808-1814	3.9	1
252	Approaches for Departments, Schools, and Health Systems to Better Implement Technologies Used for Clinical Care and Education. <i>Academic Psychiatry</i> , 2019 , 43, 611-616	1.1	19
251	Integrated care for people with long-term mental and physical health conditions in low-income and middle-income countries. <i>Lancet Psychiatry</i> , 2019 , 6, 174-186	23.3	43
250	The Learning Curve After Implementation of Collaborative Care in a State Mental Health Integration Program. <i>Psychiatric Services</i> , 2019 , 70, 139-142	3.3	3
249	Developing Telemental Health Partnerships Between State Medical Schools and Federally Qualified Health Centers: Navigating the Regulatory Landscape and Policy Recommendations. <i>Journal of Rural Health</i> , 2019 , 35, 287-297	4.6	6
248	Exploring opportunities to support mental health care using social media: A survey of social media users with mental illness. <i>Microbial Biotechnology</i> , 2019 , 13, 405-413	3.3	49
247	Text messaging to support a perinatal collaborative care model for depression: A multi-methods inquiry. <i>General Hospital Psychiatry</i> , 2018 , 52, 14-20	5.6	11
246	Psychiatric Case Review and Treatment Intensification in Collaborative Care Management for Depression in Primary Care. <i>Psychiatric Services</i> , 2018 , 69, 549-554	3.3	13

245	Trends and Patterns of Geographic Variation in Mortality From Substance Use Disorders and Intentional Injuries Among US Counties, 1980-2014. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1013-1023	27.4	53
244	Task-Sharing Approaches to Improve Mental Health Care in Rural and Other Low-Resource Settings: A Systematic Review. <i>Journal of Rural Health</i> , 2018 , 34, 48-62	4.6	191
243	Delivering perinatal depression care in a rural obstetric setting: a mixed methods study of feasibility, acceptability and effectiveness. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2018 , 39, 273-280	3.6	11
242	Financing for Collaborative Care - A Narrative Review. <i>Current Treatment Options in Psychiatry</i> , 2018 , 5, 334-344	3.1	19
241	The Perspective of Older Men With Depression on Suicide and Its Prevention in Primary Care. <i>Crisis</i> , 2018 , 39, 397-405	2.8	6
240	A Tipping Point for Measurement-Based Care. <i>Focus (American Psychiatric Publishing)</i> , 2018 , 16, 341-350	1.1	9
239	The Lancet Commission on global mental health and sustainable development. <i>Lancet, The</i> , 2018 , 392, 1553-1598	40	766
238	Practical Approaches for Achieving Integrated Behavioral Health Care in Primary Care Settings. <i>American Journal of Medical Quality</i> , 2017 , 32, 117-121	1.1	14
237	Health behavior models for informing digital technology interventions for individuals with mental illness. <i>Psychiatric Rehabilitation Journal</i> , 2017 , 40, 325-335	2.4	45
236	Digital technology for treating and preventing mental disorders in low-income and middle-income countries: a narrative review of the literature. <i>Lancet Psychiatry, the</i> , 2017 , 4, 486-500	23.3	208
235	The Obstetrician-Gynecologist's Role in Detecting, Preventing, and Treating Depression. <i>Obstetrics and Gynecology</i> , 2017 , 129, 157-163	4.9	19
234	Family-centered depression treatment for older men in primary care: a qualitative study of stakeholder perspectives. <i>BMC Family Practice</i> , 2017 , 18, 88	2.6	4
233	Consensus Bundle on Maternal Mental Health: Perinatal Depression and Anxiety. <i>Obstetrics and Gynecology</i> , 2017 , 130, 466-467	4.9	0
232	In Reply. <i>Obstetrics and Gynecology</i> , 2017 , 129, 1138-1139	4.9	
231	Collaborative Care for Mental Health in Low- and Middle-Income Countries: A WHO Health Systems Framework Assessment of Three Programs. <i>Psychiatric Services</i> , 2017 , 68, 870-872	3.3	23
230	Impact of A National Collaborative Care Initiative for Patients With Depression and Diabetes or Cardiovascular Disease. <i>Focus (American Psychiatric Publishing)</i> , 2017 , 15, 324-332	1.1	3
229	Closing the False Divide: Sustainable Approaches to Integrating Mental Health Services into Primary Care. <i>Journal of General Internal Medicine</i> , 2017 , 32, 404-410	4	103
228	Antipsychotic prescribing patterns in a Medicare Advantage population of older individuals with dementia. <i>Journal of Mental Health</i> , 2017 , 26, 167-171	2.7	4

227	Bipolar Disorder and Population Health. <i>Psychiatric Services</i> , 2017 , 68, 192-194	3.3	6
226	The COMPASS initiative: description of a nationwide collaborative approach to the care of patients with depression and diabetes and/or cardiovascular disease. <i>General Hospital Psychiatry</i> , 2017 , 44, 69-76	5.6	29
225	Impact of a national collaborative care initiative for patients with depression and diabetes or cardiovascular disease. <i>General Hospital Psychiatry</i> , 2017 , 44, 77-85	5.6	48
224	A Tipping Point for Measurement-Based Care. <i>Psychiatric Services</i> , 2017 , 68, 179-188	3.3	252
223	Value-based payment in implementing evidence-based care: the Mental Health Integration Program in Washington state. <i>American Journal of Managed Care</i> , 2017 , 23, 48-53	2.1	18
222	Screening and Follow-Up Monitoring for Substance Use in Primary Care: An Exploration of Rural-Urban Variations. <i>Journal of General Internal Medicine</i> , 2016 , 31, 215-222	4	21
221	Directions for Effectiveness Research to Improve Health Services for Late-Life Depression in the United States. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 18-30	6.5	16
220	The Contextualized Technology Adaptation Process (CTAP): Optimizing Health Information Technology to Improve Mental Health Systems. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2016 , 43, 394-409	3.1	41
219	Posttraumatic Stress Disorder in U.S. Military Primary Care: Trajectories and Predictors of One-Year Prognosis. <i>Journal of Traumatic Stress</i> , 2016 , 29, 340-8	3.8	6
218	Predictors of Poor Response to Depression Treatment in Primary Care. <i>Psychiatric Services</i> , 2016 , 67, 1362-1367	3.3	10
217	Working as a Team to Provide Collaborative Care 2016 , 1-24		0
216	Attention Deficit Hyperactivity Disorder (ADHD) 2016 , 181-204		
215	Evidence-Based Behavioral Interventions for the Collaborative Care Team 2016 , 226-237		
214	Appendix: Resources 2016 , 292-294		
213	A Statewide Effort to Implement Collaborative Care for Depression: Reach and Impact for All Patients With Depression. <i>Medical Care</i> , 2016 , 54, 992-997	3.1	12
212	Centrally Assisted Collaborative Telecare for Posttraumatic Stress Disorder and Depression Among Military Personnel Attending Primary Care: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2016 , 176, 948-56	11.5	43
211	Mood DisordersMajor Depression 2016 , 25-54		
210	Anxiety and Trauma Disorders 2016 , 78-100		

209 Evidence-Based Psychopharmacology for the Collaborative Care Team **2016**, 238-291

208 About the Authors and Contributors **2016**, 295-298

207 Unpacking Collaborative Care for Depression: Examining Two Essential Tasks for Implementation. *Psychiatric Services*, **2016**, 67, 418-24 3.3 24

206 The Role of the Integrated Care Psychiatrist in Community Settings: A Survey of Psychiatrists' Perspectives. *Psychiatric Services*, **2016**, 67, 346-9 3.3 15

205 A descriptive qualitative study of the roles of family members in older men's depression treatment from the perspectives of older men and primary care providers. *International Journal of Geriatric Psychiatry*, **2015**, 30, 514-22 3.9 16

204 The experience of primary care providers with an integrated mental health care program in safety-net clinics. *Family and Community Health*, **2015**, 38, 158-68 1.6 8

203 The utility of a caseload registry: perceptions of behavioral health clinicians working in an integrated primary care and mental health program. *General Hospital Psychiatry*, **2015**, 37, 329-34 5.6 5

202 Perceived Educational Needs of the Integrated Care Psychiatric Consultant. *Academic Psychiatry*, **2015**, 39, 448-56 1.1 35

201 Idioms of Distress Among Depressed White-Non-Mexican and Mexican-Origin Older Men. *Journal of Cross-Cultural Gerontology*, **2015**, 30, 305-18 2 4

200 Prevalence of symptoms of depression and anxiety in adults with cystic fibrosis based on the PHQ-9 and GAD-7 screening questionnaires. *Psychosomatics*, **2015**, 56, 345-53 2.6 33

199 Telepsychiatry integration of mental health services into rural primary care settings. *International Review of Psychiatry*, **2015**, 27, 525-39 3.6 117

198 Integrated/Collaborative Models of Care **2015**, 2463-2472

197 Depression and risk of hospitalisations and rehospitalisations for ambulatory care-sensitive conditions in Denmark: a population-based cohort study. *BMJ Open*, **2015**, 5, e009878 3 16

196 Perspectives of Behavioral Health Clinicians in a Rural Integrated Primary Care/Mental Health Program. *Journal of Rural Health*, **2015**, 31, 346-53 4.6 13

195 A stepped-wedge evaluation of an initiative to spread the collaborative care model for depression in primary care. *Annals of Family Medicine*, **2015**, 13, 412-20 2.9 43

194 Memorial Minute. *Psychosomatics*, **2015**, 56, 626-7 2.6

193 Depression Attributes Among White Non-Hispanic and Mexican-Origin Older Men. *American Journal of Geriatric Psychiatry*, **2015**, 23, 960-9 6.5 2

192 Improving mental and physical health outcomes in general healthcare settings: a Gedenkschrift in honor of Wayne Katon, MD (1950-2015). *General Hospital Psychiatry*, **2015**, 37, 375-86 5.6 5

191	2015,			5
190	Implementing collaborative primary care for depression and posttraumatic stress disorder: design and sample for a randomized trial in the U.S. military health system. <i>Contemporary Clinical Trials</i> , 2014 , 39, 310-9	2.3		30
189	Aligning health information technologies with effective service delivery models to improve chronic disease care. <i>Preventive Medicine</i> , 2014 , 66, 167-72	4.3		75
188	Ethnic and gender variations in the associations between family cohesion, family conflict, and depression in older Asian and Latino adults. <i>Journal of Immigrant and Minority Health</i> , 2014 , 16, 1103-10	2.2		26
187	Teaching psychiatry residents to work at the interface of mental health and primary care. <i>Academic Psychiatry</i> , 2014 , 38, 398-404	1.1		30
186	Pharmacologic management of bipolar disorder in a Medicare Advantage population. <i>Psychosomatics</i> , 2014 , 55, 572-7	2.6		4
185	Referral for substance abuse treatment and depression improvement among patients with co-occurring disorders seeking behavioral health services in primary care. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 106-12	4.2		18
184	Bipolar disorder in primary care: clinical characteristics of 740 primary care patients with bipolar disorder. <i>Psychiatric Services</i> , 2014 , 65, 1041-6	3.3		22
183	Hundred forty eight more days with depression: the association between marital conflict and depression-free days. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1271-7	3.9		12
182	What factors determine disclosure of suicide ideation in adults 60 and older to a treatment provider?. <i>Suicide and Life-Threatening Behavior</i> , 2014 , 44, 331-7	3.9		20
181	How much shared decision making occurs in usual primary care of depression?. <i>Journal of the American Board of Family Medicine</i> , 2014 , 27, 199-208	1.6		32
180	Pain in primary care patients with bipolar disorder. <i>General Hospital Psychiatry</i> , 2014 , 36, 228	5.6		12
179	The effect of depression treatment on work productivity. <i>American Journal of Managed Care</i> , 2014 , 20, e294-301	2.1		20
178	Effective Implementation of collaborative care for depression: what is needed?. <i>American Journal of Managed Care</i> , 2014 , 20, 699-707	2.1		36
177	Building Value-Added Teams to Care for Behavioral Health Needs in Primary Care 2014 , 103-126			1
176	The presentation, recognition and management of bipolar depression in primary care. <i>Journal of General Internal Medicine</i> , 2013 , 28, 1648-56	4		14
175	Characteristics, management, and depression outcomes of primary care patients who endorse thoughts of death or suicide on the PHQ-9. <i>Journal of General Internal Medicine</i> , 2013 , 28, 363-9	4		61
174	Improving practice in community-based settings: a randomized trial of supervision - study protocol. <i>Implementation Science</i> , 2013 , 8, 89	8.4		69

173	Developing the next generation of researchers in emerging fields: case study of a multisite postdoctoral research training program. <i>Academic Psychiatry</i> , 2013 , 37, 108-13	1.1	0
172	Depression treatment preferences of older white and Mexican origin men. <i>General Hospital Psychiatry</i> , 2013 , 35, 59-65	5.6	23
171	Specialty behavioral health service use among chronically ill medicare advantage patients with substance use problems. <i>Psychosomatics</i> , 2013 , 54, 546-51	2.6	4
170	A target-driven collaborative care model for Major Depressive Disorder is effective in primary care in the Netherlands. A randomized clinical trial from the depression initiative. <i>Journal of Affective Disorders</i> , 2013 , 146, 328-37	6.6	46
169	Depression care and treatment in a chronically ill Medicare population. <i>General Hospital Psychiatry</i> , 2013 , 35, 382-6	5.6	5
168	Care managers' experiences in a collaborative care program for high risk mothers with depression. <i>Psychosomatics</i> , 2013 , 54, 272-6	2.6	18
167	A collaborative care approach to depression treatment for Asian Americans. <i>Psychiatric Services</i> , 2013 , 64, 487-90	3.3	16
166	Substance screening and referral for substance abuse treatment in an integrated mental health care program. <i>Psychiatric Services</i> , 2013 , 64, 88-90	3.3	19
165	Grand challenges: integrating mental health services into priority health care platforms. <i>PLoS Medicine</i> , 2013 , 10, e1001448	11.6	233
164	Designing and implementing research on a statewide quality improvement initiative: the DIAMOND study and initiative. <i>Medical Care</i> , 2013 , 51, e58-66	3.1	13
163	Consultation Psychiatry in the Medical Home and Accountable Care Organizations: Achieving the Triple Aim. <i>Focus (American Psychiatric Publishing)</i> , 2013 , 11, 588-593	1.1	
162	Strategies to improve the management of depression in primary care. <i>Primary Care - Clinics in Office Practice</i> , 2012 , 39, 415-31	2.2	107
161	Older adults with severe, treatment-resistant depression. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 909-18	27.4	29
160	Efficacy of a systematic depression management program in high utilizers of primary care: a randomized trial. <i>BMC Health Services Research</i> , 2012 , 12, 298	2.9	13
159	The burden of depressive symptoms and various chronic conditions and health concerns on the quality of life among those with Medicare Supplement Insurance. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 948-58	3.9	9
158	Falling through the cracks: gaps in depression treatment among older Mexican-origin and white men. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 1283-90	3.9	12
157	Activity scheduling as a core component of effective care management for late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 1298-304	3.9	18
156	Are patient characteristics associated with quality of depression care and outcomes in collaborative care programs for depression?. <i>General Hospital Psychiatry</i> , 2012 , 34, 1-8	5.6	12

155	Variations in depression care and outcomes among high-risk mothers from different racial/ethnic groups. <i>Family Practice</i> , 2012 , 29, 394-400	1.9	15
154	A web-delivered care management and patient self-management program for recurrent depression: a randomized trial. <i>Psychiatric Services</i> , 2012 , 63, 1063-71	3.3	27
153	Quality improvement with pay-for-performance incentives in integrated behavioral health care. <i>American Journal of Public Health</i> , 2012 , 102, e41-5	5.1	112
152	Long-term outcomes from the PEARLS randomized trial for the treatment of depression in patients with epilepsy. <i>Epilepsy and Behavior</i> , 2011 , 20, 545-9	3.2	60
151	Designing payment for Collaborative Care for Depression in primary care. <i>Health Services Research</i> , 2011 , 46, 1436-51	3.4	20
150	Consultation psychiatry in the medical home and accountable care organizations: achieving the triple aim. <i>General Hospital Psychiatry</i> , 2011 , 33, 305-10	5.6	43
149	Long-term effectiveness of collaborative depression care in older primary care patients with and without PTSD symptoms. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 758-64	3.9	15
148	Geriatric depression in primary care. <i>Psychiatric Clinics of North America</i> , 2011 , 34, 469-87, ix-x	3.1	71
147	Scaling up for the "bottom billion": "5 x 5" implementation of community mental health care in low-income regions. <i>Psychiatric Services</i> , 2011 , 62, 1494-502	3.3	49
146	Implementation of Collaborative Depression Management at Community-Based Primary Care Clinics: An Evaluation. <i>Psychiatric Services</i> , 2011 , 62, 1047-1053	3.3	69
145	Severity of depression and magnitude of productivity loss. <i>Annals of Family Medicine</i> , 2011 , 9, 305-11	2.9	140
144	A learning collaborative of CMHCs and CHCs to support integration of behavioral health and general medical care. <i>Psychiatric Services</i> , 2011 , 62, 753-8	3.3	22
143	Evidence-based guidelines for mental, neurological, and substance use disorders in low- and middle-income countries: summary of WHO recommendations. <i>PLoS Medicine</i> , 2011 , 8, e1001122	11.6	199
142	Implementation of collaborative depression management at community-based primary care clinics: an evaluation. <i>Psychiatric Services</i> , 2011 , 62, 1047-53	3.3	34
141	Interdisciplinary stepped care for depression after acute coronary syndrome. <i>Archives of Internal Medicine</i> , 2010 , 170, 585-6		8
140	Suicide inquiry in primary care: creating context, inquiring, and following up. <i>Annals of Family Medicine</i> , 2010 , 8, 33-9	2.9	70
139	Clinician approaches and strategies for engaging older men in depression care. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 586-95	6.5	23
138	Prevalence, incidence, and persistence of major depressive symptoms in the Cardiovascular Health Study. <i>Aging and Mental Health</i> , 2010 , 14, 168-76	3.5	43

137	PEARLS depression treatment for individuals with epilepsy: a randomized controlled trial. <i>Epilepsy and Behavior</i> , 2010 , 19, 225-31	3.2	93
136	Advantages of using estimated depression-free days for evaluating treatment efficacy. <i>Psychiatric Services</i> , 2010 , 61, 160-3	3.3	30
135	Partnership research: a practical trial design for evaluation of a natural experiment to improve depression care. <i>Medical Care</i> , 2010 , 48, 576-82	3.1	49
134	The use of herbal medications and dietary supplements by people with mental illness. <i>Community Mental Health Journal</i> , 2010 , 46, 563-9	2.1	8
133	Collaborative depression care: history, evolution and ways to enhance dissemination and sustainability. <i>General Hospital Psychiatry</i> , 2010 , 32, 456-64	5.6	183
132	Major depression: the importance of clinical characteristics and treatment response to prognosis. <i>Depression and Anxiety</i> , 2010 , 27, 19-26	8.4	67
131	Integrated Disease and Depression Management for Insureds in Medicare Supplement Plans. <i>Psychiatric Annals</i> , 2010 , 40, 408-414	0.5	
130	Chronic medical problems and distressful thoughts of suicide in primary care patients: mitigating role of happiness. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 671-9	3.9	23
129	Improving primary care for older adults with cancer and depression. <i>Journal of General Internal Medicine</i> , 2009 , 24 Suppl 2, S417-24	4	57
128	Healthcare costs associated with depression in medically ill fee-for-service medicare participants. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 506-10	5.6	160
127	Modular psychotherapy for anxiety in older primary care patients. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 483-92	6.5	52
126	Mental health services use: Baltimore epidemiologic catchment area follow-up. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 706-15	6.5	41
125	Collaborative depression care for the old-old: findings from the IMPACT trial. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 1040-9	6.5	23
124	Top cited papers in International Psychogeriatrics: 2. Quality adjusted life years in older adults with depressive symptoms and chronic medical disorders. <i>International Psychogeriatrics</i> , 2009 , 21, 265-6, discussion 266-7	3.4	6
123	Health care for older Americans with multiple chronic conditions: a research agenda. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 149-59	5.6	71
122	Severity of mood symptoms and work productivity in people treated for bipolar disorder. <i>Bipolar Disorders</i> , 2008 , 10, 718-25	3.8	55
121	Depression and use of a health plan-sponsored physical activity program by older adults. <i>American Journal of Preventive Medicine</i> , 2008 , 35, 111-7	6.1	17
120	Mental health service use by older adults: the role of chronic pain. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 156-67	6.5	26

119	Improving treatment of depression among Latinos with diabetes using project Dulce and IMPACT. <i>Diabetes Care</i> , 2008 , 31, 1324-6	14.6	35
118	Trends in use of antipsychotics and mood stabilizers among Medicaid beneficiaries with bipolar disorder, 2001-2004. <i>Psychiatric Services</i> , 2008 , 59, 1169-74	3.3	28
117	Is insomnia a perpetuating factor for late-life depression in the IMPACT cohort?. <i>Sleep</i> , 2008 , 31, 481-8	1.1	201
116	Evidence-based treatments for anxiety and depression: lost in translation?. <i>Depression and Anxiety</i> , 2008 , 25, 726-9	8.4	8
115	One extra month of depression: the effects of caregiving on depression outcomes in the IMPACT trial. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 511-6	3.9	18
114	Care management for depression and osteoarthritis pain in older primary care patients: a pilot study. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 1166-71	3.9	25
113	Long-term cost effects of collaborative care for late-life depression. <i>American Journal of Managed Care</i> , 2008 , 14, 95-100	2.1	209
112	Strategies for identifying and channeling patients for depression care management. <i>American Journal of Managed Care</i> , 2008 , 14, 497-504	2.1	9
111	The relationship between suicide ideation and late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 1024-33	6.5	36
110	Integrating mental health and primary care. <i>Primary Care - Clinics in Office Practice</i> , 2007 , 34, 571-92, vii	2.2	123
109	Screening for generalized anxiety disorder in geriatric primary care patients. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 115-23	3.9	30
108	Cost-effectiveness of collaborative care including PST and an antidepressant treatment algorithm for the treatment of major depressive disorder in primary care; a randomised clinical trial. <i>BMC Health Services Research</i> , 2007 , 7, 34	2.9	32
107	Managing depression in home health care: a randomized clinical trial. <i>Home Health Care Services Quarterly</i> , 2007 , 26, 81-104	1.9	41
106	Service use and outcomes among elderly persons with low incomes being treated for depression. <i>Psychiatric Services</i> , 2007 , 58, 1057-64	3.3	38
105	Satisfaction and Outcomes of Depressed Older Adults With Psychiatric Clinical Nurse Specialists in Primary Care. <i>Journal of the American Psychiatric Nurses Association</i> , 2007 , 13, 62-70	1.8	7
104	Models of care for treating late-life depression in primary care. <i>Aging Health</i> , 2007 , 3, 67-75		2
103	Recommendations for treating depression in community-based older adults. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 175-81	6.1	73
102	Community-based treatment of late life depression an expert panel-informed literature review. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 222-49	6.1	57

101	Clinical practice. Late-life depression. <i>New England Journal of Medicine</i> , 2007 , 357, 2269-76	59.2	118
100	Pain limits the effectiveness of collaborative care for depression. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 699-707	6.5	44
99	Mood symptoms, functional impairment, and disability in people with bipolar disorder: specific effects of mania and depression. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1237-45	4.6	104
98	Taking an evidence-based model of depression care from research to practice: making lemonade out of depression. <i>General Hospital Psychiatry</i> , 2006 , 28, 101-7	5.6	61
97	Funding mechanisms for depression care management: opportunities and challenges. <i>General Hospital Psychiatry</i> , 2006 , 28, 278-88	5.6	30
96	Arthritis pain and disability: response to collaborative depression care. <i>General Hospital Psychiatry</i> , 2006 , 28, 482-6	5.6	49
95	Depression treatment preferences in older primary care patients. <i>Gerontologist, The</i> , 2006 , 46, 14-22	5	215
94	Implementation and maintenance of quality improvement for treating depression in primary care. <i>Psychiatric Services</i> , 2006 , 57, 48-55	3.3	76
93	Long term outcomes from the IMPACT randomised trial for depressed elderly patients in primary care. <i>BMJ, The</i> , 2006 , 332, 259-63	5.9	228
92	Cost-effectiveness and net benefit of enhanced treatment of depression for older adults with diabetes and depression. <i>Diabetes Care</i> , 2006 , 29, 265-70	14.6	201
91	Collaborative care models for depression: time to move from evidence to practice. <i>Archives of Internal Medicine</i> , 2006 , 166, 2304-6		89
90	Long-term effectiveness and cost of a systematic care program for bipolar disorder. <i>Archives of General Psychiatry</i> , 2006 , 63, 500-8		197
89	Gender disparities in the treatment of late-life depression: qualitative and quantitative findings from the IMPACT trial. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 884-92	6.5	68
88	Depressive symptom deterioration in a large primary care-based elderly cohort. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 246-54	6.5	20
87	Cognitive impairment and depression outcomes in the IMPACT study. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 401-9	6.5	34
86	Reducing suicidal ideation in depressed older primary care patients. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1550-6	5.6	132
85	Project IMPACT: a report on barriers and facilitators to sustainability. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2006 , 33, 718-29	3.1	77
84	Transforming mental health care at the interface with general medicine: report for the presidents commission. <i>Psychiatric Services</i> , 2006 , 57, 37-47	3.3	170

83	From establishing an evidence-based practice to implementation in real-world settings: IMPACT as a case study. <i>Psychiatric Clinics of North America</i> , 2005 , 28, 1079-92	3.1	32
82	Impact of Comorbid Panic and Posttraumatic Stress Disorder on Outcomes of Collaborative Care for Late-Life Depression in Primary Care. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 48-58	6.5	69
81	Regular use of prescribed opioids: association with common psychiatric disorders. <i>Pain</i> , 2005 , 119, 95-108		171
80	Making the Case for Caregiver Research in Geriatric Psychiatry. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 834-843	6.5	17
79	Routine PHQ-9 depression screening in home health care: depression, prevalence, clinical and treatment characteristics and screening implementation. <i>Home Health Care Services Quarterly</i> , 2005 , 24, 1-19	1.9	82
78	Improving depression care for older, minority patients in primary care. <i>Medical Care</i> , 2005 , 43, 381-90	3.1	171
77	Randomized trial of a population-based care program for people with bipolar disorder. <i>Psychological Medicine</i> , 2005 , 35, 13-24	6.9	68
76	Treatment of depression improves physical functioning in older adults. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 367-73	5.6	155
75	Improving depression outcomes in older adults with comorbid medical illness. <i>General Hospital Psychiatry</i> , 2005 , 27, 4-12	5.6	114
74	Physicians' Satisfaction with a collaborative disease management program for late-life depression in primary care. <i>General Hospital Psychiatry</i> , 2005 , 27, 383-91	5.6	61
73	A comparison of imputation methods in a longitudinal randomized clinical trial. <i>Statistics in Medicine</i> , 2005 , 24, 2111-28	2.3	83
72	Bipolarity On bipolar disorder: distribution of manic and depressive symptoms in a treated population. <i>British Journal of Psychiatry</i> , 2005 , 187, 87-8	5.4	67
71	Cost-effectiveness of improving primary care treatment of late-life depression. <i>Archives of General Psychiatry</i> , 2005 , 62, 1313-20		182
70	Quality improvement for depression in primary care: do patients with subthreshold depression benefit in the long run?. <i>American Journal of Psychiatry</i> , 2005 , 162, 1149-57	11.9	56
69	Prevalence and risk factors for homelessness and utilization of mental health services among 10,340 patients with serious mental illness in a large public mental health system. <i>American Journal of Psychiatry</i> , 2005 , 162, 370-6	11.9	351
68	Impact of comorbid panic and posttraumatic stress disorder on outcomes of collaborative care for late-life depression in primary care. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 48-58	6.5	34
67	Depression and comorbid illness in elderly primary care patients: impact on multiple domains of health status and well-being. <i>Annals of Family Medicine</i> , 2004 , 2, 555-62	2.9	170
66	Five-year impact of quality improvement for depression: results of a group-level randomized controlled trial. <i>Archives of General Psychiatry</i> , 2004 , 61, 378-86		167

65	Pharmacotherapy of pain in depressed older adults. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1916-22	5.6	21
64	Problem-solving treatment for complicated depression in late life: a case study in primary care. <i>Perspectives in Psychiatric Care</i> , 2004 , 40, 45-52	2.2	13
63	Low yield of thyroid-stimulating hormone testing in elderly patients with depression. <i>General Hospital Psychiatry</i> , 2004 , 26, 302-9	5.6	19
62	Monitoring depression treatment outcomes with the patient health questionnaire-9. <i>Medical Care</i> , 2004 , 42, 1194-201	3.1	776
61	Clinician screening and treatment of alcohol, drug, and mental problems in primary care: results from healthcare for communities. <i>Medical Care</i> , 2004 , 42, 1158-66	3.1	77
60	The effectiveness of depression care management on diabetes-related outcomes in older patients. <i>Annals of Internal Medicine</i> , 2004 , 140, 1015-24	8	227
59	Willingness to pay for depression treatment in primary care. <i>Psychiatric Services</i> , 2003 , 54, 340-5	3.3	44
58	Adherence to treatment for geriatric depression and anxiety. <i>CNS Spectrums</i> , 2003 , 8, 48-59	1.8	25
57	Increased medical costs of a population-based sample of depressed elderly patients. <i>Archives of General Psychiatry</i> , 2003 , 60, 897-903		357
56	Impacting late life depression: integrating a depression intervention into primary care. <i>Psychiatric Quarterly</i> , 2003 , 74, 75-89	4.1	33
55	Implementing a disease management intervention for depression in primary care: a random work sampling study. <i>General Hospital Psychiatry</i> , 2003 , 25, 238-45	5.6	15
54	Stigma and depression among primary care patients. <i>General Hospital Psychiatry</i> , 2003 , 25, 311-5	5.6	137
53	Enhancing adherence to prevent depression relapse in primary care. <i>General Hospital Psychiatry</i> , 2003 , 25, 303-10	5.6	67
52	Depression treatment in a sample of 1,801 depressed older adults in primary care. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 505-14	5.6	182
51	Inequities in depression management in low-income, minority, and old-old adults: a matter of access to preferred treatments?. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1808-9	5.6	28
50	Caring for Mental Illness in the United States: A Focus on Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 517-524	6.5	132
49	Effect of improving depression care on pain and functional outcomes among older adults with arthritis: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 2428-9	27.4	412
48	National Institutes of Health State-of-the-Science Conference Statement: Symptom Management in Cancer: Pain, Depression, and Fatigue, July 15-17, 2002. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1110-7	9.7	250

47	Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life. <i>Archives of General Psychiatry</i> , 2003 , 60, 664-72		34 ⁰
46	Caring for mental illness in the United States: a focus on older adults. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 517-24	6.5	8 ⁰
45	Design and implementation of a randomized trial evaluating systematic care for bipolar disorder. <i>Bipolar Disorders</i> , 2002 , 4, 226-36	3.8	33
44	A measure for assessing patient perception of provider support for self-management of bipolar disorder. <i>Bipolar Disorders</i> , 2002 , 4, 249-53	3.8	29
43	The effects of primary care depression treatment on patients' clinical status and employment. <i>Health Services Research</i> , 2002 , 37, 1145-58	3.4	107
42	The elderly. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2002 , 4, 245-7		32
41	Practice-based interventions. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2002 , 4, 199-204		9
40	Bipolar disorder. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2002 , 4, 225-9		5 ⁰
39	Collaborative care management of late-life depression in the primary care setting: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 2836-45	27.4	159 ⁰
38	A web-based data management system to improve care for depression in a multicenter clinical trial. <i>Psychiatric Services</i> , 2002 , 53, 671-3, 678	3.3	84
37	Cost-effectiveness of a program to prevent depression relapse in primary care. <i>Medical Care</i> , 2002 , 40, 941-50	3.1	9 ⁰
36	Improving the care for depression in patients with comorbid medical illness. <i>American Journal of Psychiatry</i> , 2002 , 159, 1738-45	11.9	100
35	Role of behavioral health professionals in a collaborative stepped care treatment model for depression in primary care: Project IMPACT.. <i>Families, Systems and Health</i> , 2002 , 20, 265-277	0.7	48
34	Diagnosis and treatment of older adults with depression in primary care. <i>Biological Psychiatry</i> , 2002 , 52, 285-92	7.9	79
33	Overcoming barriers to reducing the burden of affective disorders. <i>Biological Psychiatry</i> , 2002 , 52, 655-75.9		57
32	Depressive symptoms and mortality in a prospective study of 2,558 older adults. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 521-30	6.5	53
31	Cost-effectiveness of practice-initiated quality improvement for depression: results of a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 1325-30	27.4	21 ⁰
30	Problematic substance use, depressive symptoms, and gender in primary care. <i>Psychiatric Services</i> , 2001 , 52, 1251-3	3.3	36

29	Long-term effectiveness of disseminating quality improvement for depression in primary care. <i>Archives of General Psychiatry</i> , 2001 , 58, 696-703		107
28	Can quality improvement programs for depression in primary care address patient preferences for treatment?. <i>Medical Care</i> , 2001 , 39, 934-44	3.1	138
27	A randomized trial of relapse prevention of depression in primary care. <i>Archives of General Psychiatry</i> , 2001 , 58, 241-7		202
26	Two-year effects of quality improvement programs on medication management for depression. <i>Archives of General Psychiatry</i> , 2001 , 58, 935-42		74
25	Improving primary care for depression in late life: the design of a multicenter randomized trial. <i>Medical Care</i> , 2001 , 39, 785-99	3.1	233
24	Can utility-weighted health-related quality-of-life estimates capture health effects of quality improvement for depression?. <i>Medical Care</i> , 2001 , 39, 1246-59	3.1	36
23	Cost-effectiveness of a collaborative care program for primary care patients with persistent depression. <i>American Journal of Psychiatry</i> , 2001 , 158, 1638-44	11.9	249
22	The design, implementation, and acceptance of a primary care-based intervention to prevent depression relapse. <i>International Journal of Psychiatry in Medicine</i> , 2000 , 30, 229-45	1	26
21	Care for depression in HMO patients aged 65 and older. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 871-8	5.6	91
20	Quality adjusted life years in older adults with depressive symptoms and chronic medical disorders. <i>International Psychogeriatrics</i> , 2000 , 12, 15-33	3.4	145
19	Predictors of outcome in a primary care depression trial. <i>Journal of General Internal Medicine</i> , 2000 , 15, 859-67	4	46
18	Low-intensity treatment of depression in primary care: is it problematic?. <i>General Hospital Psychiatry</i> , 2000 , 22, 78-83	5.6	36
17	The use of administrative data to assess quality of care for bipolar disorder in a large staff model HMO. <i>General Hospital Psychiatry</i> , 2000 , 22, 1-10	5.6	59
16	Mental disorders and the use of alternative medicine: results from a national survey. <i>American Journal of Psychiatry</i> , 2000 , 157, 1851-7	11.9	180
15	Impact of disseminating quality improvement programs for depression in managed primary care: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 283, 212-20	27.4	680
14	Costs of health care use by women HMO members with a history of childhood abuse and neglect. <i>Archives of General Psychiatry</i> , 1999 , 56, 609-13		318
13	Evidence-based care for depression in managed primary care practices. <i>Health Affairs</i> , 1999 , 18, 89-105	0	75
12	Treating depressed older adults in primary care: narrowing the gap between efficacy and effectiveness. <i>Milbank Quarterly</i> , 1999 , 77, 225-56, 174	3.9	130

11	Effectiveness research and implications for study design: sample size and statistical power. <i>General Hospital Psychiatry</i> , 1999 , 21, 274-83	5.6	38
10	Patterns of care for depressed older adults in a large-staff model HMO. <i>American Journal of Geriatric Psychiatry</i> , 1999 , 7, 235-43	6.5	43
9	Health care utilization and costs among patients treated for bipolar disorder in an insured population. <i>Psychiatric Services</i> , 1999 , 50, 1303-8	3.3	127
8	Stepped collaborative care for primary care patients with persistent symptoms of depression: a randomized trial. <i>Archives of General Psychiatry</i> , 1999 , 56, 1109-15		511
7	The treated prevalence of bipolar disorder in a large staff-model HMO. <i>Psychiatric Services</i> , 1998 , 49, 1072-8	3.3	67
6	Treatment costs, cost offset, and cost-effectiveness of collaborative management of depression. <i>Psychosomatic Medicine</i> , 1998 , 60, 143-9	3.7	152
5	Depressive symptoms and the cost of health services in HMO patients aged 65 years and older. A 4-year prospective study. <i>JAMA - Journal of the American Medical Association</i> , 1997 , 277, 1618-23	27.4	403
4	Population-based care of depression: effective disease management strategies to decrease prevalence. <i>General Hospital Psychiatry</i> , 1997 , 19, 169-78	5.6	116
3	Challenging Clinical Situations205-225		
2	Substance Use Disorders: Alcohol, Stimulants, and Opioids124-152		
1	United States perspective137-144		