Yong Jung Kwon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11188669/publications.pdf

Version: 2024-02-01

279798 33 1,863 23 citations h-index papers

33 g-index 33 33 33 2629 docs citations times ranked citing authors all docs

395702

#	Article	IF	CITATIONS
1	Synergistic approach to simultaneously improve response and humidity-independence of metal-oxide gas sensors. Journal of Hazardous Materials, 2022, 424, 127524.	12.4	28
2	Two-Dimensional calcium silicate nanosheets for trapping atmospheric water molecules in humidity-immune gas sensors. Journal of Hazardous Materials, 2022, 432, 128671.	12.4	7
3	Catalyst and substrate-free synthesis of graphene nanosheets by unzipping C60 fullerene clusters using a pulse current method. Materials Science in Semiconductor Processing, 2022, 149, 106831.	4.0	2
4	Proton-beam engineered surface-point defects for highly sensitive and reliable NO2 sensing under humid environments. Journal of Hazardous Materials, 2021, 416, 125841.	12.4	34
5	ALD-assisted synthesis of V2O5 nanoislands on SnO2 nanowires for improving NO2 sensing performance. Applied Surface Science, 2020, 509, 144821.	6.1	18
6	Two-dimensional semiconducting covalent organic nanosheets for highly sensitive and stable NO ₂ sensing under humid conditions. Journal of Materials Chemistry A, 2020, 8, 19246-19253.	10.3	29
7	Selective H2S-sensing performance of Si nanowires through the formation of ZnO shells with Au functionalization. Sensors and Actuators B: Chemical, 2019, 289, 1-14.	7.8	35
8	Laser-engineered oxygen vacancies for improving the NO ₂ sensing performance of SnO ₂ nanowires. Journal of Materials Chemistry A, 2019, 7, 27205-27211.	10.3	33
9	Dual sensitization of MWCNTs by co-decoration with p- and n-type metal oxide nanoparticles. Sensors and Actuators B: Chemical, 2018, 264, 150-163.	7.8	23
10	Converting the Conducting Behavior of Graphene Oxides from n-Type to p-Type via Electron-Beam Irradiation. ACS Applied Materials & Interfaces, 2018, 10, 7324-7333.	8.0	18
11	Porous Si nanowires for highly selective room-temperature NO ₂ gas sensing. Nanotechnology, 2018, 29, 294001.	2.6	23
12	Fabrication and gas sensing properties of vertically aligned Si nanowires. Applied Surface Science, 2018, 427, 215-226.	6.1	41
13	Selective NO2 sensor based on Bi2O3 branched SnO2 nanowires. Sensors and Actuators B: Chemical, 2018, 274, 356-369.	7.8	75
14	Enhancement of gas sensing properties by the functionalization of ZnO-branched SnO2 nanowires with Cr2O3 nanoparticles. Sensors and Actuators B: Chemical, 2017, 249, 656-666.	7.8	56
15	Synthesis, characterization and gas sensing properties of ZnO-decorated MWCNTs. Applied Surface Science, 2017, 413, 242-252.	6.1	86
16	Synthesis of zinc oxide semiconductors-graphene nanocomposites by microwave irradiation for application to gas sensors. Sensors and Actuators B: Chemical, 2017, 249, 590-601.	7.8	142
17	Microwave-Assisted Synthesis of Graphene–SnO ₂ Nanocomposites and Their Applications in Gas Sensors. ACS Applied Materials & Distribution (1997) and the composite of the composite	8.0	149
18	Attachment of Co3O4 layer to SnO2 nanowires for enhanced gas sensing properties. Sensors and Actuators B: Chemical, 2017, 239, 180-192.	7.8	76

#	Article	IF	CITATIONS
19	Selective Improvement of NO ₂ Gas Sensing Behavior in SnO ₂ Nanowires by Ion-Beam Irradiation. ACS Applied Materials & Interfaces, 2016, 8, 13646-13658.	8.0	110
20	Surprising synthesis of nanodiamond from single-walled carbon nanotubes by the spark plasma sintering process. Electronic Materials Letters, 2016, 12, 747-752.	2.2	4
21	Selective detection of low concentration toluene gas using Pt-decorated carbon nanotubes sensors. Sensors and Actuators B: Chemical, 2016, 227, 157-168.	7.8	82
22	Decoration of Co nanoparticles on ZnO-branched SnO2 nanowires to enhance gas sensing. Sensors and Actuators B: Chemical, 2015, 219, 22-29.	7.8	42
23	Excellent gas detection of ZnO nanofibers by loading with reduced graphene oxide nanosheets. Sensors and Actuators B: Chemical, 2015, 221, 1499-1507.	7.8	112
24	Bifunctional Sensing Mechanism of SnO ₂ â€"ZnO Composite Nanofibers for Drastically Enhancing the Sensing Behavior in H ₂ Gas. ACS Applied Materials & Drastically 11351-11358.	8.0	143
25	Synthesis and room-temperature NO2 sensing properties of Sb2O5 nanowires. Metals and Materials International, 2015, 21, 415-421.	3.4	13
26	Improvement of Gas Sensing Characteristics by Adding Pt Nanoparticles on ZnO-Branched SnO ₂ Nanowires. Journal of Nanoscience and Nanotechnology, 2015, 15, 8571-8576.	0.9	6
27	Freeze-drying-induced changes in the properties of graphene oxides. Nanotechnology, 2014, 25, 235601.	2.6	30
28	Improvement of gas sensing behavior in reduced graphene oxides by electron-beam irradiation. Sensors and Actuators B: Chemical, 2014, 203, 143-149.	7.8	35
29	Direct production of highly conductive graphene with a low oxygen content by a microwave-assisted solvothermal method. Chemical Engineering Journal, 2013, 232, 346-355.	12.7	46
30	ZnO–SnO2 branch–stem nanowires based on a two-step process: Synthesis and sensing capability. Current Applied Physics, 2013, 13, 526-532.	2.4	15
31	Comparison study of structural and optical properties of boron-doped and undoped graphene oxide films. Chemical Engineering Journal, 2012, 211-212, 369-377.	12.7	89
32	Significant enhancement of blue emission and electrical conductivity of N-doped graphene. Journal of Materials Chemistry, 2012, 22, 17992.	6.7	182
33	Influence of N-doping on the structural and photoluminescence properties of graphene oxide films. Carbon, 2012, 50, 3799-3806.	10.3	79