

Christopher J Kane

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11191299/christopher-j-kane-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

250
papers

9,868
citations

51
h-index

90
g-index

260
ext. papers

11,341
ext. citations

4.4
avg. IF

5.66
L-index

#	Paper	IF	Citations
250	Prostate Cancer, Version 1.2016. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016 , 14, 19-30	7.3	473
249	Renal cell cancer stage migration: analysis of the National Cancer Data Base. <i>Cancer</i> , 2008 , 113, 78-83	6.4	441
248	Impact of obesity on biochemical control after radical prostatectomy for clinically localized prostate cancer: a report by the Shared Equal Access Regional Cancer Hospital database study group. <i>Journal of Clinical Oncology</i> , 2004 , 22, 446-53	2.2	331
247	Active surveillance for the management of prostate cancer in a contemporary cohort. <i>Cancer</i> , 2008 , 112, 2664-70	6.4	325
246	Time to stone passage for observed ureteral calculi: a guide for patient education. <i>Journal of Urology</i> , 1999 , 162, 688-90; discussion 690-1	2.5	325
245	Immunosuppressive plasma cells impede T-cell-dependent immunogenic chemotherapy. <i>Nature</i> , 2015 , 521, 94-8	50.4	313
244	Prostate cancer, version 2.2014. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014 , 12, 686-718	7.3	261
243	Obesity-related plasma hemodilution and PSA concentration among men with prostate cancer. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 2275-80	27.4	255
242	Limited value of bone scintigraphy and computed tomography in assessing biochemical failure after radical prostatectomy. <i>Urology</i> , 2003 , 61, 607-11	1.6	195
241	Prostate size and risk of high-grade, advanced prostate cancer and biochemical progression after radical prostatectomy: a search database study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 7546-54	2.2	186
240	Prospective comparison of unenhanced spiral computed tomography and intravenous urogram in the evaluation of acute flank pain. <i>Urology</i> , 1998 , 52, 982-7	1.6	173
239	Association of Black Race With Prostate Cancer-Specific and Other-Cause Mortality. <i>JAMA Oncology</i> , 2019 , 5, 975-983	13.4	142
238	Upgrading and downgrading of prostate needle biopsy specimens: risk factors and clinical implications. <i>Urology</i> , 2007 , 69, 495-9	1.6	136
237	Obesity, serum prostate specific antigen and prostate size: implications for prostate cancer detection. <i>Journal of Urology</i> , 2006 , 175, 500-4; discussion 504	2.5	136
236	Time trends in biochemical recurrence after radical prostatectomy: results of the SEARCH database. <i>Urology</i> , 2003 , 61, 736-41	1.6	120
235	Impact of obesity on prostate cancer recurrence after radical prostatectomy: data from CaPSURE. <i>Urology</i> , 2005 , 66, 1060-5	1.6	119
234	Diffusion-weighted imaging in cancer: physical foundations and applications of restriction spectrum imaging. <i>Cancer Research</i> , 2014 , 74, 4638-52	10.1	117

233	Multiinstitutional validation of the UCSF cancer of the prostate risk assessment for prediction of recurrence after radical prostatectomy. <i>Cancer</i> , 2006 , 107, 2384-91	6.4	115
232	Relationship between obesity and race in predicting adverse pathologic variables in patients undergoing radical prostatectomy. <i>Urology</i> , 2001 , 58, 723-8	1.6	110
231	Tumor infiltrating B-cells are increased in prostate cancer tissue. <i>Journal of Translational Medicine</i> , 2014 , 12, 30	8.5	108
230	Prospective Comparison of Computerized Tomography and Excretory Urography in the Initial Evaluation of Asymptomatic Microhematuria. <i>Journal of Urology</i> , 2002 , 168, 2457-2460	2.5	108
229	Development and Validation of a Novel Integrated Clinical-Genomic Risk Group Classification for Localized Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2018 , 36, 581-590	2.2	107
228	CURRENT MANAGEMENT OF SEVERELY ENCRUSTED URETERAL STENTS WITH A LARGE ASSOCIATED STONE BURDEN. <i>Journal of Urology</i> , 2000 , 164, 648-650	2.5	98
227	Statin medication use and the risk of biochemical recurrence after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) Database. <i>Cancer</i> , 2010 , 116, 3389-98	6.4	96
226	Multigene methylation analysis for detection and staging of prostate cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 6582-8	12.9	95
225	Race as an outcome predictor after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Urology</i> , 2002 , 60, 670-4	1.6	90
224	Multi-institutional validation of the CAPRA-S score to predict disease recurrence and mortality after radical prostatectomy. <i>European Urology</i> , 2014 , 65, 1171-7	10.2	88
223	Clinical and pathologic outcome after radical prostatectomy for prostate cancer patients with a preoperative Gleason sum of 8 to 10. <i>Cancer</i> , 2006 , 107, 1265-72	6.4	88
222	Impact of socioeconomic status and race on clinical parameters of patients undergoing radical prostatectomy in an equal access health care system. <i>Urology</i> , 2000 , 56, 1016-20	1.6	81
221	Treatment trends for stage I renal cell carcinoma. <i>Journal of Urology</i> , 2011 , 186, 394-9	2.5	80
220	Percent of prostate needle biopsy cores with cancer is significant independent predictor of prostate specific antigen recurrence following radical prostatectomy: results from SEARCH database. <i>Journal of Urology</i> , 2003 , 169, 2136-41	2.5	80
219	Serum lipid profile and risk of prostate cancer recurrence: Results from the SEARCH database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2349-56	4	79
218	Obesity and biochemical outcome following radical prostatectomy for organ confined disease with negative surgical margins. <i>Journal of Urology</i> , 2004 , 172, 520-4	2.5	79
217	Ethnic group-related differences in CpG hypermethylation of the GSTP1 gene promoter among African-American, Caucasian and Asian patients with prostate cancer. <i>International Journal of Cancer</i> , 2005 , 116, 174-81	7.5	78
216	CpG hypermethylation of MDR1 gene contributes to the pathogenesis and progression of human prostate cancer. <i>Cancer Research</i> , 2004 , 64, 5956-62	10.1	77

215	Obesity is associated with castration-resistant disease and metastasis in men treated with androgen deprivation therapy after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2012 , 110, 492-8	5.6	65
214	Feasibility and efficacy of neoadjuvant sunitinib before nephron-sparing surgery. <i>BJU International</i> , 2010 , 106, 1270-6	5.6	65
213	Differences in complications and outcomes for obese patients undergoing laparoscopic radical, partial or simple nephrectomy. <i>Journal of Urology</i> , 2004 , 172, 2287-91	2.5	64
212	Delayed radical prostatectomy for intermediate-risk prostate cancer is associated with biochemical recurrence: possible implications for active surveillance from the SEARCH database. <i>Prostate</i> , 2013 , 73, 409-17	4.2	63
211	Outcomes after radical prostatectomy among men who are candidates for active surveillance: results from the SEARCH database. <i>Urology</i> , 2010 , 76, 695-700	1.6	63
210	Ability of 2 pretreatment risk assessment methods to predict prostate cancer recurrence after radical prostatectomy: data from CaPSURE. <i>Journal of Urology</i> , 2005 , 173, 1126-31	2.5	62
209	Delay of radical prostatectomy and risk of biochemical progression in men with low risk prostate cancer. <i>Journal of Urology</i> , 2006 , 175, 1298-302; discussion 1302-3	2.5	62
208	Ability of a Genomic Classifier to Predict Metastasis and Prostate Cancer-specific Mortality after Radiation or Surgery based on Needle Biopsy Specimens. <i>European Urology</i> , 2017 , 72, 845-852	10.2	61
207	Obesity as a predictor of adverse outcome across black and white race: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) Database. <i>Cancer</i> , 2009 , 115, 5263-71	6.4	61
206	Outcomes and complications of pelvic lymph node dissection during robotic-assisted radical prostatectomy. <i>World Journal of Urology</i> , 2013 , 31, 481-8	4	56
205	Race, biochemical disease recurrence, and prostate-specific antigen doubling time after radical prostatectomy: results from the SEARCH database. <i>Cancer</i> , 2007 , 110, 2202-9	6.4	55
204	Cigarette smoking is associated with an increased risk of biochemical disease recurrence, metastasis, castration-resistant prostate cancer, and mortality after radical prostatectomy: results from the SEARCH database. <i>Cancer</i> , 2014 , 120, 197-204	6.4	53
203	Changing nature of high risk patients undergoing radical prostatectomy. <i>Journal of Urology</i> , 2007 , 177, 113-7	2.5	53
202	Do younger men have better biochemical outcomes after radical prostatectomy?. <i>Urology</i> , 2004 , 63, 518-22		53
201	The impact of obesity on health related quality of life before and after radical prostatectomy (data from CaPSURE). <i>Journal of Urology</i> , 2005 , 173, 1132-8	2.5	52
200	Should a positive surgical margin following radical prostatectomy be pathological stage T2 or T3? Results from the SEARCH database. <i>Journal of Urology</i> , 2003 , 169, 2142-6	2.5	52
199	A receptor-targeted fluorescent radiopharmaceutical for multireporter sentinel lymph node imaging. <i>Radiology</i> , 2012 , 265, 186-93	20.5	51
198	Small transrectal ultrasound volume predicts clinically significant Gleason score upgrading after radical prostatectomy: results from the SEARCH database. <i>Journal of Urology</i> , 2008 , 179, 523-7; discussion 527-8	2.5	51

197	Predicting unilateral prostate cancer based on biopsy features: implications for focal ablative therapy--results from the SEARCH database. <i>Journal of Urology</i> , 2007 , 178, 1249-52	2.5	51
196	Education predicts quality of life among men with prostate cancer cared for in the Department of Veterans Affairs: a longitudinal quality of life analysis from CaPSURE. <i>Cancer</i> , 2007 , 109, 1769-76	6.4	51
195	Comparison of percentage of total prostate needle biopsy tissue with cancer to percentage of cores with cancer for predicting PSA recurrence after radical prostatectomy: results from the SEARCH database. <i>Urology</i> , 2003 , 61, 742-7	1.6	51
194	Smoking influences aberrant CpG hypermethylation of multiple genes in human prostate carcinoma. <i>Cancer</i> , 2006 , 106, 79-86	6.4	50
193	Yield of imaging and scintigraphy assessing biochemical failure in prostate cancer patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1997 , 3, 108-12	2.8	48
192	Obesity and prostate cancer clinical risk factors at presentation: data from CaPSURE. <i>Journal of Urology</i> , 2005 , 173, 732-6	2.5	48
191	Laparoscopic partial nephrectomy with temporary arterial occlusion: description of technique and renal functional outcomes. <i>Urology</i> , 2004 , 63, 241-6	1.6	48
190	Predicting Time From Metastasis to Overall Survival in Castration-Resistant Prostate Cancer: Results From SEARCH. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 60-66.e2	3.3	46
189	Predicting Renal Cancer Recurrence: Defining Limitations of Existing Prognostic Models With Prospective Trial-Based Validation. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2062-2071	2.2	45
188	Adequacy of lymphadenectomy among men undergoing robot-assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2010 , 105, 88-92	5.6	45
187	Obesity and positive surgical margins by anatomic location after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital database. <i>BJU International</i> , 2008 , 102, 964-8	5.6	42
186	Preoperative model for predicting prostate specific antigen recurrence after radical prostatectomy using percent of biopsy tissue with cancer, biopsy Gleason grade and serum prostate specific antigen. <i>Journal of Urology</i> , 2004 , 171, 2215-20	2.5	42
185	Comparison of preoperative prostate specific antigen density and prostate specific antigen for predicting recurrence after radical prostatectomy: results from the search data base. <i>Journal of Urology</i> , 2003 , 169, 969-73	2.5	42
184	Risk stratification of men with Gleason score 7 to 10 tumors by primary and secondary Gleason score: results from the SEARCH database. <i>Urology</i> , 2007 , 70, 277-82	1.6	41
183	The percentage of prostate needle biopsy cores with carcinoma from the more involved side of the biopsy as a predictor of prostate specific antigen recurrence after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Cancer</i> , 2003 , 98, 2344-50	6.4	41
182	SECOND PRIMARY MALIGNANCIES IN T1-3N0 PROSTATE CANCER PATIENTS TREATED WITH RADIATION THERAPY WITH 10-YEAR FOLLOWUP. <i>Journal of Urology</i> , 1998 , 159, 946-949	2.5	40
181	Obesity and oncological outcome after radical prostatectomy: impact of prostate-specific antigen-based prostate cancer screening: results from the Shared Equal Access Regional Cancer Hospital and Duke Prostate Center databases. <i>BJU International</i> , 2008 , 102, 969-74	5.6	39
180	PGDB: a curated and integrated database of genes related to the prostate. <i>Nucleic Acids Research</i> , 2003 , 31, 291-3	20.1	38

179	Effect of race and socioeconomic status on surgical margins and biochemical outcomes in an equal-access health care setting: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Cancer</i> , 2012 , 118, 4999-5007	6.4	37
178	Pathological and Biochemical Outcomes among African-American and Caucasian Men with Low Risk Prostate Cancer in the SEARCH Database: Implications for Active Surveillance Candidacy. <i>Journal of Urology</i> , 2016 , 196, 1408-1414	2.5	37
177	Postoperative statin use and risk of biochemical recurrence following radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2014 , 114, 661-6	5.6	36
176	Diabetes and outcomes after radical prostatectomy: are results affected by obesity and race? Results from the shared equal-access regional cancer hospital database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 9-17	4	36
175	Glycemic control and prostate cancer progression: results from the SEARCH database. <i>Prostate</i> , 2010 , 70, 1540-6	4.2	35
174	Predictors of prostate-specific antigen progression among men with seminal vesicle invasion at the time of radical prostatectomy. <i>Cancer</i> , 2004 , 100, 1633-8	6.4	34
173	Sociodemographic and clinical risk characteristics of patients with prostate cancer within the Veterans Affairs health care system: data from CaPSURE. <i>Journal of Urology</i> , 2003 , 170, 905-8	2.5	34
172	Natural history of persistently elevated prostate specific antigen after radical prostatectomy: results from the SEARCH database. <i>Journal of Urology</i> , 2009 , 182, 2250-5	2.5	33
171	Impact of patient educational level on treatment for patients with prostate cancer: data from CaPSURE. <i>Urology</i> , 2003 , 62, 1035-9	1.6	32
170	Retroperitoneal Lymphadenectomy for High Risk, Nonmetastatic Renal Cell Carcinoma: An Analysis of the ASSURE (ECOG-ACRIN 2805) Adjuvant Trial. <i>Journal of Urology</i> , 2018 , 199, 53-59	2.5	31
169	A natural history of weight change in men with prostate cancer on androgen-deprivation therapy (ADT): results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2011 , 107, 924-8	5.6	31
168	How to minimize lymphoceles and treat clinically symptomatic lymphoceles after radical prostatectomy. <i>Current Urology Reports</i> , 2014 , 15, 445	2.9	30
167	Validation of a nomogram to predict disease progression following salvage radiotherapy after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2009 , 104, 1452-6	5.6	30
166	Nerve-targeted probes for fluorescence-guided intraoperative imaging. <i>Theranostics</i> , 2018 , 8, 4226-4237	12.1	30
165	Impact of family history on prostate cancer mortality in white men undergoing prostate specific antigen based screening. <i>Journal of Urology</i> , 2015 , 193, 75-9	2.5	29
164	Does timing of cytoreductive nephrectomy impact patient survival with metastatic renal cell carcinoma in the tyrosine kinase inhibitor era? A multi-institutional study. <i>Urology</i> , 2013 , 81, 805-11	1.6	29
163	A novel patient-derived intra-femoral xenograft model of bone metastatic prostate cancer that recapitulates mixed osteolytic and osteoblastic lesions. <i>Journal of Translational Medicine</i> , 2011 , 9, 185	8.5	29
162	Laparoscopic versus open cytoreductive nephrectomy in advanced renal-cell carcinoma. <i>Journal of Endourology</i> , 2006 , 20, 504-8	2.7	29

161	Obesity, prostate-specific antigen nadir, and biochemical recurrence after radical prostatectomy: biology or technique? Results from the SEARCH database. <i>European Urology</i> , 2012 , 62, 910-6	10.2	28
160	Risk stratification for biochemical recurrence in men with positive surgical margins or extracapsular disease after radical prostatectomy: results from the SEARCH database. <i>Journal of Urology</i> , 2008 , 179, 1791-6; discussion 1796	2.5	28
159	Body mass index, prostate weight and transrectal ultrasound prostate volume accuracy. <i>Journal of Urology</i> , 2007 , 178, 990-5	2.5	28
158	Thresholds for PSA doubling time in men with non-metastatic castration-resistant prostate cancer. <i>BJU International</i> , 2017 , 120, E80-E86	5.6	27
157	Variability in Outcomes for Patients with Intermediate-risk Prostate Cancer (Gleason Score 7, International Society of Urological Pathology Gleason Group 2-3) and Implications for Risk Stratification: A Systematic Review. <i>European Urology Focus</i> , 2017 , 3, 487-497	5.1	27
156	Association of Treatment With 5 α -Reductase Inhibitors With Time to Diagnosis and Mortality in Prostate Cancer. <i>JAMA Internal Medicine</i> , 2019 , 179, 812-819	11.5	27
155	Preoperative sentinel lymph node mapping of the prostate using PET/CT fusion imaging and Ga-68-labeled tilmanocept in an animal model. <i>Clinical and Experimental Metastasis</i> , 2012 , 29, 673-80	4.7	27
154	PSA in the new millennium: a powerful predictor of prostate cancer prognosis and radical prostatectomy outcomes--results from the SEARCH database. <i>European Urology</i> , 2008 , 53, 758-64; discussion 765-6	10.2	27
153	The association between prostate size and Gleason score upgrading depends on the number of biopsy cores obtained: results from the Shared Equal Access Regional Cancer Hospital Database. <i>BJU International</i> , 2008 , 102, 1074-9	5.6	26
152	Effect of race on biochemical disease-free outcome in patients with prostate cancer treated with definitive radiation therapy in an equal-access health care system: radiation oncology report of the Department of Defense Center for Prostate Disease Research. <i>Radiology</i> , 2002 , 225, 420-6	20.5	26
151	Is biopsy Gleason score independently associated with biochemical progression following radical prostatectomy after adjusting for pathological Gleason score?. <i>Journal of Urology</i> , 2006 , 176, 2453-8; discussion 2458	2.5	25
150	Race and risk of metastases and survival after radical prostatectomy: Results from the SEARCH database. <i>Cancer</i> , 2017 , 123, 4199-4206	6.4	24
149	Comparison of rates and risk factors for development of osteoporosis and fractures after radical or partial nephrectomy. <i>Urology</i> , 2011 , 78, 614-9	1.6	24
148	Effect of age on biochemical disease-free outcome in patients with T1-T3 prostate cancer treated with definitive radiotherapy in an equal-access health care system: a radiation oncology report of the Department of Defense Center for Prostate Disease Research. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 55, 964-9	4	24
147	Association of cigarette smoking with interval to biochemical recurrence after radical prostatectomy: results from the SEARCH database. <i>Urology</i> , 2010 , 76, 1218-23	1.6	23
146	Effect of BMI on primary treatment of prostate cancer. <i>Urology</i> , 2008 , 72, 406-11	1.6	23
145	The role of imaging studies and molecular markers for selecting candidates for radical prostatectomy. <i>Urologic Clinics of North America</i> , 2001 , 28, 459-72	2.9	23
144	Optimization via specific fluorescence brightness of a receptor-targeted probe for optical imaging and positron emission tomography of sentinel lymph nodes. <i>Journal of Biomedical Optics</i> , 2013 , 18, 101331-5	3.5	22

143	Effects of hospital procedure volume and resident training on clinical outcomes and resource use in radical retropubic prostatectomy surgery in the Department of Veterans Affairs. <i>Journal of Urology</i> , 2008 , 179, 272-8; discussion 278-9	2.5	22
142	Biochemical outcome after radical prostatectomy among men with normal preoperative serum prostate-specific antigen levels. <i>Cancer</i> , 2004 , 101, 748-53	6.4	22
141	The impact of pathologic staging on the long-term oncologic outcomes of patients with clinically high-risk prostate cancer. <i>Cancer</i> , 2014 , 120, 1656-62	6.4	21
140	Race and time from diagnosis to radical prostatectomy: does equal access mean equal timely access to the operating room?--Results from the SEARCH database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1208-12	4	21
139	Unenhanced helical computed tomography in the evaluation of acute flank pain. <i>Current Opinion in Urology</i> , 2000 , 10, 123-9	2.8	21
138	Detectable prostate-specific antigen Nadir during androgen-deprivation therapy predicts adverse prostate cancer-specific outcomes: results from the SEARCH database. <i>European Urology</i> , 2014 , 65, 620-7	10.2	20
137	Predictors of secondary treatment following biochemical recurrence after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital database. <i>BJU International</i> , 2010 , 105, 28-33	5.6	20
136	Do nomograms predict aggressive recurrence after radical prostatectomy more accurately than biochemical recurrence alone?. <i>BJU International</i> , 2009 , 103, 603-8	5.6	20
135	Prostate biopsy tumor extent but not location predicts recurrence after radical prostatectomy: results from CaPSURE. <i>Journal of Urology</i> , 2006 , 175, 125-9; discussion 129	2.5	20
134	Optimal timing, cutoff, and method of calculation of preoperative prostate-specific antigen velocity to predict relapse after prostatectomy: a report from SEARCH. <i>Urology</i> , 2007 , 69, 732-7	1.6	19
133	Improved clinical staging system combining biopsy laterality and TNM stage for men with T1c and T2 prostate cancer: results from the SEARCH database. <i>Journal of Urology</i> , 2003 , 169, 2129-35	2.5	19
132	Factors predicting skeletal-related events in patients with bone metastatic castration-resistant prostate cancer. <i>Cancer</i> , 2017 , 123, 1528-1535	6.4	18
131	Prostate diffusion imaging with distortion correction. <i>Magnetic Resonance Imaging</i> , 2015 , 33, 1178-1181	3.3	18
130	Neutrophil, lymphocyte and platelet counts, and risk of prostate cancer outcomes in white and black men: results from the SEARCH database. <i>Cancer Causes and Control</i> , 2018 , 29, 581-588	2.8	18
129	Fluorescence-Based Molecular Imaging of Porcine Urinary Bladder Sentinel Lymph Nodes. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 547-553	8.9	17
128	Association Between African American Race and Clinical Outcomes in Men Treated for Low-Risk Prostate Cancer With Active Surveillance. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1747-1754	27.4	17
127	Comparison of rates and risk factors for development of anaemia and erythropoiesis-stimulating agent utilization after radical or partial nephrectomy. <i>BJU International</i> , 2012 , 109, 1019-25	5.6	17
126	Do nomograms designed to predict biochemical recurrence (BCR) do a better job of predicting more clinically relevant prostate cancer outcomes than BCR? A report from the SEARCH database group. <i>Urology</i> , 2013 , 82, 53-8	1.6	17

125	Number of Unfavorable Intermediate-Risk Factors Predicts Pathologic Upstaging and Prostate Cancer-Specific Mortality Following Radical Prostatectomy: Results From the SEARCH Database. <i>Prostate</i> , 2017 , 77, 154-163	4.2	17
124	Freedom from a detectable ultrasensitive prostate-specific antigen at two years after radical prostatectomy predicts a favorable clinical outcome: analysis of the SEARCH database. <i>Urology</i> , 2010 , 75, 439-44	1.6	17
123	Is a positive bladder neck margin truly a T4 lesion in the prostate specific antigen era? Results from the SEARCH Database. <i>Journal of Urology</i> , 2008 , 179, 124-9; discussion 129	2.5	17
122	Health-related quality of life for men with prostate cancer and diabetes: a longitudinal analysis from CaPSURE. <i>Urology</i> , 2006 , 68, 1242-7	1.6	17
121	Definition and preoperative predictors of persistently elevated prostate-specific antigen after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2010 , 105, 1541-7	5.6	16
120	Body mass index and prostate specific antigen as predictors of adverse pathology and biochemical recurrence after prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 491-6; discussion 496-8	2.5	16
119	What are the factors associated with short prostate specific antigen doubling time after radical prostatectomy? A report from the SEARCH database group. <i>Journal of Urology</i> , 2008 , 180, 1980-4; discussion 1985	2.5	16
118	Limitations of prostate specific antigen doubling time following biochemical recurrence after radical prostatectomy: results from the SEARCH database. <i>Journal of Urology</i> , 2008 , 179, 1785-9; discussion 1789-90	2.5	16
117	MRI-Derived Restriction Spectrum Imaging Cellularity Index is Associated with High Grade Prostate Cancer on Radical Prostatectomy Specimens. <i>Frontiers in Oncology</i> , 2015 , 5, 30	5.3	15
116	Neoadjuvant rituximab modulates the tumor immune environment in patients with high risk prostate cancer. <i>Journal of Translational Medicine</i> , 2020 , 18, 214	8.5	15
115	Positive surgical margins in radical prostatectomy patients do not predict long-term oncological outcomes: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) cohort. <i>BJU International</i> , 2016 , 117, 244-8	5.6	15
114	Restriction spectrum imaging improves MRI-based prostate cancer detection. <i>Abdominal Radiology</i> , 2016 , 41, 946-53	3	15
113	Minimally invasive cystectomy is associated with improved perioperative patient safety outcomes compared with open cystectomy in a national cohort. <i>Urology</i> , 2014 , 84, 314-9	1.6	15
112	Robotic-assisted fluorescence sentinel lymph node mapping using multimodal image guidance in an animal model. <i>Urology</i> , 2014 , 84, 982.e9-14	1.6	15
111	Feasibility of transrectal hybrid natural orifice transluminal endoscopic surgery (NOTES) nephrectomy in the cadaveric model. <i>Urology</i> , 2012 , 80, 590-5	1.6	15
110	Exposure to Agent Orange is a significant predictor of prostate-specific antigen (PSA)-based recurrence and a rapid PSA doubling time after radical prostatectomy. <i>BJU International</i> , 2009 , 103, 1168-72	5.6	15
109	Management of pelvic lymphoceles following robot-assisted laparoscopic radical prostatectomy. <i>Urology Annals</i> , 2012 , 4, 111-4	1	15
108	Development and Validation of a Clinical Prognostic Stage Group System for Nonmetastatic Prostate Cancer Using Disease-Specific Mortality Results From the International Staging Collaboration for Cancer of the Prostate. <i>JAMA Oncology</i> , 2020 , 6, 1912-1920	13.4	15

107	Racial Discrepancies in Overall Survival among Men Treated with Radium. <i>Journal of Urology</i> , 2020 , 203, 331-337	2.5	14
106	Timing of Prostate-specific Antigen Nadir After Radical Prostatectomy and Risk of Biochemical Recurrence. <i>Urology</i> , 2017 , 108, 129-134	1.6	13
105	Validation of the 2015 prostate cancer grade groups for predicting long-term oncologic outcomes in a shared equal-access health system. <i>Cancer</i> , 2017 , 123, 4122-4129	6.4	13
104	Does early prostate-specific antigen doubling time (ePSADT) after radical prostatectomy, calculated using PSA values from the first detectable until the first recurrence value, correlate with standard PSADT? A report from the Shared Equal Access Regional Cancer Hospital Database Group. <i>BJU International</i> , 2009 , 104, 1604-9	5.6	13
103	The effect of race/ethnicity on the accuracy of the 2001 Partin Tables for predicting pathologic stage of localized prostate cancer. <i>Urology</i> , 2008 , 71, 151-5	1.6	13
102	The effect of kidney morcellation on operative time, incision complications, and postoperative analgesia after laparoscopic nephrectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2006 , 32, 273-9; discussion 279-80	2	13
101	Definitive Radiation Therapy and Survival in Clinically Node-Positive Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 1188-1193	4	12
100	Does radical nephrectomy increase the risk of erectile dysfunction compared with partial nephrectomy? A cohort analysis. <i>BJU International</i> , 2013 , 111, E98-102	5.6	12
99	Comparison of transrectal and transvaginal hybrid natural orifice transluminal endoscopic surgery partial nephrectomy in the porcine model. <i>Urology</i> , 2013 , 82, 84-9	1.6	12
98	Predictors of operative time during radical retropubic prostatectomy and robot-assisted laparoscopic prostatectomy. <i>International Journal of Urology</i> , 2017 , 24, 618-623	2.3	12
97	Does PSADT after radical prostatectomy correlate with overall survival?--a report from the SEARCH database group. <i>Urology</i> , 2011 , 77, 149-53	1.6	12
96	Initial experience with aspirin use during robotic radical prostatectomy. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2012 , 22, 225-9	2.1	12
95	Do racial differences in prostate size explain higher serum prostate-specific antigen concentrations among black men?. <i>Urology</i> , 2007 , 69, 1138-42	1.6	12
94	Evaluation of a genomic classifier in radical prostatectomy patients with lymph node metastasis. <i>Research and Reports in Urology</i> , 2016 , 8, 77-84	1.3	12
93	Do all men with pathological Gleason score 8-10 prostate cancer have poor outcomes? Results from the SEARCH database. <i>BJU International</i> , 2016 , 118, 250-7	5.6	12
92	Impact of age, comorbidity, and PSA doubling time on long-term competing risks for mortality among men with non-metastatic castration-resistant prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 252-260	6.2	12
91	Socioeconomic status, race, and long-term outcomes after radical prostatectomy in an equal access health system: Results from the SEARCH database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 289.e11-289.e17	2.8	11
90	Voxel Level Radiologic-Pathologic Validation of Restriction Spectrum Imaging Cellularity Index with Gleason Grade in Prostate Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 2668-74	12.9	11

89	Diabetes predicts metastasis after radical prostatectomy in obese men: results from the SEARCH database. <i>BJU International</i> , 2013 , 111, E310-8	5.6	11
88	Estimated blood loss as a predictor of PSA recurrence after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2010 , 105, 347-51	5.6	11
87	Neoadjuvant Sunitinib Decreases Inferior Vena Caval Thrombus Size and Is Associated With Improved Oncologic Outcomes: A Multicenter Comparative Analysis. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e505-e512	3.3	11
86	Practice patterns and predictors of followup imaging after a negative bone scan in men with castration resistant prostate cancer: results from the SEARCH database. <i>Journal of Urology</i> , 2015 , 193, 1232-8	2.5	10
85	Obesity, race, and long-term prostate cancer outcomes. <i>Cancer</i> , 2020 , 126, 3733-3741	6.4	10
84	Three-month posttreatment prostate-specific antigen level as a biomarker of treatment response in patients with intermediate-risk or high-risk prostate cancer treated with androgen deprivation therapy and radiotherapy. <i>Cancer</i> , 2018 , 124, 2939-2947	6.4	10
83	Predictors of skeletal-related events and mortality in men with metastatic, castration-resistant prostate cancer: Results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Cancer</i> , 2019 , 125, 4003-4010	6.4	10
82	Preclinical evaluation of robotic-assisted sentinel lymph node fluorescence imaging. <i>Journal of Nuclear Medicine</i> , 2014 , 55, 1552-6	8.9	10
81	Racial Differences in the Association Between Preoperative Serum Cholesterol and Prostate Cancer Recurrence: Results from the SEARCH Database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 547-54	4	10
80	Predicting Disease Recurrence, Early Progression, and Overall Survival Following Surgical Resection for High-risk Localized and Locally Advanced Renal Cell Carcinoma. <i>European Urology</i> , 2021 , 80, 20-31	10.2	10
79	Prostate-specific antigen level, stage or Gleason score: which is best for predicting outcomes after radical prostatectomy, and does it vary by the outcome being measured? Results from Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2015 , 22, 362-6	2.3	9
78	First postoperative PSA is associated with outcomes in patients with node positive prostate cancer: Results from the SEARCH database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 239.e17-239.e25	2.8	9
77	Active Surveillance of Prostate Cancer in a Community Practice: How to Measure, Manage, and Improve?. <i>Urology</i> , 2016 , 93, 60-7	1.6	9
76	Biopsy Detected Gleason Pattern 5 is Associated with Recurrence, Metastasis and Mortality in a Cohort of Men with High Risk Prostate Cancer. <i>Journal of Urology</i> , 2017 , 198, 1309-1315	2.5	9
75	Is clinical stage T2c prostate cancer an intermediate- or high-risk disease?. <i>Cancer</i> , 2015 , 121, 1414-21	6.4	9
74	Laparo-endoscopic single-site surgery for radical and cytoreductive nephrectomy, renal vein thrombectomy, and partial nephrectomy: a prospective pilot evaluation. <i>Diagnostic and Therapeutic Endoscopy</i> , 2010 , 2010, 107482	0	9
73	Re-calibration and external validation of an existing nomogram to predict aggressive recurrences after radical prostatectomy. <i>BJU International</i> , 2010 , 105, 1654-9	5.6	9
72	Update of staging and risk assessment for prostate cancer patients. <i>Current Opinion in Urology</i> , 2004 , 14, 163-70	2.8	9

71	Poorly controlled diabetes increases the risk of metastases and castration-resistant prostate cancer in men undergoing radical prostatectomy: Results from the SEARCH database. <i>Cancer</i> , 2019 , 125, 2861-2867	6.4	8
70	Weight Loss Following Radical Cystectomy for Bladder Cancer: Characterization and Effect on Survival. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 86-92	3.3	8
69	Smoking is a predictor of adverse pathological features at radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2015 , 22, 658-623	2.3	8
68	What do I tell patients about saw palmetto for benign prostatic hyperplasia?. <i>Urologic Clinics of North America</i> , 2011 , 38, 261-77	2.9	8
67	Postoperative prostate-specific antigen nadir improves accuracy for predicting biochemical recurrence after radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital (SEARCH) and Duke Prostate Center databases. <i>International Journal of Urology</i> , 2010 , 17, 914-22	2.3	8
66	Watchful waiting versus active surveillance: appropriate patient selection. <i>Current Urology Reports</i> , 2008 , 9, 211-6	2.9	8
65	Impact of obesity on the utility of preoperative prostate-specific antigen velocity to predict for relapse after prostatectomy: a report from the SEARCH database. <i>Urology</i> , 2007 , 69, 921-6	1.6	8
64	Drug-seeking behavior in urolithiasis in the noncontrast computed tomography era: 2 cases. <i>Urology</i> , 1999 , 54, 744	1.6	8
63	Obesity, risk of biochemical recurrence, and prostate-specific antigen doubling time after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2019 , 124, 69-75	5.6	8
62	Virtual reality suturing task as an objective test for robotic experience assessment. <i>BMC Urology</i> , 2015 , 15, 63	2.2	7
61	Radical prostatectomy and the effect of close surgical margins: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2018 , 122, 592-598	5.6	7
60	A Family History of Lethal Prostate Cancer and Risk of Aggressive Prostate Cancer in Patients Undergoing Radical Prostatectomy. <i>Scientific Reports</i> , 2015 , 5, 10544	4.9	7
59	Adenocarcinoma of the prostate metastatic to the choroid of the eye. <i>Prostate</i> , 1995 , 27, 336-9	4.2	7
58	Prospective Comparison of Computerized Tomography and Excretory Urography in the Initial Evaluation of Asymptomatic Microhematuria. <i>Journal of Urology</i> , 2002 , 2457-2460	2.5	7
57	Validation of a bone scan positivity risk table in non-metastatic castration-resistant prostate cancer. <i>BJU International</i> , 2016 , 118, 570-7	5.6	7
56	Adverse pathology and undetectable ultrasensitive prostate-specific antigen after radical prostatectomy: is adjuvant radiation warranted?. <i>BJU International</i> , 2016 , 117, 897-903	5.6	7
55	Race does not predict the development of metastases in men with nonmetastatic castration-resistant prostate cancer. <i>Cancer</i> , 2016 , 122, 3848-3855	6.4	7
54	Modified risk stratification grouping using standard clinical and biopsy information for patients undergoing radical prostatectomy: Results from SEARCH. <i>Prostate</i> , 2017 , 77, 1592-1600	4.2	6

53	Obese patients with castration-resistant prostate cancer may be at a lower risk of all-cause mortality: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2018 , 122, 76-82	5.6	6
52	Validity of the National Death Index to ascertain the date and cause of death in men having undergone prostatectomy for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 633-635	6.2	6
51	Establishment and Analysis of Three-Dimensional (3D) Organoids Derived from Patient Prostate Cancer Bone Metastasis Specimens and their Xenografts. <i>Journal of Visualized Experiments</i> , 2020 ,	1.6	5
50	Change in platelet count as a prognostic indicator for response to primary tyrosine kinase inhibitor therapy in metastatic renal cell carcinoma. <i>BJU International</i> , 2016 , 118, 927-934	5.6	5
49	Impact of renal surgery for cortical neoplasms on lipid metabolism. <i>BJU International</i> , 2014 , 114, 837-43	5.6	5
48	Impact of prior local therapy on overall survival in men with metastatic castration-resistant prostate cancer: Results from Shared Equal Access Regional Cancer Hospital. <i>International Journal of Urology</i> , 2018 , 25, 998-1004	2.3	5
47	Subcastrate Testosterone Nadir and Clinical Outcomes in Intermediate- or High-Risk Localized Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 103, 1068-1076	4	4
46	Testosterone therapy does not increase the risks of prostate cancer recurrence or death after definitive treatment for localized disease. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 689-695	6.2	4
45	Association between Radical Prostatectomy and Survival in Men with Clinically Node-positive Prostate Cancer. <i>European Urology Oncology</i> , 2019 , 2, 584-588	6.7	4
44	In Men with Castration-Resistant Prostate Cancer, Visceral Metastases Predict Shorter Overall Survival: What Predicts Visceral Metastases? Results from the SEARCH Database. <i>European Urology Focus</i> , 2017 , 3, 480-486	5.1	4
43	LIMITED VALUE OF BONE SCINTIGRAPHY AND COMPUTED TOMOGRAPHY IN ASSESSING BIOCHEMICAL FAILURE AFTER RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 1999 , 176	2.5	4
42	Robotic-assisted laparoscopic prostatectomy for high-risk prostate cancer: technical considerations and review of the literature. <i>ISRN Urology</i> , 2011 , 2011, 201408		4
41	Obese men undergoing radical prostatectomy: Is robotic or retropubic better to limit positive surgical margins? Results from SEARCH. <i>International Journal of Urology</i> , 2020 , 27, 851-857	2.3	4
40	Is computed tomography a necessary part of a metastatic evaluation for castration-resistant prostate cancer? Results from the Shared Equal Access Regional Cancer Hospital Database. <i>Cancer</i> , 2016 , 122, 222-9	6.4	4
39	Statins are Associated With Increased Biochemical Recurrence After Radical Prostatectomy in Diabetic Men but no Association was Seen in Men also Taking Metformin: Results From the SEARCH Database. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e140-e149	3.3	4
38	A PSMA-targeted bispecific antibody for prostate cancer driven by a small-molecule targeting ligand. <i>Science Advances</i> , 2021 , 7,	14.3	4
37	Characterization of a "low-risk" cohort of grade group 2 prostate cancer patients: Results from the Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2017 , 24, 611-617	2.3	3
36	Practice patterns and outcomes of equivocal bone scans for patients with castration-resistant prostate cancer: Results from SEARCH. <i>Asian Journal of Urology</i> , 2019 , 6, 242-248	2.7	3

35	Agent Orange and long-term outcomes after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 329.e1-6	2.8	3
34	African-American men with low-risk prostate cancer treated with radical prostatectomy in an equal-access health care system: implications for active surveillance. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 581-588	6.2	3
33	Does Early Prostate Specific Antigen Doubling Time after Radical Prostatectomy, Calculated Prior to Prostate Specific Antigen Recurrence, Correlate with Prostate Cancer Outcomes? A Report from the SEARCH Database Group. <i>Journal of Urology</i> , 2018 , 199, 713-718	2.5	3
32	Specific bone region localization of osteolytic versus osteoblastic lesions in a patient-derived xenograft model of bone metastatic prostate cancer. <i>Asian Journal of Urology</i> , 2016 , 3, 229-239	2.7	3
31	First-year weight loss with androgen-deprivation therapy increases risks of prostate cancer progression and prostate cancer-specific mortality: results from SEARCH. <i>Cancer Causes and Control</i> , 2019 , 30, 259-269	2.8	2
30	Influence of African American race on the association between preoperative biopsy grade group and adverse histopathologic features of radical prostatectomy. <i>Cancer</i> , 2019 , 125, 3025-3032	6.4	2
29	Kidney gene database: a curated and integrated database of genes involved in kidney disease. <i>Journal of Urology</i> , 2004 , 172, 2344-6	2.5	2
28	Serum Lipids prior to Starting Androgen Deprivation Therapy and Risk of Castration Resistant Prostate Cancer and Metastasis: Results from the SEARCH Database. <i>Journal of Urology</i> , 2020 , 203, 120-127	2.5	2
27	Competing Risks of Mortality among Men with Biochemical Recurrence after Radical Prostatectomy. <i>Journal of Urology</i> , 2020 , 204, 511-517	2.5	2
26	Does race predict the development of metastases in men who receive androgen-deprivation therapy for a biochemical recurrence after radical prostatectomy?. <i>Cancer</i> , 2019 , 125, 434-441	6.4	2
25	Race does not predict skeletal-related events and all-cause mortality in men with castration-resistant prostate cancer. <i>Cancer</i> , 2020 , 126, 3274-3280	6.4	1
24	What is the incidence of kidney stones after chemotherapy in patients with lymphoproliferative or myeloproliferative disorders?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 772-80	2	1
23	Racial differences in prognostic value of adult height for biochemical progression following radical prostatectomy. <i>Clinical Cancer Research</i> , 2005 , 11, 7735-42	12.9	1
22	Conservative Management of Ureteral Calculi 2007 , 457-464		1
21	Safety of concomitant therapy with radium-223 and abiraterone or enzalutamide in a real-world population. <i>Prostate</i> , 2021 , 81, 390-397	4.2	1
20	Diabetes and Prostate Cancer Outcomes in Obese and Nonobese Men After Radical Prostatectomy. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkab023	4.6	1
19	Utilization and impact of surgical technique on the performance of pelvic lymph node dissection at radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2016 , 23, 241-6	2.3	1
18	Salvage Radiotherapy for Recurrent Prostate Cancer: Can the Prognostic Grade Group System Inform Treatment Timing?. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e930-e938	3.3	0

17	Does salvage radiation therapy change the biology of recurrent prostate cancer based on PSA doubling times? Results from the SEARCH database. <i>Urology</i> , 2012 , 79, 1105-10	1.6	o
16	Association between Delay to Radical Prostatectomy and Clinically Meaningful Outcomes among Patients with Intermediate and High-Risk Localized Prostate Cancer. <i>Journal of Urology</i> , 2021 , 101097JU00000000000000	2.5	o
15	The Impact of Comorbidity and Age on Timing of Androgen Deprivation Therapy in Men with Biochemical Recurrence after Radical Prostatectomy. <i>Urology Practice</i> , 2021 , 8, 238-245	0.8	o
14	Experience with 10 years of a robotic surgery program at an Academic Medical Center. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	o
13	Do Hispanic Men Have Worse Outcomes After Radical Prostatectomy? Results From SEARCH. <i>Urology</i> , 2021 , 149, 181-186	1.6	o
12	Monocyte counts and prostate cancer outcomes in white and black men: results from the SEARCH database. <i>Cancer Causes and Control</i> , 2021 , 32, 189-197	2.8	o
11	Focus on Transitional Disease: A Critical Interval to Delay Progression of Prostate Cancer. <i>Oncology</i> , 2021 , 35, 166	1.8	o
10	Impact of age on treatment response in men with prostate cancer treated with radiotherapy.. <i>BJUI Compass</i> , 2022 , 3, 243-250	0.9	o
9	Reply: To PMID 24958477. <i>Urology</i> , 2014 , 84, 319-20	1.6	
8	Does larger tumor volume explain the higher prostate specific antigen levels in black men with prostate cancer--Results from the SEARCH database. <i>Cancer Epidemiology</i> , 2015 , 39, 1066-70	2.8	
7	Editorial comment from Dr Liss and Dr Kane to lymphocele after extraperitoneal robot-assisted radical prostatectomy: a propensity score-matching study. <i>International Journal of Urology</i> , 2013 , 20, 1177	2.3	
6	Watchful waiting versus active surveillance: Appropriate patient selection. <i>Current Prostate Reports</i> , 2009 , 7, 5-10		
5	Laparoscopic approaches to renal malignancies. <i>Current Problems in Cancer</i> , 2006 , 30, 168-93	2.3	
4	Re: Metastatic adenocarcinoma of the prostate to the choroid with loss of visual acuity as a presenting symptom. <i>Journal of Urology</i> , 1999 , 162, 809	2.5	
3	Reply by Authors. <i>Journal of Urology</i> , 2020 , 203, 127	2.5	
2	Robotic Pelvic Lymphadenectomy: Standard and Extended Techniques 2017 , 323-330		
1	Robotic prostatectomy improves outcomes--after the potentially risky adoption phase. <i>Oncology</i> , 2012 , 26, 626, 628, 630	1.8	