

Christopher J Kane

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11191299/christopher-j-kane-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

250
papers

9,868
citations

51
h-index

90
g-index

260
ext. papers

11,341
ext. citations

4.4
avg, IF

5.66
L-index

#	Paper	IF	Citations
250	Impact of age on treatment response in men with prostate cancer treated with radiotherapy.. <i>BJUI Compass</i> , 2022 , 3, 243-250	0.9	0
249	Association between Delay to Radical Prostatectomy and Clinically Meaningful Outcomes among Patients with Intermediate and High-Risk Localized Prostate Cancer. <i>Journal of Urology</i> , 2021 , 101097JU00000000000002	2.5	0
248	Safety of concomitant therapy with radium-223 and abiraterone or enzalutamide in a real-world population. <i>Prostate</i> , 2021 , 81, 390-397	4.2	1
247	The Impact of Comorbidity and Age on Timing of Androgen Deprivation Therapy in Men with Biochemical Recurrence after Radical Prostatectomy. <i>Urology Practice</i> , 2021 , 8, 238-245	0.8	0
246	Diabetes and Prostate Cancer Outcomes in Obese and Nonobese Men After Radical Prostatectomy. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkab023	4.6	1
245	Experience with 10 years of a robotic surgery program at an Academic Medical Center. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	0
244	Do Hispanic Men Have Worse Outcomes After Radical Prostatectomy? Results From SEARCH. <i>Urology</i> , 2021 , 149, 181-186	1.6	0
243	Monocyte counts and prostate cancer outcomes in white and black men: results from the SEARCH database. <i>Cancer Causes and Control</i> , 2021 , 32, 189-197	2.8	0
242	Focus on Transitional Disease: A Critical Interval to Delay Progression of Prostate Cancer. <i>Oncology</i> , 2021 , 35, 166	1.8	0
241	Predicting Disease Recurrence, Early Progression, and Overall Survival Following Surgical Resection for High-risk Localized and Locally Advanced Renal Cell Carcinoma. <i>European Urology</i> , 2021 , 80, 20-31	10.2	10
240	A PSMA-targeted bispecific antibody for prostate cancer driven by a small-molecule targeting ligand. <i>Science Advances</i> , 2021 , 7,	14.3	4
239	Association Between African American Race and Clinical Outcomes in Men Treated for Low-Risk Prostate Cancer With Active Surveillance. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1747-1754	27.4	17
238	Race does not predict skeletal-related events and all-cause mortality in men with castration-resistant prostate cancer. <i>Cancer</i> , 2020 , 126, 3274-3280	6.4	1
237	Neoadjuvant rituximab modulates the tumor immune environment in patients with high risk prostate cancer. <i>Journal of Translational Medicine</i> , 2020 , 18, 214	8.5	15
236	African-American men with low-risk prostate cancer treated with radical prostatectomy in an equal-access health care system: implications for active surveillance. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 581-588	6.2	3
235	Obesity, race, and long-term prostate cancer outcomes. <i>Cancer</i> , 2020 , 126, 3733-3741	6.4	10
234	Testosterone therapy does not increase the risks of prostate cancer recurrence or death after definitive treatment for localized disease. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 689-695	6.2	4

233	Establishment and Analysis of Three-Dimensional (3D) Organoids Derived from Patient Prostate Cancer Bone Metastasis Specimens and their Xenografts. <i>Journal of Visualized Experiments</i> , 2020 ,	1.6	5
232	Reply by Authors. <i>Journal of Urology</i> , 2020 , 203, 127	2.5	
231	Serum Lipids prior to Starting Androgen Deprivation Therapy and Risk of Castration Resistant Prostate Cancer and Metastasis: Results from the SEARCH Database. <i>Journal of Urology</i> , 2020 , 203, 120-127	2.5	2
230	Racial Discrepancies in Overall Survival among Men Treated with Radium. <i>Journal of Urology</i> , 2020 , 203, 331-337	2.5	14
229	Competing Risks of Mortality among Men with Biochemical Recurrence after Radical Prostatectomy. <i>Journal of Urology</i> , 2020 , 204, 511-517	2.5	2
228	Development and Validation of a Clinical Prognostic Stage Group System for Nonmetastatic Prostate Cancer Using Disease-Specific Mortality Results From the International Staging Collaboration for Cancer of the Prostate. <i>JAMA Oncology</i> , 2020 , 6, 1912-1920	13.4	15
227	Obese men undergoing radical prostatectomy: Is robotic or retropubic better to limit positive surgical margins? Results from SEARCH. <i>International Journal of Urology</i> , 2020 , 27, 851-857	2.3	4
226	Socioeconomic status, race, and long-term outcomes after radical prostatectomy in an equal access health system: Results from the SEARCH database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 289.e11-289.e17	2.8	11
225	First-year weight loss with androgen-deprivation therapy increases risks of prostate cancer progression and prostate cancer-specific mortality: results from SEARCH. <i>Cancer Causes and Control</i> , 2019 , 30, 259-269	2.8	2
224	Association of Black Race With Prostate Cancer-Specific and Other-Cause Mortality. <i>JAMA Oncology</i> , 2019 , 5, 975-983	13.4	142
223	Predicting Renal Cancer Recurrence: Defining Limitations of Existing Prognostic Models With Prospective Trial-Based Validation. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2062-2071	2.2	45
222	Association of Treatment With 5-Reductase Inhibitors With Time to Diagnosis and Mortality in Prostate Cancer. <i>JAMA Internal Medicine</i> , 2019 , 179, 812-819	11.5	27
221	Influence of African American race on the association between preoperative biopsy grade group and adverse histopathologic features of radical prostatectomy. <i>Cancer</i> , 2019 , 125, 3025-3032	6.4	2
220	Poorly controlled diabetes increases the risk of metastases and castration-resistant prostate cancer in men undergoing radical prostatectomy: Results from the SEARCH database. <i>Cancer</i> , 2019 , 125, 2861-2867	6.4	8
219	Practice patterns and outcomes of equivocal bone scans for patients with castration-resistant prostate cancer: Results from SEARCH. <i>Asian Journal of Urology</i> , 2019 , 6, 242-248	2.7	3
218	Subcastrate Testosterone Nadir and Clinical Outcomes in Intermediate- or High-Risk Localized Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 103, 1068-1076	4	4
217	Predictors of skeletal-related events and mortality in men with metastatic, castration-resistant prostate cancer: Results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Cancer</i> , 2019 , 125, 4003-4010	6.4	10
216	Salvage Radiotherapy for Recurrent Prostate Cancer: Can the Prognostic Grade Group System Inform Treatment Timing?. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e930-e938	3.3	0

215	Validity of the National Death Index to ascertain the date and cause of death in men having undergone prostatectomy for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 633-635	6.2	6
214	Association between Radical Prostatectomy and Survival in Men with Clinically Node-positive Prostate Cancer. <i>European Urology Oncology</i> , 2019 , 2, 584-588	6.7	4
213	Neoadjuvant Sunitinib Decreases Inferior Vena Caval Thrombus Size and Is Associated With Improved Oncologic Outcomes: A Multicenter Comparative Analysis. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e505-e512	3.3	11
212	Does race predict the development of metastases in men who receive androgen-deprivation therapy for a biochemical recurrence after radical prostatectomy?. <i>Cancer</i> , 2019 , 125, 434-441	6.4	2
211	Obesity, risk of biochemical recurrence, and prostate-specific antigen doubling time after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2019 , 124, 69-75	5.6	8
210	Statins are Associated With Increased Biochemical Recurrence After Radical Prostatectomy in Diabetic Men but no Association was Seen in Men also Taking Metformin: Results From the SEARCH Database. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e140-e149	3.3	4
209	Impact of age, comorbidity, and PSA doubling time on long-term competing risks for mortality among men with non-metastatic castration-resistant prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 252-260	6.2	12
208	Radical prostatectomy and the effect of close surgical margins: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2018 , 122, 592-598	5.6	7
207	Definitive Radiation Therapy and Survival in Clinically Node-Positive Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 1188-1193	4	12
206	Neutrophil, lymphocyte and platelet counts, and risk of prostate cancer outcomes in white and black men: results from the SEARCH database. <i>Cancer Causes and Control</i> , 2018 , 29, 581-588	2.8	18
205	First postoperative PSA is associated with outcomes in patients with node positive prostate cancer: Results from the SEARCH database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 239.e17-239.e25	2.8	9
204	Three-month posttreatment prostate-specific antigen level as a biomarker of treatment response in patients with intermediate-risk or high-risk prostate cancer treated with androgen deprivation therapy and radiotherapy. <i>Cancer</i> , 2018 , 124, 2939-2947	6.4	10
203	Obese patients with castration-resistant prostate cancer may be at a lower risk of all-cause mortality: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2018 , 122, 76-82	5.6	6
202	Retroperitoneal Lymphadenectomy for High Risk, Nonmetastatic Renal Cell Carcinoma: An Analysis of the ASSURE (ECOG-ACRIN 2805) Adjuvant Trial. <i>Journal of Urology</i> , 2018 , 199, 53-59	2.5	31
201	Does Early Prostate Specific Antigen Doubling Time after Radical Prostatectomy, Calculated Prior to Prostate Specific Antigen Recurrence, Correlate with Prostate Cancer Outcomes? A Report from the SEARCH Database Group. <i>Journal of Urology</i> , 2018 , 199, 713-718	2.5	3
200	Development and Validation of a Novel Integrated Clinical-Genomic Risk Group Classification for Localized Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2018 , 36, 581-590	2.2	107
199	Impact of prior local therapy on overall survival in men with metastatic castration-resistant prostate cancer: Results from Shared Equal Access Regional Cancer Hospital. <i>International Journal of Urology</i> , 2018 , 25, 998-1004	2.3	5
198	Nerve-targeted probes for fluorescence-guided intraoperative imaging. <i>Theranostics</i> , 2018 , 8, 4226-4237	12.1	30

197	Fluorescence-Based Molecular Imaging of Porcine Urinary Bladder Sentinel Lymph Nodes. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 547-553	8.9	17
196	Ability of a Genomic Classifier to Predict Metastasis and Prostate Cancer-specific Mortality after Radiation or Surgery based on Needle Biopsy Specimens. <i>European Urology</i> , 2017 , 72, 845-852	10.2	61
195	Characterization of a "low-risk" cohort of grade group 2 prostate cancer patients: Results from the Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2017 , 24, 611-617	2.7	3
194	Thresholds for PSA doubling time in men with non-metastatic castration-resistant prostate cancer. <i>BJU International</i> , 2017 , 120, E80-E86	5.6	27
193	Variability in Outcomes for Patients with Intermediate-risk Prostate Cancer (Gleason Score 7, International Society of Urological Pathology Gleason Group 2-3) and Implications for Risk Stratification: A Systematic Review. <i>European Urology Focus</i> , 2017 , 3, 487-497	5.1	27
192	Factors predicting skeletal-related events in patients with bone metastatic castration-resistant prostate cancer. <i>Cancer</i> , 2017 , 123, 1528-1535	6.4	18
191	Modified risk stratification grouping using standard clinical and biopsy information for patients undergoing radical prostatectomy: Results from SEARCH. <i>Prostate</i> , 2017 , 77, 1592-1600	4.2	6
190	Timing of Prostate-specific Antigen Nadir After Radical Prostatectomy and Risk of Biochemical Recurrence. <i>Urology</i> , 2017 , 108, 129-134	1.6	13
189	Predictors of operative time during radical retropubic prostatectomy and robot-assisted laparoscopic prostatectomy. <i>International Journal of Urology</i> , 2017 , 24, 618-623	2.3	12
188	Biopsy Detected Gleason Pattern 5 is Associated with Recurrence, Metastasis and Mortality in a Cohort of Men with High Risk Prostate Cancer. <i>Journal of Urology</i> , 2017 , 198, 1309-1315	2.5	9
187	Race and risk of metastases and survival after radical prostatectomy: Results from the SEARCH database. <i>Cancer</i> , 2017 , 123, 4199-4206	6.4	24
186	Validation of the 2015 prostate cancer grade groups for predicting long-term oncologic outcomes in a shared equal-access health system. <i>Cancer</i> , 2017 , 123, 4122-4129	6.4	13
185	Number of Unfavorable Intermediate-Risk Factors Predicts Pathologic Upstaging and Prostate Cancer-Specific Mortality Following Radical Prostatectomy: Results From the SEARCH Database. <i>Prostate</i> , 2017 , 77, 154-163	4.2	17
184	Weight Loss Following Radical Cystectomy for Bladder Cancer: Characterization and Effect on Survival. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 86-92	3.3	8
183	In Men with Castration-Resistant Prostate Cancer, Visceral Metastases Predict Shorter Overall Survival: What Predicts Visceral Metastases? Results from the SEARCH Database. <i>European Urology Focus</i> , 2017 , 3, 480-486	5.1	4
182	Predicting Time From Metastasis to Overall Survival in Castration-Resistant Prostate Cancer: Results From SEARCH. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 60-66.e2	3.3	46
181	Robotic Pelvic Lymphadenectomy: Standard and Extended Techniques 2017 , 323-330		
180	Specific bone region localization of osteolytic versus osteoblastic lesions in a patient-derived xenograft model of bone metastatic prostate cancer. <i>Asian Journal of Urology</i> , 2016 , 3, 229-239	2.7	3

179	Change in platelet count as a prognostic indicator for response to primary tyrosine kinase inhibitor therapy in metastatic renal cell carcinoma. <i>BJU International</i> , 2016 , 118, 927-934	5.6	5
178	Voxel Level Radiologic-Pathologic Validation of Restriction Spectrum Imaging Cellularity Index with Gleason Grade in Prostate Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 2668-74	12.9	11
177	Positive surgical margins in radical prostatectomy patients do not predict long-term oncological outcomes: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) cohort. <i>BJU International</i> , 2016 , 117, 244-8	5.6	15
176	Active Surveillance of Prostate Cancer in a Community Practice: How to Measure, Manage, and Improve?. <i>Urology</i> , 2016 , 93, 60-7	1.6	9
175	Restriction spectrum imaging improves MRI-based prostate cancer detection. <i>Abdominal Radiology</i> , 2016 , 41, 946-53	3	15
174	Evaluation of a genomic classifier in radical prostatectomy patients with lymph node metastasis. <i>Research and Reports in Urology</i> , 2016 , 8, 77-84	1.3	12
173	Utilization and impact of surgical technique on the performance of pelvic lymph node dissection at radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2016 , 23, 241-6	2.3	1
172	Pathological and Biochemical Outcomes among African-American and Caucasian Men with Low Risk Prostate Cancer in the SEARCH Database: Implications for Active Surveillance Candidacy. <i>Journal of Urology</i> , 2016 , 196, 1408-1414	2.5	37
171	Is computed tomography a necessary part of a metastatic evaluation for castration-resistant prostate cancer? Results from the Shared Equal Access Regional Cancer Hospital Database. <i>Cancer</i> , 2016 , 122, 222-9	6.4	4
170	Validation of a bone scan positivity risk table in non-metastatic castration-resistant prostate cancer. <i>BJU International</i> , 2016 , 118, 570-7	5.6	7
169	Do all men with pathological Gleason score 8-10 prostate cancer have poor outcomes? Results from the SEARCH database. <i>BJU International</i> , 2016 , 118, 250-7	5.6	12
168	Adverse pathology and undetectable ultrasensitive prostate-specific antigen after radical prostatectomy: is adjuvant radiation warranted?. <i>BJU International</i> , 2016 , 117, 897-903	5.6	7
167	Prostate Cancer, Version 1.2016. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016 , 14, 19-30	7.3	473
166	Racial Differences in the Association Between Preoperative Serum Cholesterol and Prostate Cancer Recurrence: Results from the SEARCH Database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 547-54	4	10
165	Race does not predict the development of metastases in men with nonmetastatic castration-resistant prostate cancer. <i>Cancer</i> , 2016 , 122, 3848-3855	6.4	7
164	Prostate diffusion imaging with distortion correction. <i>Magnetic Resonance Imaging</i> , 2015 , 33, 1178-1181	3.3	18
163	Agent Orange and long-term outcomes after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 329.e1-6	2.8	3
162	MRI-Derived Restriction Spectrum Imaging Cellularity Index is Associated with High Grade Prostate Cancer on Radical Prostatectomy Specimens. <i>Frontiers in Oncology</i> , 2015 , 5, 30	5.3	15

161	Immunosuppressive plasma cells impede T-cell-dependent immunogenic chemotherapy. <i>Nature</i> , 2015 , 521, 94-8	50.4	313
160	Virtual reality suturing task as an objective test for robotic experience assessment. <i>BMC Urology</i> , 2015 , 15, 63	2.2	7
159	Prostate-specific antigen level, stage or Gleason score: which is best for predicting outcomes after radical prostatectomy, and does it vary by the outcome being measured? Results from Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2015 , 22, 362-6	2.3	9
158	Practice patterns and predictors of followup imaging after a negative bone scan in men with castration resistant prostate cancer: results from the SEARCH database. <i>Journal of Urology</i> , 2015 , 193, 1232-8	2.5	10
157	Impact of family history on prostate cancer mortality in white men undergoing prostate specific antigen based screening. <i>Journal of Urology</i> , 2015 , 193, 75-9	2.5	29
156	Does larger tumor volume explain the higher prostate specific antigen levels in black men with prostate cancer--Results from the SEARCH database. <i>Cancer Epidemiology</i> , 2015 , 39, 1066-70	2.8	
155	A Family History of Lethal Prostate Cancer and Risk of Aggressive Prostate Cancer in Patients Undergoing Radical Prostatectomy. <i>Scientific Reports</i> , 2015 , 5, 10544	4.9	7
154	Smoking is a predictor of adverse pathological features at radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital database. <i>International Journal of Urology</i> , 2015 , 22, 658-62 ³		8
153	Is clinical stage T2c prostate cancer an intermediate- or high-risk disease?. <i>Cancer</i> , 2015 , 121, 1414-21	6.4	9
152	Tumor infiltrating B-cells are increased in prostate cancer tissue. <i>Journal of Translational Medicine</i> , 2014 , 12, 30	8.5	108
151	Postoperative statin use and risk of biochemical recurrence following radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2014 , 114, 661-6	5.6	36
150	Cigarette smoking is associated with an increased risk of biochemical disease recurrence, metastasis, castration-resistant prostate cancer, and mortality after radical prostatectomy: results from the SEARCH database. <i>Cancer</i> , 2014 , 120, 197-204	6.4	53
149	How to minimize lymphoceles and treat clinically symptomatic lymphoceles after radical prostatectomy. <i>Current Urology Reports</i> , 2014 , 15, 445	2.9	30
148	Diffusion-weighted imaging in cancer: physical foundations and applications of restriction spectrum imaging. <i>Cancer Research</i> , 2014 , 74, 4638-52	10.1	117
147	Minimally invasive cystectomy is associated with improved perioperative patient safety outcomes compared with open cystectomy in a national cohort. <i>Urology</i> , 2014 , 84, 314-9	1.6	15
146	Reply: To PMID 24958477. <i>Urology</i> , 2014 , 84, 319-20	1.6	
145	Serum lipid profile and risk of prostate cancer recurrence: Results from the SEARCH database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2349-56	4	79
144	Preclinical evaluation of robotic-assisted sentinel lymph node fluorescence imaging. <i>Journal of Nuclear Medicine</i> , 2014 , 55, 1552-6	8.9	10

143	Robotic-assisted fluorescence sentinel lymph node mapping using multimodal image guidance in an animal model. <i>Urology</i> , 2014 , 84, 982.e9-14	1.6	15
142	Detectable prostate-specific antigen Nadir during androgen-deprivation therapy predicts adverse prostate cancer-specific outcomes: results from the SEARCH database. <i>European Urology</i> , 2014 , 65, 620-7	10.2	20
141	Multi-institutional validation of the CAPRA-S score to predict disease recurrence and mortality after radical prostatectomy. <i>European Urology</i> , 2014 , 65, 1171-7	10.2	88
140	Prostate cancer, version 2.2014. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014 , 12, 686-718	7.3	261
139	What is the incidence of kidney stones after chemotherapy in patients with lymphoproliferative or myeloproliferative disorders?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 772-80	2	1
138	Impact of renal surgery for cortical neoplasms on lipid metabolism. <i>BJU International</i> , 2014 , 114, 837-43	5.6	5
137	The impact of pathologic staging on the long-term oncologic outcomes of patients with clinically high-risk prostate cancer. <i>Cancer</i> , 2014 , 120, 1656-62	6.4	21
136	Does radical nephrectomy increase the risk of erectile dysfunction compared with partial nephrectomy? A cohort analysis. <i>BJU International</i> , 2013 , 111, E98-102	5.6	12
135	Outcomes and complications of pelvic lymph node dissection during robotic-assisted radical prostatectomy. <i>World Journal of Urology</i> , 2013 , 31, 481-8	4	56
134	Editorial comment from Dr Liss and Dr Kane to lymphocele after extraperitoneal robot-assisted radical prostatectomy: a propensity score-matching study. <i>International Journal of Urology</i> , 2013 , 20, 1177	2.3	
133	Do nomograms designed to predict biochemical recurrence (BCR) do a better job of predicting more clinically relevant prostate cancer outcomes than BCR? A report from the SEARCH database group. <i>Urology</i> , 2013 , 82, 53-8	1.6	17
132	Comparison of transrectal and transvaginal hybrid natural orifice transluminal endoscopic surgery partial nephrectomy in the porcine model. <i>Urology</i> , 2013 , 82, 84-9	1.6	12
131	Does timing of cytoreductive nephrectomy impact patient survival with metastatic renal cell carcinoma in the tyrosine kinase inhibitor era? A multi-institutional study. <i>Urology</i> , 2013 , 81, 805-11	1.6	29
130	Delayed radical prostatectomy for intermediate-risk prostate cancer is associated with biochemical recurrence: possible implications for active surveillance from the SEARCH database. <i>Prostate</i> , 2013 , 73, 409-17	4.2	63
129	Optimization via specific fluorescence brightness of a receptor-targeted probe for optical imaging and positron emission tomography of sentinel lymph nodes. <i>Journal of Biomedical Optics</i> , 2013 , 18, 101315	3.5	22
128	Diabetes predicts metastasis after radical prostatectomy in obese men: results from the SEARCH database. <i>BJU International</i> , 2013 , 111, E310-8	5.6	11
127	Comparison of rates and risk factors for development of anaemia and erythropoiesis-stimulating agent utilization after radical or partial nephrectomy. <i>BJU International</i> , 2012 , 109, 1019-25	5.6	17
126	Obesity is associated with castration-resistant disease and metastasis in men treated with androgen deprivation therapy after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2012 , 110, 492-8	5.6	65

125	A receptor-targeted fluorescent radiopharmaceutical for multireporter sentinel lymph node imaging. <i>Radiology</i> , 2012 , 265, 186-93	20.5	51
124	Obesity, prostate-specific antigen nadir, and biochemical recurrence after radical prostatectomy: biology or technique? Results from the SEARCH database. <i>European Urology</i> , 2012 , 62, 910-6	10.2	28
123	Does salvage radiation therapy change the biology of recurrent prostate cancer based on PSA doubling times? Results from the SEARCH database. <i>Urology</i> , 2012 , 79, 1105-10	1.6	0
122	Feasibility of transrectal hybrid natural orifice transluminal endoscopic surgery (NOTES) nephrectomy in the cadaveric model. <i>Urology</i> , 2012 , 80, 590-5	1.6	15
121	Preoperative sentinel lymph node mapping of the prostate using PET/CT fusion imaging and Ga-68-labeled tilmanocept in an animal model. <i>Clinical and Experimental Metastasis</i> , 2012 , 29, 673-80	4.7	27
120	Effect of race and socioeconomic status on surgical margins and biochemical outcomes in an equal-access health care setting: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Cancer</i> , 2012 , 118, 4999-5007	6.4	37
119	Initial experience with aspirin use during robotic radical prostatectomy. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2012 , 22, 225-9	2.1	12
118	Management of pelvic lymphoceles following robot-assisted laparoscopic radical prostatectomy. <i>Urology Annals</i> , 2012 , 4, 111-4	1	15
117	Robotic prostatectomy improves outcomes--after the potentially risky adoption phase. <i>Oncology</i> , 2012 , 26, 626, 628, 630	1.8	
116	What do I tell patients about saw palmetto for benign prostatic hyperplasia?. <i>Urologic Clinics of North America</i> , 2011 , 38, 261-77	2.9	8
115	Does PSADT after radical prostatectomy correlate with overall survival?--a report from the SEARCH database group. <i>Urology</i> , 2011 , 77, 149-53	1.6	12
114	Comparison of rates and risk factors for development of osteoporosis and fractures after radical or partial nephrectomy. <i>Urology</i> , 2011 , 78, 614-9	1.6	24
113	Treatment trends for stage I renal cell carcinoma. <i>Journal of Urology</i> , 2011 , 186, 394-9	2.5	80
112	A natural history of weight change in men with prostate cancer on androgen-deprivation therapy (ADT): results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2011 , 107, 924-8	5.6	31
111	A novel patient-derived intra-femoral xenograft model of bone metastatic prostate cancer that recapitulates mixed osteolytic and osteoblastic lesions. <i>Journal of Translational Medicine</i> , 2011 , 9, 185	8.5	29
110	Robotic-assisted laparoscopic prostatectomy for high-risk prostate cancer: technical considerations and review of the literature. <i>ISRN Urology</i> , 2011 , 2011, 201408		4
109	Predictors of secondary treatment following biochemical recurrence after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital database. <i>BJU International</i> , 2010 , 105, 28-33	5.6	20
108	Adequacy of lymphadenectomy among men undergoing robot-assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2010 , 105, 88-92	5.6	45

107	Estimated blood loss as a predictor of PSA recurrence after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2010 , 105, 347-51	5.6	11
106	Definition and preoperative predictors of persistently elevated prostate-specific antigen after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2010 , 105, 1541-7	5.6	16
105	Feasibility and efficacy of neoadjuvant sunitinib before nephron-sparing surgery. <i>BJU International</i> , 2010 , 106, 1270-6	5.6	65
104	Postoperative prostate-specific antigen nadir improves accuracy for predicting biochemical recurrence after radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital (SEARCH) and Duke Prostate Center databases. <i>International Journal of Urology</i> , 2010 , 17, 914-22	2.3	8
103	Laparo-endoscopic single-site surgery for radical and cytoreductive nephrectomy, renal vein thrombectomy, and partial nephrectomy: a prospective pilot evaluation. <i>Diagnostic and Therapeutic Endoscopy</i> , 2010 , 2010, 107482	0	9
102	Diabetes and outcomes after radical prostatectomy: are results affected by obesity and race? Results from the shared equal-access regional cancer hospital database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 9-17	4	36
101	Freedom from a detectable ultrasensitive prostate-specific antigen at two years after radical prostatectomy predicts a favorable clinical outcome: analysis of the SEARCH database. <i>Urology</i> , 2010 , 75, 439-44	1.6	17
100	Outcomes after radical prostatectomy among men who are candidates for active surveillance: results from the SEARCH database. <i>Urology</i> , 2010 , 76, 695-700	1.6	63
99	Association of cigarette smoking with interval to biochemical recurrence after radical prostatectomy: results from the SEARCH database. <i>Urology</i> , 2010 , 76, 1218-23	1.6	23
98	Re-calibration and external validation of an existing nomogram to predict aggressive recurrences after radical prostatectomy. <i>BJU International</i> , 2010 , 105, 1654-9	5.6	9
97	Statin medication use and the risk of biochemical recurrence after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) Database. <i>Cancer</i> , 2010 , 116, 3389-98	6.4	96
96	Glycemic control and prostate cancer progression: results from the SEARCH database. <i>Prostate</i> , 2010 , 70, 1540-6	4.2	35
95	Race and time from diagnosis to radical prostatectomy: does equal access mean equal timely access to the operating room?--Results from the SEARCH database. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1208-12	4	21
94	Obesity as a predictor of adverse outcome across black and white race: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) Database. <i>Cancer</i> , 2009 , 115, 5263-71	6.4	61
93	Watchful waiting versus active surveillance: Appropriate patient selection. <i>Current Prostate Reports</i> , 2009 , 7, 5-10		
92	Do nomograms predict aggressive recurrence after radical prostatectomy more accurately than biochemical recurrence alone?. <i>BJU International</i> , 2009 , 103, 603-8	5.6	20
91	Exposure to Agent Orange is a significant predictor of prostate-specific antigen (PSA)-based recurrence and a rapid PSA doubling time after radical prostatectomy. <i>BJU International</i> , 2009 , 103, 1168-72	5.6	15
90	Validation of a nomogram to predict disease progression following salvage radiotherapy after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2009 , 104, 1452-6	5.6	30

89	Does early prostate-specific antigen doubling time (ePSADT) after radical prostatectomy, calculated using PSA values from the first detectable until the first recurrence value, correlate with standard PSADT? A report from the Shared Equal Access Regional Cancer Hospital Database Group. <i>BJU International</i> , 2009 , 104, 1604-9	5.6	13
88	Natural history of persistently elevated prostate specific antigen after radical prostatectomy: results from the SEARCH database. <i>Journal of Urology</i> , 2009 , 182, 2250-5	2.5	33
87	Body mass index and prostate specific antigen as predictors of adverse pathology and biochemical recurrence after prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 491-6; discussion 496-8	2.5	16
86	Obesity and positive surgical margins by anatomic location after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital database. <i>BJU International</i> , 2008 , 102, 964-8	5.6	42
85	Obesity and oncological outcome after radical prostatectomy: impact of prostate-specific antigen-based prostate cancer screening: results from the Shared Equal Access Regional Cancer Hospital and Duke Prostate Center databases. <i>BJU International</i> , 2008 , 102, 969-74	5.6	39
84	The association between prostate size and Gleason score upgrading depends on the number of biopsy cores obtained: results from the Shared Equal Access Regional Cancer Hospital Database. <i>BJU International</i> , 2008 , 102, 1074-9	5.6	26
83	PSA in the new millennium: a powerful predictor of prostate cancer prognosis and radical prostatectomy outcomes--results from the SEARCH database. <i>European Urology</i> , 2008 , 53, 758-64; discussion 765-6	10.2	27
82	The effect of race/ethnicity on the accuracy of the 2001 Partin Tables for predicting pathologic stage of localized prostate cancer. <i>Urology</i> , 2008 , 71, 151-5	1.6	13
81	Effect of BMI on primary treatment of prostate cancer. <i>Urology</i> , 2008 , 72, 406-11	1.6	23
80	What are the factors associated with short prostate specific antigen doubling time after radical prostatectomy? A report from the SEARCH database group. <i>Journal of Urology</i> , 2008 , 180, 1980-4; discussion 1985	2.5	16
79	Limitations of prostate specific antigen doubling time following biochemical recurrence after radical prostatectomy: results from the SEARCH database. <i>Journal of Urology</i> , 2008 , 179, 1785-9; discussion 1789-90	2.5	16
78	Is a positive bladder neck margin truly a T4 lesion in the prostate specific antigen era? Results from the SEARCH Database. <i>Journal of Urology</i> , 2008 , 179, 124-9; discussion 129	2.5	17
77	Effects of hospital procedure volume and resident training on clinical outcomes and resource use in radical retropubic prostatectomy surgery in the Department of Veterans Affairs. <i>Journal of Urology</i> , 2008 , 179, 272-8; discussion 278-9	2.5	22
76	Risk stratification for biochemical recurrence in men with positive surgical margins or extracapsular disease after radical prostatectomy: results from the SEARCH database. <i>Journal of Urology</i> , 2008 , 179, 1791-6; discussion 1796	2.5	28
75	Small transrectal ultrasound volume predicts clinically significant Gleason score upgrading after radical prostatectomy: results from the SEARCH database. <i>Journal of Urology</i> , 2008 , 179, 523-7; discussion 527-8	2.5	51
74	Watchful waiting versus active surveillance: appropriate patient selection. <i>Current Urology Reports</i> , 2008 , 9, 211-6	2.9	8
73	Active surveillance for the management of prostate cancer in a contemporary cohort. <i>Cancer</i> , 2008 , 112, 2664-70	6.4	325
72	Renal cell cancer stage migration: analysis of the National Cancer Data Base. <i>Cancer</i> , 2008 , 113, 78-83	6.4	441

71	Body mass index, prostate weight and transrectal ultrasound prostate volume accuracy. <i>Journal of Urology</i> , 2007 , 178, 990-5	2.5	28
70	Predicting unilateral prostate cancer based on biopsy features: implications for focal ablative therapy—results from the SEARCH database. <i>Journal of Urology</i> , 2007 , 178, 1249-52	2.5	51
69	Changing nature of high risk patients undergoing radical prostatectomy. <i>Journal of Urology</i> , 2007 , 177, 113-7	2.5	53
68	Education predicts quality of life among men with prostate cancer cared for in the Department of Veterans Affairs: a longitudinal quality of life analysis from CaPSURE. <i>Cancer</i> , 2007 , 109, 1769-76	6.4	51
67	Race, biochemical disease recurrence, and prostate-specific antigen doubling time after radical prostatectomy: results from the SEARCH database. <i>Cancer</i> , 2007 , 110, 2202-9	6.4	55
66	Obesity-related plasma hemodilution and PSA concentration among men with prostate cancer. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 2275-80	27.4	255
65	Upgrading and downgrading of prostate needle biopsy specimens: risk factors and clinical implications. <i>Urology</i> , 2007 , 69, 495-9	1.6	136
64	Optimal timing, cutoff, and method of calculation of preoperative prostate-specific antigen velocity to predict relapse after prostatectomy: a report from SEARCH. <i>Urology</i> , 2007 , 69, 732-7	1.6	19
63	Impact of obesity on the utility of preoperative prostate-specific antigen velocity to predict for relapse after prostatectomy: a report from the SEARCH database. <i>Urology</i> , 2007 , 69, 921-6	1.6	8
62	Do racial differences in prostate size explain higher serum prostate-specific antigen concentrations among black men?. <i>Urology</i> , 2007 , 69, 1138-42	1.6	12
61	Risk stratification of men with Gleason score 7 to 10 tumors by primary and secondary Gleason score: results from the SEARCH database. <i>Urology</i> , 2007 , 70, 277-82	1.6	41
60	Conservative Management of Ureteral Calculi 2007 , 457-464		1
59	Smoking influences aberrant CpG hypermethylation of multiple genes in human prostate carcinoma. <i>Cancer</i> , 2006 , 106, 79-86	6.4	50
58	Clinical and pathologic outcome after radical prostatectomy for prostate cancer patients with a preoperative Gleason sum of 8 to 10. <i>Cancer</i> , 2006 , 107, 1265-72	6.4	88
57	Multiinstitutional validation of the UCSF cancer of the prostate risk assessment for prediction of recurrence after radical prostatectomy. <i>Cancer</i> , 2006 , 107, 2384-91	6.4	115
56	Laparoscopic versus open cytoreductive nephrectomy in advanced renal-cell carcinoma. <i>Journal of Endourology</i> , 2006 , 20, 504-8	2.7	29
55	Delay of radical prostatectomy and risk of biochemical progression in men with low risk prostate cancer. <i>Journal of Urology</i> , 2006 , 175, 1298-302; discussion 1302-3	2.5	62
54	Prostate biopsy tumor extent but not location predicts recurrence after radical prostatectomy: results from CaPSURE. <i>Journal of Urology</i> , 2006 , 175, 125-9; discussion 129	2.5	20

53	Is biopsy Gleason score independently associated with biochemical progression following radical prostatectomy after adjusting for pathological Gleason score?. <i>Journal of Urology</i> , 2006 , 176, 2453-8; discussion 2458	2.5	25
52	Obesity, serum prostate specific antigen and prostate size: implications for prostate cancer detection. <i>Journal of Urology</i> , 2006 , 175, 500-4; discussion 504	2.5	136
51	Health-related quality of life for men with prostate cancer and diabetes: a longitudinal analysis from CaPSURE. <i>Urology</i> , 2006 , 68, 1242-7	1.6	17
50	Laparoscopic approaches to renal malignancies. <i>Current Problems in Cancer</i> , 2006 , 30, 168-93	2.3	
49	The effect of kidney morcellation on operative time, incision complications, and postoperative analgesia after laparoscopic nephrectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2006 , 32, 273-9; discussion 279-80	2	13
48	Ability of 2 pretreatment risk assessment methods to predict prostate cancer recurrence after radical prostatectomy: data from CaPSURE. <i>Journal of Urology</i> , 2005 , 173, 1126-31	2.5	62
47	Obesity and prostate cancer clinical risk factors at presentation: data from CaPSURE. <i>Journal of Urology</i> , 2005 , 173, 732-6	2.5	48
46	The impact of obesity on health related quality of life before and after radical prostatectomy (data from CaPSURE). <i>Journal of Urology</i> , 2005 , 173, 1132-8	2.5	52
45	Impact of obesity on prostate cancer recurrence after radical prostatectomy: data from CaPSURE. <i>Urology</i> , 2005 , 66, 1060-5	1.6	119
44	Ethnic group-related differences in CpG hypermethylation of the GSTP1 gene promoter among African-American, Caucasian and Asian patients with prostate cancer. <i>International Journal of Cancer</i> , 2005 , 116, 174-81	7.5	78
43	Prostate size and risk of high-grade, advanced prostate cancer and biochemical progression after radical prostatectomy: a search database study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 7546-54	2.2	186
42	Multigene methylation analysis for detection and staging of prostate cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 6582-8	12.9	95
41	Racial differences in prognostic value of adult height for biochemical progression following radical prostatectomy. <i>Clinical Cancer Research</i> , 2005 , 11, 7735-42	12.9	1
40	CpG hypermethylation of MDR1 gene contributes to the pathogenesis and progression of human prostate cancer. <i>Cancer Research</i> , 2004 , 64, 5956-62	10.1	77
39	Impact of obesity on biochemical control after radical prostatectomy for clinically localized prostate cancer: a report by the Shared Equal Access Regional Cancer Hospital database study group. <i>Journal of Clinical Oncology</i> , 2004 , 22, 446-53	2.2	331
38	Predictors of prostate-specific antigen progression among men with seminal vesicle invasion at the time of radical prostatectomy. <i>Cancer</i> , 2004 , 100, 1633-8	6.4	34
37	Biochemical outcome after radical prostatectomy among men with normal preoperative serum prostate-specific antigen levels. <i>Cancer</i> , 2004 , 101, 748-53	6.4	22
36	Obesity and biochemical outcome following radical prostatectomy for organ confined disease with negative surgical margins. <i>Journal of Urology</i> , 2004 , 172, 520-4	2.5	79

35	Differences in complications and outcomes for obese patients undergoing laparoscopic radical, partial or simple nephrectomy. <i>Journal of Urology</i> , 2004 , 172, 2287-91	2.5	64
34	Preoperative model for predicting prostate specific antigen recurrence after radical prostatectomy using percent of biopsy tissue with cancer, biopsy Gleason grade and serum prostate specific antigen. <i>Journal of Urology</i> , 2004 , 171, 2215-20	2.5	42
33	Kidney gene database: a curated and integrated database of genes involved in kidney disease. <i>Journal of Urology</i> , 2004 , 172, 2344-6	2.5	2
32	Laparoscopic partial nephrectomy with temporary arterial occlusion: description of technique and renal functional outcomes. <i>Urology</i> , 2004 , 63, 241-6	1.6	48
31	Do younger men have better biochemical outcomes after radical prostatectomy?. <i>Urology</i> , 2004 , 63, 518-22	2.5	53
30	Update of staging and risk assessment for prostate cancer patients. <i>Current Opinion in Urology</i> , 2004 , 14, 163-70	2.8	9
29	The percentage of prostate needle biopsy cores with carcinoma from the more involved side of the biopsy as a predictor of prostate specific antigen recurrence after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Cancer</i> , 2003 , 98, 2344-50	6.4	41
28	Effect of age on biochemical disease-free outcome in patients with T1-T3 prostate cancer treated with definitive radiotherapy in an equal-access health care system: a radiation oncology report of the Department of Defense Center for Prostate Disease Research. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 55, 964-9	4	24
27	Sociodemographic and clinical risk characteristics of patients with prostate cancer within the Veterans Affairs health care system: data from CaPSURE. <i>Journal of Urology</i> , 2003 , 170, 905-8	2.5	34
26	Comparison of preoperative prostate specific antigen density and prostate specific antigen for predicting recurrence after radical prostatectomy: results from the search data base. <i>Journal of Urology</i> , 2003 , 169, 969-73	2.5	42
25	Percent of prostate needle biopsy cores with cancer is significant independent predictor of prostate specific antigen recurrence following radical prostatectomy: results from SEARCH database. <i>Journal of Urology</i> , 2003 , 169, 2136-41	2.5	80
24	Limited value of bone scintigraphy and computed tomography in assessing biochemical failure after radical prostatectomy. <i>Urology</i> , 2003 , 61, 607-11	1.6	195
23	Comparison of percentage of total prostate needle biopsy tissue with cancer to percentage of cores with cancer for predicting PSA recurrence after radical prostatectomy: results from the SEARCH database. <i>Urology</i> , 2003 , 61, 742-7	1.6	51
22	Time trends in biochemical recurrence after radical prostatectomy: results of the SEARCH database. <i>Urology</i> , 2003 , 61, 736-41	1.6	120
21	Impact of patient educational level on treatment for patients with prostate cancer: data from CaPSURE. <i>Urology</i> , 2003 , 62, 1035-9	1.6	32
20	Improved clinical staging system combining biopsy laterality and TNM stage for men with T1c and T2 prostate cancer: results from the SEARCH database. <i>Journal of Urology</i> , 2003 , 169, 2129-35	2.5	19
19	Should a positive surgical margin following radical prostatectomy be pathological stage T2 or T3? Results from the SEARCH database. <i>Journal of Urology</i> , 2003 , 169, 2142-6	2.5	52
18	PGDB: a curated and integrated database of genes related to the prostate. <i>Nucleic Acids Research</i> , 2003 , 31, 291-3	20.1	38

17	Effect of race on biochemical disease-free outcome in patients with prostate cancer treated with definitive radiation therapy in an equal-access health care system: radiation oncology report of the Department of Defense Center for Prostate Disease Research. <i>Radiology</i> , 2002 , 225, 420-6	20.5	26
16	Prospective Comparison of Computerized Tomography and Excretory Urography in the Initial Evaluation of Asymptomatic Microhematuria. <i>Journal of Urology</i> , 2002 , 168, 2457-2460	2.5	108
15	Race as an outcome predictor after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>Urology</i> , 2002 , 60, 670-4	1.6	90
14	Prospective Comparison of Computerized Tomography and Excretory Urography in the Initial Evaluation of Asymptomatic Microhematuria. <i>Journal of Urology</i> , 2002 , 2457-2460	2.5	7
13	Relationship between obesity and race in predicting adverse pathologic variables in patients undergoing radical prostatectomy. <i>Urology</i> , 2001 , 58, 723-8	1.6	110
12	The role of imaging studies and molecular markers for selecting candidates for radical prostatectomy. <i>Urologic Clinics of North America</i> , 2001 , 28, 459-72	2.9	23
11	Unenhanced helical computed tomography in the evaluation of acute flank pain. <i>Current Opinion in Urology</i> , 2000 , 10, 123-9	2.8	21
10	Impact of socioeconomic status and race on clinical parameters of patients undergoing radical prostatectomy in an equal access health care system. <i>Urology</i> , 2000 , 56, 1016-20	1.6	81
9	CURRENT MANAGEMENT OF SEVERELY ENCRUSTED URETERAL STENTS WITH A LARGE ASSOCIATED STONE BURDEN. <i>Journal of Urology</i> , 2000 , 164, 648-650	2.5	98
8	Time to stone passage for observed ureteral calculi: a guide for patient education. <i>Journal of Urology</i> , 1999 , 162, 688-90; discussion 690-1	2.5	325
7	Drug-seeking behavior in urolithiasis in the noncontrast computed tomography era: 2 cases. <i>Urology</i> , 1999 , 54, 744	1.6	8
6	Re: Metastatic adenocarcinoma of the prostate to the choroid with loss of visual acuity as a presenting symptom. <i>Journal of Urology</i> , 1999 , 162, 809	2.5	
5	LIMITED VALUE OF BONE SCINTIGRAPHY AND COMPUTED TOMOGRAPHY IN ASSESSING BIOCHEMICAL FAILURE AFTER RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 1999 , 176	2.5	4
4	Prospective comparison of unenhanced spiral computed tomography and intravenous urogram in the evaluation of acute flank pain. <i>Urology</i> , 1998 , 52, 982-7	1.6	173
3	SECOND PRIMARY MALIGNANCIES IN T1-3N0 PROSTATE CANCER PATIENTS TREATED WITH RADIATION THERAPY WITH 10-YEAR FOLLOWUP. <i>Journal of Urology</i> , 1998 , 159, 946-949	2.5	40
2	Yield of imaging and scintigraphy assessing biochemical failure in prostate cancer patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1997 , 3, 108-12	2.8	48
1	Adenocarcinoma of the prostate metastatic to the choroid of the eye. <i>Prostate</i> , 1995 , 27, 336-9	4.2	7