

# Khaled Tawaha

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11191718/publications.pdf>

Version: 2024-02-01

19  
papers

531  
citations

759233

12  
h-index

794594

19  
g-index

20  
all docs

20  
docs citations

20  
times ranked

782  
citing authors

#	ARTICLE	IF	CITATIONS
1	Bioactive withanolides from <i>Withania obtusifolia</i> . <i>Phytochemistry Letters</i> , 2014, 9, 96-101.	1.2	22
2	Chemical Profile of the Volatile Oil of Lemon verbena ( <i>Aloysia citriodora</i> ) Growing in Jordan. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2013, 16, 568-574.	1.9	12
3	Liquid Chromatography-Mass Spectroscopy and Liquid Chromatography-Ultraviolet/Visible Photodiode Array Analysis of Selected <i>Colchicum</i> Species. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2012, 67, 451-460.	1.4	2
4	Determination of hypericin and hyperforin content in selected Jordanian <i>Hypericum</i> species. <i>Industrial Crops and Products</i> , 2010, 32, 241-245.	5.2	22
5	A Bioactive Prodelphinidin from <i>Mangifera indica</i> Leaf Extract. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2010, 65, 322-326.	1.4	10
6	Colchicinoids from <i>Colchicum crocifolium</i> Boiss. (Colchicaceae). <i>Natural Product Research</i> , 2010, 24, 152-159.	1.8	13
7	Proliferation of Antibiotic-Producing Bacteria and Concomitant Antibiotic Production as the Basis for the Antibiotic Activity of Jordan's Red Soils. <i>Applied and Environmental Microbiology</i> , 2009, 75, 2735-2741.	3.1	57
8	Mapping of sample collection data: GIS tools for the natural product researcher. <i>Phytochemistry Letters</i> , 2009, 2, 1-9.	1.2	13
9	Dereplication of bioactive constituents of the genus <i>hypericum</i> using LC-(+)-ESI-MS and LC-PDA techniques: <i>Hypericum triquetrifolium</i> as a case study. <i>Saudi Pharmaceutical Journal</i> , 2009, 17, 269-274.	2.7	22
10	Colchicinoids from <i>Colchicum crocifolium</i> Boiss.: a case study in dereplication strategies for Colchicine and related analogues using LC-MS and LC-PDA techniques. <i>Phytochemical Analysis</i> , 2008, 19, 385-394.	2.4	20
11	Pyrrrolizidine alkaloids from <i>Echium glomeratum</i> (Boraginaceae). <i>Phytochemistry</i> , 2008, 69, 2341-2346.	2.9	34
12	Antioxidant activity and total phenolic content of aqueous and methanolic extracts of Jordanian plants: an ICBG project. <i>Natural Product Research</i> , 2007, 21, 1121-1131.	1.8	114
13	Phytochemical study and cytotoxicity evaluation of <i>Colchicum stevenii</i> Kunth (Colchicaceae): A Jordanian meadow saffron. <i>Natural Product Research</i> , 2006, 20, 153-160.	1.8	19
14	Phytochemical and Biological Investigation of <i>Aristolochia maurorum</i> L.. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2006, 61, 685-691.	1.4	9
15	Phytochemical studies and cytotoxicity evaluations of <i>Colchicum tunicatum</i> Feinbr and <i>Colchicum hierosolymitanum</i> Feinbr (Colchicaceae): two native Jordanian meadow saffrons. <i>Natural Product Research</i> , 2006, 20, 558-566.	1.8	28
16	Seasonal variation of colchicine content in <i>Colchicum brachyphyllum</i> and <i>Colchicum tunicatum</i> (Colchicaceae). <i>Natural Product Research</i> , 2006, 20, 1121-1128.	1.8	8
17	New Colchicinoids from a Native Jordanian Meadow Saffron, <i>Colchicum brachyphyllum</i> : Isolation of the First Naturally Occurring Dextrorotatory Colchicinoid. <i>Journal of Natural Products</i> , 2005, 68, 173-178.	3.0	61
18	Determination of colchicine in <i>Colchicum steveni</i> and <i>C. hierosolymitanum</i> (colchicaceae): comparison between two analytical methods. <i>Phytochemical Analysis</i> , 2004, 15, 27-29.	2.4	28

#	ARTICLE	IF	CITATIONS
19	Determination of hypericin content in <i>Hypericum triquetrifolium</i> Turra (Hypericaceae) growing wild in Jordan. <i>Natural Product Research</i> , 2004, 18, 147-151.	1.8	37