

Jianfeng Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11194136/jianfeng-li-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17
papers

927
citations

11
h-index

17
g-index

17
ext. papers

1,143
ext. citations

7.8
avg. IF

3.34
L-index

#	Paper	IF	Citations
17	NAD bioavailability mediates PARG inhibition-induced replication arrest, intra S-phase checkpoint and apoptosis in glioma stem cells. <i>NAR Cancer</i> , 2021 , 3, zcab044	5.2	2
16	SON drives oncogenic RNA splicing in glioblastoma by regulating PTBP1/PTBP2 switching and RBFOX2 activity. <i>Nature Communications</i> , 2021 , 12, 5551	17.4	0
15	A specific inhibitor of ALDH1A3 regulates retinoic acid biosynthesis in glioma stem cells.. <i>Communications Biology</i> , 2021 , 4, 1420	6.7	3
14	Extracellular NAD enhances PARP-dependent DNA repair capacity independently of CD73 activity. <i>Scientific Reports</i> , 2020 , 10, 651	4.9	28
13	DNA Repair Molecular Beacon assay: a platform for real-time functional analysis of cellular DNA repair capacity. <i>Oncotarget</i> , 2018 , 9, 31719-31743	3.3	16
12	UBE3B Is a Calmodulin-regulated, Mitochondrion-associated E3 Ubiquitin Ligase. <i>Journal of Biological Chemistry</i> , 2017 , 292, 2470-2484	5.4	20
11	Development of a Cell-Based Assay for Measuring Base Excision Repair Responses. <i>Scientific Reports</i> , 2017 , 7, 13007	4.9	9
10	A Network of Conserved Synthetic Lethal Interactions for Exploration of Precision Cancer Therapy. <i>Molecular Cell</i> , 2016 , 63, 514-25	17.6	99
9	Crystal structure of human aldehyde dehydrogenase 1A3 complexed with NAD and retinoic acid. <i>Scientific Reports</i> , 2016 , 6, 35710	4.9	42
8	Oxidative guanine base damage regulates human telomerase activity. <i>Nature Structural and Molecular Biology</i> , 2016 , 23, 1092-1100	17.6	103
7	Gene expression profiling distinguishes proneural glioma stem cells from mesenchymal glioma stem cells. <i>Genomics Data</i> , 2015 , 5, 333-336		21
6	A novel strategy for targeted killing of tumor cells: Induction of multipolar acentrosomal mitotic spindles with a quinazolinone derivative mdivi-1. <i>Molecular Oncology</i> , 2015 , 9, 488-502	7.9	17
5	Chemogenetic profiling identifies RAD17 as synthetically lethal with checkpoint kinase inhibition. <i>Oncotarget</i> , 2015 , 6, 35755-69	3.3	7
4	ARTD1/PARP1 negatively regulates glycolysis by inhibiting hexokinase 1 independent of NAD+ depletion. <i>Cell Reports</i> , 2014 , 8, 1819-1831	10.6	119
3	Use of RNA Interference to Study DNA Repair. <i>Methods in Pharmacology and Toxicology</i> , 2014 , 413-447	1.1	0
2	Mesenchymal glioma stem cells are maintained by activated glycolytic metabolism involving aldehyde dehydrogenase 1A3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 8644-9	11.5	410
1	Alkylation sensitivity screens reveal a conserved cross-species functionome. <i>Molecular Cancer Research</i> , 2012 , 10, 1580-96	6.6	31

