

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11194140/atalay-sokmen-publications-by-citations.pdf>
Version: 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40 papers	3,486 citations	26 h-index	40 g-index
40 ext. papers	3,753 ext. citations	4.9 avg, IF	4.68 L-index

#	Paper	IF	Citations
40	Antimicrobial and antioxidant activities of the essential oil and various extracts of <i>Salvia tomentosa</i> Miller (Lamiaceae). <i>Food Chemistry</i> , 2005 , 90, 333-340	8.5	440
39	Antioxidant and antimicrobial activity of the essential oil and methanol extracts of <i>Achillea millefolium</i> subsp. <i>millefolium</i> Afan. (Asteraceae). <i>Journal of Ethnopharmacology</i> , 2003 , 87, 215-20	5	376
38	Antimicrobial and antioxidant activity of the essential oil and methanol extracts of <i>Thymus pectinatus</i> Fisch. et Mey. Var. <i>pectinatus</i> (Lamiaceae). <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 63-7	5.7	246
37	The in vitro antimicrobial and antioxidant activities of the essential oils and methanol extracts of endemic <i>Thymus spathulifolius</i> . <i>Food Control</i> , 2004 , 15, 627-634	6.2	242
36	Antimicrobial and antioxidative activities of the essential oils and methanol extracts of <i>Salvia cryptantha</i> (Montbret et Aucher ex Benth.) and <i>Salvia multicaulis</i> (Vahl). <i>Food Chemistry</i> , 2004 , 84, 519-525	8.5	225
35	Screening of the antioxidant potentials of six <i>Salvia</i> species from Turkey. <i>Food Chemistry</i> , 2006 , 95, 200-204	20.4	215
34	In vitro antioxidant, antimicrobial, and antiviral activities of the essential oil and various extracts from herbal parts and callus cultures of <i>Origanum acutidens</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 3309-12	5.7	183
33	The in vitro antibacterial activity of Turkish medicinal plants. <i>Journal of Ethnopharmacology</i> , 1999 , 67, 79-86	5	168
32	In vitro antimicrobial and antioxidant activities of the essential oils and various extracts of <i>Thymus eigii</i> M. Zohary et P.H. Davis. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 1132-7	5.7	162
31	Antioxidative activity of the essential oils of <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>sipyleus</i> and <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>rosulans</i> . <i>Journal of Food Engineering</i> , 2005 , 66, 447-454	6	121
30	Investigation of the antioxidant properties of <i>Ferula orientalis</i> L. using a suitable extraction procedure. <i>Food Chemistry</i> , 2007 , 100, 584-589	8.5	89
29	Antioxidant activity of the essential oil and various extracts of <i>Nepeta flavida</i> Hub.-Mor. from Turkey. <i>Food Chemistry</i> , 2007 , 103, 1358-1364	8.5	88
28	Biological activities of the essential oil and methanolic extract of <i>Micromeria fruticosa</i> (L) Druce ssp <i>serpyllifolia</i> (Bieb) PH Davis plants from the eastern Anatolia region of Turkey. <i>Journal of the Science of Food and Agriculture</i> , 2004 , 84, 735-741	4.3	87
27	The in vitro antioxidant and antimicrobial activities of the essential oil and methanol extracts of <i>Achillea biebersteini</i> Afan. (Asteraceae). <i>Phytotherapy Research</i> , 2004 , 18, 451-6	6.7	75
26	In vitro antioxidant activities of the methanol extracts of five <i>Allium</i> species from Turkey. <i>Food Chemistry</i> , 2005 , 92, 89-92	8.5	74
25	In vitro antioxidant activity of polyphenol extracts with antiviral properties from <i>Geranium sanguineum</i> L. <i>Life Sciences</i> , 2005 , 76, 2981-93	6.8	68
24	Compositions and the in vitro antimicrobial activities of the essential oils of <i>Achillea setacea</i> and <i>Achillea teretifolia</i> (Compositae). <i>Journal of Ethnopharmacology</i> , 2002 , 83, 117-21	5	66

23	Chemical composition and antimicrobial and antioxidant activities of the essential oil and methanol extract of <i>Hippomarathrum microcarpum</i> (Bieb.) from Turkey. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 937-42	5.7	61
22	The in vitro antioxidative properties of the essential oils and methanol extracts of <i>Satureja spicigera</i> (K. Koch.) Boiss. and <i>Satureja cuneifolia</i> ten. <i>Food Chemistry</i> , 2007 , 100, 339-343	8.5	60
21	Antimicrobial and antioxidative activity of the essential oil and various extracts of <i>Cyclotrichium organifolium</i> (Labill.) Manden. & Scheng.. <i>Journal of Food Engineering</i> , 2005 , 69, 335-342	6	59
20	Antimicrobial activity of essential oil and methanol extracts of <i>Achillea sintenisii</i> Hub. Mor. (Asteraceae). <i>Phytotherapy Research</i> , 2003 , 17, 1005-10	6.7	56
19	Effects of <i>Rhus coriaria</i> L (Anacardiaceae) on lipid peroxidation and free radical scavenging activity. <i>Phytotherapy Research</i> , 2004 , 18, 84-6	6.7	49
18	Screening of the antioxidative properties and total phenolic contents of three endemic <i>Tanacetum</i> subspecies from Turkish flora. <i>Bioresource Technology</i> , 2007 , 98, 3076-9	11	43
17	Regeneration and cardiotoxic glycoside production in <i>Digitalis davisiana</i> Heywood (Alanya Foxglove). <i>Plant Cell, Tissue and Organ Culture</i> , 2011 , 104, 217-225	2.7	39
16	Production and optimisation of rosmarinic acid by <i>Satureja hortensis</i> L. callus cultures. <i>Natural Product Research</i> , 2007 , 21, 1133-44	2.3	37
15	The in vitro antioxidant and antimicrobial activities of the essential oil and various extracts of <i>Origanum syriacum</i> L var <i>bevanii</i> . <i>Journal of the Science of Food and Agriculture</i> , 2004 , 84, 1389-1396	4.3	35
14	Antimicrobial activity of some endemic plants growing in the Eastern Black Sea Region, Turkey. <i>Phytotherapy Research</i> , 2006 , 20, 388-91	3.2	25
13	Automated and standard extraction of antioxidant phenolic compounds of <i>Hyssopus officinalis</i> L. ssp. <i>angustifolius</i> . <i>Industrial Crops and Products</i> , 2013 , 43, 427-433	5.9	22
12	In vitro production protocol of <i>Vaccinium uliginosum</i> L. (bog bilberry) growing in the Turkish flora. <i>Türk Tarım Ve Ormancılık Dergisi/Turkish Journal of Agriculture and Forestry</i> , 2017 , 41, 294-304	2.2	19
11	Phenolic Contents and Antioxidant Potential of <i>Crataegus</i> Fruits Grown in Tunisia as Determined by DPPH, FRAP, and β -Carotene/Linoleic Acid Assay. <i>Journal of Chemistry</i> , 2013 , 2013, 1-6	2.3	12
10	Wound Healing Effects of <i>Arnebia densiflora</i> Root Extracts on Rat Palatal Mucosa. <i>European Journal of Dentistry</i> , 2009 , 03, 96-99	2.6	10
9	Micropropagation of <i>Vaccinium myrtillus</i> L. (Bilberry) naturally growing in the Turkish flora. <i>Turkish Journal of Biology</i> , 2015 , 39, 233-240	3.1	8
8	Microwave-assisted synthesis and characterization of novel symmetrical substituted 19-membered tetrathiadiazas metal-free and metallophthalocyanines and investigation of their biological activities. <i>Journal of Organometallic Chemistry</i> , 2011 , 696, 1659-1663	2.3	6
7	Biological Activities of Extracts and Essential Oil of <i>Thymus transcaucasicus</i> Ronniger. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2016 , 19, 444-453	1.7	6
6	Synthesis and Antimicrobial Activity of New Phthalocyanine Complexes and Electrochemical and Spectroelectrochemical Behaviour of Cobaltphthalocyanine. <i>Journal of Chemical Research</i> , 2012 , 36, 665-671	0.6	4

5	Wound healing effects of arnebia densiflora root extracts on rat palatal mucosa. <i>European Journal of Dentistry</i> , 2009 , 3, 96-9	2.6	4
4	Accumulation of phenolics in natural and micropropagated plantlets of Thymus pseudopulegioides Klokov & Des.-Shost. with their antioxidant potentials. <i>Turkish Journal of Biology</i> , 2017 , 41, 754-764	3.1	2
3	Larvicidal and pupicidal activities of Foeniculum vulgare essential oil, trans-anethole and fenchone against house fly Musca domestica and their inhibitory effect on acetylcholinesterase. <i>Entomological Research</i> , 2021 , 51, 568	1.3	2
2	Acaricidal activity of Foeniculum vulgare against Rhipicephalus annulatus is mainly dependent on its constituent from trans-anethone. <i>PLoS ONE</i> , 2021 , 16, e0260172	3.7	1
1	Phenolic Constituents of Vaccinium Species from Both Natural Resources and Micropropagated Plantlets. <i>International Journal of Secondary Metabolite</i> , 304-311	0.5	1