

Ping He

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1120577/ping-he-publications-by-year.pdf>

Version: 2024-02-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

230
papers

11,899
citations

62
h-index

103
g-index

254
ext. papers

14,209
ext. citations

10.9
avg, IF

7
L-index

#	Paper	IF	Citations
230	A long-life lithium-oxygen battery via a molecular quenching/mediating mechanism.. <i>Science Advances</i> , 2022 , 8, eabm1899	14.3	9
229	Highly safe and stable lithium-metal batteries based on a quasi-solid-state electrolyte. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 651-663	13	3
228	Achieving long cycle life for all-solid-state rechargeable Li-I battery by a confined dissolution strategy.. <i>Nature Communications</i> , 2022 , 13, 125	17.4	2
227	Tracking Attitude With Sum-of-Squares Programming for A Fixed-Wing Air Vehicle. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2022 , 1-1	3.5	1
226	Finite-Time Attitude Cooperative Control of Multiple Unmanned Aerial Vehicles via Fast Nonsingular Terminal Sliding Mode Control. <i>Wireless Communications and Mobile Computing</i> , 2022 , 2022, 1-11	1.9	
225	A high-voltage anode-free rechargeable sodium battery.. <i>Angewandte Chemie - International Edition</i> , 2022 ,	16.4	6
224	A stable quasi-solid electrolyte improves the safe operation of highly efficient lithium-metal pouch cells in harsh environments.. <i>Nature Communications</i> , 2022 , 13, 1510	17.4	7
223	Tailoring the solvation sheath of cations by constructing electrode front-faces for rechargeable batteries.. <i>Advanced Materials</i> , 2022 , e2201339	24	9
222	Carbon-free and binder-free Li-Al alloy anode enabling an all-solid-state Li-S battery with high energy and stability.. <i>Science Advances</i> , 2022 , 8, eabn4372	14.3	10
221	Path following of underactuated vehicles via integral line of sight guidance and fixed-time heading control. <i>IET Cyber-Systems and Robotics</i> , 2022 , 4, 51-60	1.6	1
220	Occurrence, Diversity, and Character of in the Solid Fermentation Process of Strong Aromatic Liquors.. <i>Frontiers in Microbiology</i> , 2021 , 12, 811788	5.7	0
219	Progress and Prospects in Redox Mediators for Highly Reversible Lithium-Oxygen Batteries: A Minireview. <i>Energy & Fuels</i> , 2021 , 35, 19302-19319	4.1	1
218	Recent Advances in Rechargeable Li-O ₂ Batteries. <i>Energy & Fuels</i> , 2021 , 35, 9165-9186	4.1	10
217	Improving Convolutional Neural Networks with Competitive Activation Function. <i>Security and Communication Networks</i> , 2021 , 2021, 1-9	1.9	
216	A Safe and Sustainable Lithium-Ion-Oxygen Battery based on a Low-Cost Dual-Carbon Electrodes Architecture. <i>Advanced Materials</i> , 2021 , 33, e2100827	24	9
215	Sustainable Lithium-Metal Battery Achieved by a Safe Electrolyte Based on Recyclable and Low-Cost Molecular Sieve. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 15572-15581	16.4	11
214	Static Characteristics of a Linear Bipotentiometer Sensor. <i>Security and Communication Networks</i> , 2021 , 2021, 1-9	1.9	0

213	Sustainable Lithium-Metal Battery Achieved by a Safe Electrolyte Based on Recyclable and Low-Cost Molecular Sieve. <i>Angewandte Chemie</i> , 2021 , 133, 15700-15709	3.6	1
212	An image matching optimization algorithm based on pixel shift clustering RANSAC. <i>Information Sciences</i> , 2021 , 562, 452-474	7.7	4
211	Designing Cation-Solvent Fully Coordinated Electrolyte for High-Energy-Density Lithium-Sulfur Full Cell Based On Solid-Solid Conversion. <i>Angewandte Chemie</i> , 2021 , 133, 17867-17875	3.6	3
210	Cell proliferation detected using [F]FLT PET/CT as an early marker of abdominal aortic aneurysm. <i>Journal of Nuclear Cardiology</i> , 2021 , 28, 1961-1971	2.1	10
209	Finite-time bounded control design for one-sided Lipschitz differential inclusions. <i>Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering</i> , 2021 , 235, 943-951	4.5	1
208	Random Space Division Sampling for Label-Noisy Classification or Imbalanced Classification. <i>IEEE Transactions on Cybernetics</i> , 2021 , PP,	10.2	2
207	A low-charge-overpotential lithium-CO ₂ cell based on a binary molten salt electrolyte. <i>Energy and Environmental Science</i> , 2021 , 14, 4107-4114	35.4	4
206	Extended State Observer Based Nonsingular Terminal Sliding Mode Control for Voltage Source Converter Station With Uncertain Disturbances. <i>IEEE Access</i> , 2021 , 9, 122228-122235	3.5	0
205	Applications of Metal-organic Frameworks (MOFs) Materials in Lithium-ion Battery/Lithium-metal Battery Electrolytes. <i>Acta Chimica Sinica</i> , 2021 , 79, 139	3.3	3
204	Dynamic Consensus of Second-Order Networked Multiagent Systems With Switching Topology and Time-Varying Delays. <i>IEEE Transactions on Cybernetics</i> , 2021 , PP,	10.2	3
203	Superefficient and robust polymer coating for bionic manufacturing of superwetting surfaces with rose petal effect and lotus leaf effect. <i>Progress in Organic Coatings</i> , 2021 , 151, 106090	4.8	5
202	Oxygen vacancy promising highly reversible phase transition in layered cathodes for sodium-ion batteries. <i>Nano Research</i> , 2021 , 14, 4100	10	6
201	Designing Cation-Solvent Fully Coordinated Electrolyte for High-Energy-Density Lithium-Sulfur Full Cell Based On Solid-Solid Conversion. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 17726-17734	16.4	16
200	Reducing Water Activity by Zeolite Molecular Sieve Membrane for Long-Life Rechargeable Zinc Battery. <i>Advanced Materials</i> , 2021 , 33, e2102415	24	37
199	Distributed Consensus Algorithm for Nonholonomic Wheeled Mobile Robot. <i>Security and Communication Networks</i> , 2021 , 2021, 1-9	1.9	0
198	A rechargeable all-solid-state Li-CO ₂ battery using a Li _{1.5} Al _{0.5} Ge _{1.5} (PO ₄) ₃ ceramic electrolyte and nanoscale RuO ₂ catalyst. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 9581-9585	13	6
197	Extended JSSL for Multi-Feature Face Recognition via Intra-Class Variant Dictionary. <i>IEEE Access</i> , 2021 , 1-1	3.5	0
196	Oxygen-Deficient Ferric Oxide as an Electrochemical Cathode Catalyst for High-Energy Lithium-Sulfur Batteries. <i>Small</i> , 2020 , 16, e2000870	11	26

195	A low-cost anodic catalyst of transition metal oxides for lithium extraction from seawater. <i>Chemical Communications</i> , 2020 , 56, 6396-6399	5.8	6
194	A Liquid Anode of Lithium Biphenyl for Highly Safe Lithium-Air Battery with Hybrid Electrolyte. <i>Batteries and Supercaps</i> , 2020 , 3, 708-712	5.6	2
193	Control of Networked Control System With Data Packet Dropout via Observer-Based Controller. <i>IEEE Access</i> , 2020 , 8, 58300-58309	3.5	4
192	Constructing a Super-Saturated Electrolyte Front Surface for Stable Rechargeable Aqueous Zinc Batteries. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 9377-9381	16.4	234
191	Constructing a Super-Saturated Electrolyte Front Surface for Stable Rechargeable Aqueous Zinc Batteries. <i>Angewandte Chemie</i> , 2020 , 132, 9463-9467	3.6	31
190	Noise-tolerance consensus formation control for multi-robotic networks. <i>Transactions of the Institute of Measurement and Control</i> , 2020 , 42, 1569-1581	1.8	7
189	A Safe Organic Oxygen Battery Built with Li-Based Liquid Anode and MOFs Separator. <i>Advanced Energy Materials</i> , 2020 , 10, 1903953	21.8	18
188	Solar-driven all-solid-state lithium-air batteries operating at extreme low temperatures. <i>Energy and Environmental Science</i> , 2020 , 13, 1205-1211	35.4	19
187	Robust superhydrophobic fluorinated fibrous silica sponge with fire retardancy for selective oil absorption in harsh environment. <i>Separation and Purification Technology</i> , 2020 , 241, 116700	8.3	10
186	A stable high-voltage lithium-ion battery realized by an in-built water scavenger. <i>Energy and Environmental Science</i> , 2020 , 13, 1197-1204	35.4	31
185	Dilution of the Electron Density in the Conjugated Skeleton of Organic Cathode Materials Improves the Discharge Voltage. <i>ChemSusChem</i> , 2020 , 13, 2264-2270	8.3	15
184	Using a Heme-Based Nanozyme as Bifunctional Redox Mediator for LiO ₂ Batteries. <i>Batteries and Supercaps</i> , 2020 , 3, 336-340	5.6	7
183	Stabilization for Networked Control System With Time-Delay and Packet Loss in Both S-C Side and C-A Side. <i>IEEE Access</i> , 2020 , 8, 2513-2523	3.5	7
182	. <i>IEEE Access</i> , 2020 , 8, 20108-20117	3.5	5
181	Improving the structural and cyclic stabilities of P2-type NaMnO cathode material via Cu and Ti co-substitution for sodium ion batteries. <i>Chemical Communications</i> , 2020 , 56, 6293-6296	5.8	8
180	Two-Mode-Dependent Controller Design for Networked Markov System With Time-Delay in Both S/C Link and C/A Link. <i>IEEE Access</i> , 2020 , 8, 56181-56190	3.5	2
179	Exponential synchronisation of linearly coupled reaction-diffusion neural networks with discrete and infinite distributed delays. <i>International Journal of Systems Science</i> , 2020 , 51, 1174-1187	2.3	3
178	Li-CO and Na-CO Batteries: Toward Greener and Sustainable Electrical Energy Storage. <i>Advanced Materials</i> , 2020 , 32, e1903790	24	82

177	. <i>IEEE Access</i> , 2020 , 8, 20725-20734	3.5	2
176	Identifying Anionic Redox Activity within the Related O3- and P2-Type Cathodes for Sodium-Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 851-857	9.5	13
175	Renewable Polysulfide Regulation by Versatile Films toward High-Loading Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 47590-47598	9.5	5
174	Tracking Control of PZT-Driven Compliant Precision Positioning Micromanipulator. <i>IEEE Access</i> , 2020 , 8, 126477-126487	3.5	5
173	An in situ solidifying strategy enabling high-voltage all-solid-state Li-metal batteries operating at room temperature. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 25217-25225	13	7
172	A Liquid Electrolyte with De-Solvated Lithium Ions for Lithium-Metal Battery. <i>Joule</i> , 2020 , 4, 1776-1789	27.8	62
171	Manifesting construction activity scenes via image captioning. <i>Automation in Construction</i> , 2020 , 119, 103334	9.6	13
170	A Metal-Organic Framework as a Multifunctional Ionic Sieve Membrane for Long-Life Aqueous Zinc-Iodide Batteries. <i>Advanced Materials</i> , 2020 , 32, e2004240	24	82
169	Real-time online detection of trucks loading via genetic neural network. <i>Automation in Construction</i> , 2020 , 120, 103354	9.6	3
168	A Review of Solid-State Lithium Sulfur Battery: Ion Transport and Polysulfide Chemistry. <i>Energy & Fuels</i> , 2020 , 34, 11942-11961	4.1	26
167	Notice of Retraction: Perspective and Prediction of the Rule of High Temperature Melting of SiO ₂ via Visual Analysis. <i>IEEE Access</i> , 2020 , 8, 171334-171349	3.5	
166	Beyond the concentrated electrolyte: further depleting solvent molecules within a Li ⁺ solvation sheath to stabilize high-energy-density lithium metal batteries. <i>Energy and Environmental Science</i> , 2020 , 13, 4122-4131	35.4	48
165	Superhydrophobic cellulose nanofibril/silica fiber/Fe ₃ O ₄ nanocomposite aerogel for magnetically driven selective oil absorption. <i>Cellulose</i> , 2020 , 27, 8909-8922	5.5	13
164	Shish-Kebab-Structured UHMWPE Coating for Efficient and Cost-Effective Oil-Water Separation. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 58252-58262	9.5	9
163	A point cloud registration algorithm based on normal vector and particle swarm optimization. <i>Measurement and Control</i> , 2020 , 53, 265-275	1.5	5
162	. <i>IEEE Access</i> , 2020 , 8, 71083-71092	3.5	8
161	. <i>IEEE Access</i> , 2019 , 7, 114414-114425	3.5	6
160	Restraining Oxygen Loss and Suppressing Structural Distortion in a Newly Ti-Substituted Layered Oxide P2-Na _{0.66} Li _{0.22} Ti _{0.15} Mn _{0.63} O ₂ . <i>ACS Energy Letters</i> , 2019 , 4, 2409-2417	20.1	58

159	Rational Design of a Gel-Polymer-Inorganic Separator with Uniform Lithium-Ion Deposition for Highly Stable Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 35788-35795	9.5	17
158	Advances and Challenges for Aprotic Lithium-Oxygen Batteries using Redox Mediators. <i>Batteries and Supercaps</i> , 2019 , 2, 803-819	5.6	26
157	Developing A Polysulfide-Phobic Strategy to Restrain Shuttle Effect in Lithium-Sulfur Batteries. <i>Angewandte Chemie</i> , 2019 , 131, 11900-11904	3.6	18
156	Developing A "Polysulfide-Phobic" Strategy to Restrain Shuttle Effect in Lithium-Sulfur Batteries. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 11774-11778	16.4	58
155	Killing two birds with one stone: a Cu ion redox mediator for a non-aqueous Li-O ₂ battery. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 17261-17265	13	18
154	Improving the simulation of East Asian summer monsoon with mesoscale enhancement in an AGCM. <i>Climate Dynamics</i> , 2019 , 53, 225-236	4.2	5
153	Manganese-Based Na-Rich Materials Boost Anionic Redox in High-Performance Layered Cathodes for Sodium-Ion Batteries. <i>Advanced Materials</i> , 2019 , 31, e1807770	24	72
152	Chaos control and circuit implementation of a class of double-wing chaotic system. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2019 , 32, e2611	1	4
151	Integrated solid electrolyte with porous cathode by facilely one-step sintering for an all-solid-state Li-O battery. <i>Nanotechnology</i> , 2019 , 30, 364003	3.4	9
150	Materials for advanced Li-O ₂ batteries: Explorations, challenges and prospects. <i>Materials Today</i> , 2019 , 26, 87-99	21.8	70
149	Suppressed the High-Voltage Phase Transition of P2-Type Oxide Cathode for High-Performance Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 14848-14853	9.5	40
148	Capturing Reversible Cation Migration in Layered Structure Materials for Na-Ion Batteries. <i>Advanced Energy Materials</i> , 2019 , 9, 1900189	21.8	29
147	A Dual-Ion Organic Symmetric Battery Constructed from Phenazine-Based Artificial Bipolar Molecules. <i>Angewandte Chemie</i> , 2019 , 131, 10007-10011	3.6	19
146	A Dual-Ion Organic Symmetric Battery Constructed from Phenazine-Based Artificial Bipolar Molecules. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 9902-9906	16.4	76
145	Solid-State Electrolytes for Lithium-Ion Batteries: Fundamentals, Challenges and Perspectives. <i>Electrochemical Energy Reviews</i> , 2019 , 2, 574-605	29.3	113
144	Advances and Challenges for Aprotic Lithium-Oxygen Batteries using Redox Mediators. <i>Batteries and Supercaps</i> , 2019 , 2, 802-802	5.6	3
143	Transient, in situ synthesis of ultrafine ruthenium nanoparticles for a high-rate Li-O ₂ battery. <i>Energy and Environmental Science</i> , 2019 , 12, 1100-1107	35.4	77
142	Observer-based control for active suspension system with time-varying delay and uncertainty. <i>Advances in Mechanical Engineering</i> , 2019 , 11, 168781401988950	1.2	4

141	Hybrid polymer electrolyte for LiO ₂ batteries. <i>Green Energy and Environment</i> , 2019 , 4, 3-19	5.7	16
140	Revealing the Critical Role of Titanium in Layered Manganese-Based Oxides toward Advanced Sodium-Ion Batteries via a Combined Experimental and Theoretical Study. <i>Small Methods</i> , 2019 , 3, 1800183	12.8	20
139	A Versatile Halide Ester Enabling Li-Anode Stability and a High Rate Capability in Lithium-Oxygen Batteries. <i>Angewandte Chemie</i> , 2019 , 131, 2377-2381	3.6	7
138	A Versatile Halide Ester Enabling Li-Anode Stability and a High Rate Capability in Lithium-Oxygen Batteries. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 2355-2359	16.4	40
137	An Appraisal of Lung Nodules Automatic Classification Algorithms for CT Images. <i>Sensors</i> , 2019 , 19,	3.8	17
136	NonAqueous, Metal-Free, and Hybrid Electrolyte Li-Ion O Battery with a Single-Ion-Conducting Separator. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 4908-4914	9.5	11
135	A Concentrated Ternary-Salts Electrolyte for High Reversible Li Metal Battery with Slight Excess Li. <i>Advanced Energy Materials</i> , 2019 , 9, 1803372	21.8	108
134	Direct Visualization of the Reversible O /O Redox Process in Li-Rich Cathode Materials. <i>Advanced Materials</i> , 2018 , 30, e1705197	24	190
133	Germanium Thin Film Protected Lithium Aluminum Germanium Phosphate for Solid-State Li Batteries. <i>Advanced Energy Materials</i> , 2018 , 8, 1702374	21.8	146
132	Study on structure, mechanical property and cell cytocompatibility of electrospun collagen nanofibers crosslinked by common agents. <i>International Journal of Biological Macromolecules</i> , 2018 , 113, 476-486	7.9	44
131	Cation-mixing stabilized layered oxide cathodes for sodium-ion batteries. <i>Science Bulletin</i> , 2018 , 63, 376-384	18.4	50
130	MOF-Based Separator in an LiO ₂ Battery: An Effective Strategy to Restrain the Shuttling of Dual Redox Mediators. <i>ACS Energy Letters</i> , 2018 , 3, 463-468	20.1	116
129	Research progresses on materials and electrode design towards key challenges of Li-air batteries. <i>Energy Storage Materials</i> , 2018 , 13, 29-48	19.4	63
128	Clean Electrocatalysis in a Li ₂ O ₂ Redox-Based LiO ₂ Battery Built with a Hydrate-Melt Electrolyte. <i>ACS Catalysis</i> , 2018 , 8, 1082-1089	13.1	21
127	A lithium-ion oxygen battery with a Si anode lithiated in situ by a LiN-containing cathode. <i>Chemical Communications</i> , 2018 , 54, 1069-1072	5.8	18
126	A comprehensive survey on the reliability of mobile wireless sensor networks: Taxonomy, challenges, and future directions. <i>Information Fusion</i> , 2018 , 44, 188-204	16.7	77
125	A bottom-up synthetic hierarchical buffer structure of copper silicon nanowire hybrids as ultra-stable and high-rate lithium-ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 7877-7886	13	27
124	Li ₂ CO ₃ -free LiO ₂ /CO ₂ battery with peroxide discharge product. <i>Energy and Environmental Science</i> , 2018 , 11, 1211-1217	35.4	84

123	Three-Dimensional Honeycomb-Structural LiAlO-Modified LiMnPO Composite with Superior High Rate Capability as Li-Ion Battery Cathodes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 10786-10793	8.5	44
122	Solar-driven efficient Li ₂ O ₂ oxidation in solid-state Li-ion O ₂ batteries. <i>Energy Storage Materials</i> , 2018 , 11, 170-175	19.4	35
121	Rechargeable Solid-State Li-Air and Li-S Batteries: Materials, Construction, and Challenges. <i>Advanced Energy Materials</i> , 2018 , 8, 1701602	21.8	165
120	A current collector covering nanostructured villous oxygen-deficient NiO fabricated by rapid laser-scan for Li-O ₂ batteries. <i>Nano Energy</i> , 2018 , 51, 83-90	17.1	41
119	Research Progress for the Development of Li-Air Batteries: Addressing Parasitic Reactions Arising from Air Composition. <i>Energy and Environmental Materials</i> , 2018 , 1, 61-74	13	32
118	A phase-transition-free cathode for sodium-ion batteries with ultralong cycle life. <i>Nano Energy</i> , 2018 , 52, 88-94	17.1	36
117	Developing a "Water-Defendable" and "Dendrite-Free" Lithium-Metal Anode Using a Simple and Promising GeCl Pretreatment Method. <i>Advanced Materials</i> , 2018 , 30, e1705711	24	142
116	Static output feedback H _∞ control for active suspension system with input delay and parameter uncertainty. <i>Advances in Mechanical Engineering</i> , 2018 , 10, 168781401878658	1.2	4
115	A High-Crystalline NaV _{1.25} Ti _{0.75} O ₄ Anode for Wide-Temperature Sodium-Ion Battery. <i>Advanced Energy Materials</i> , 2018 , 8, 1801162	21.8	23
114	Consensus of uncertain parabolic PDE agents via adaptive unit-vector control scheme. <i>IET Control Theory and Applications</i> , 2018 , 12, 2488-2494	2.5	12
113	An ultra-stable and enhanced reversibility lithium metal anode with a sufficient O ₂ design for Li-O ₂ battery. <i>Energy Storage Materials</i> , 2018 , 12, 176-182	19.4	29
112	Ultra-fine surface solid-state electrolytes for long cycle life all-solid-state lithium-air batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 21248-21254	13	43
111	NaCl-Template Assisted Synthesis of 3D Honeycomb-Like LiMnPO ₄ /C with High Rate and Stable Performance as Lithium-Ion Battery Cathodes. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 16683-16691	8.3	23
110	A three-dimensional point cloud registration based on entropy and particle swarm optimization. <i>Advances in Mechanical Engineering</i> , 2018 , 10, 168781401881433	1.2	13
109	Lithium Metal Extraction from Seawater. <i>Joule</i> , 2018 , 2, 1648-1651	27.8	121
108	Simultaneously Inhibiting Lithium Dendrites Growth and Polysulfides Shuttle by a Flexible MOF-Based Membrane in Li-S Batteries. <i>Advanced Energy Materials</i> , 2018 , 8, 1802130	21.8	158
107	Stable Voltage Cutoff Cycle Cathode with Tunable and Ordered Porous Structure for Li-O Batteries. <i>Small</i> , 2018 , 14, e1803607	11	14
106	Facile synthesis of carbon-LiMnPO ₄ nanorods with hierarchical architecture as a cathode for high-performance Li-ion batteries. <i>Electrochimica Acta</i> , 2018 , 289, 415-421	6.7	28

105	Exploring a high capacity O3-type cathode for sodium-ion batteries and its structural evolution during an electrochemical process. <i>Chemical Communications</i> , 2018 , 54, 12167-12170	5.8	20
104	Pinning control and adaptive control for synchronization of linearly coupled reaction-diffusion neural networks with mixed delays. <i>International Journal of Adaptive Control and Signal Processing</i> , 2018 , 32, 1103-1123	2.8	13
103	Intensive investigation on all-solid-state Li-air batteries with cathode catalysts of single-walled carbon nanotube/RuO ₂ . <i>Journal of Power Sources</i> , 2018 , 395, 439-443	8.9	26
102	In situ X-ray diffraction and thermal analysis of LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ synthesized via co-precipitation method. <i>Journal of Energy Chemistry</i> , 2018 , 27, 1655-1660	12	19
101	Intensive Study on the Catalytical Behavior of N-Methylphenothiazine as a Soluble Mediator to Oxidize the LiO Cathode of the Li-O Battery. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 3733-3739	9.5	51
100	Status and prospects of polymer electrolytes for solid-state LiO ₂ (air) batteries. <i>Energy and Environmental Science</i> , 2017 , 10, 860-884	35.4	153
99	Carbon-Free O Cathode with Three-Dimensional Ultralight Nickel Foam-Supported Ruthenium Electrocatalysts for Li-O Batteries. <i>ChemSusChem</i> , 2017 , 10, 2714-2719	8.3	31
98	Boosting the Cycle Life of LiO ₂ Batteries at Elevated Temperature by Employing a Hybrid Polymer/Ceramic Solid Electrolyte. <i>ACS Energy Letters</i> , 2017 , 2, 1378-1384	20.1	49
97	Analytical solution of a hyperbolic partial differential equation and its application. <i>International Journal of Intelligent Computing and Cybernetics</i> , 2017 , 10, 183-199	2.2	3
96	Hydrothermal synthesis of LiAlO ₂ nanostructures with high specific surface area by using anodized aluminum oxide template. <i>Materials Letters</i> , 2017 , 196, 183-186	3.3	6
95	A reversible lithiumO ₂ battery with Ru nanoparticles as a cathode catalyst. <i>Energy and Environmental Science</i> , 2017 , 10, 972-978	35.4	201
94	From O to HO : Reducing By-Products and Overpotential in Li-O Batteries by Water Addition. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 4960-4964	16.4	107
93	From O ₂ to HO ₂ Reducing By-Products and Overpotential in Li-O ₂ Batteries by Water Addition. <i>Angewandte Chemie</i> , 2017 , 129, 5042-5046	3.6	20
92	A Li-ion oxygen battery with Li-Si alloy anode prepared by a mechanical method. <i>Electrochemistry Communications</i> , 2017 , 78, 11-15	5.1	21
91	A Design of Solid-State Li-S Cell with Evaporated Lithium Anode To Eliminate Shuttle Effects. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 33735-33739	9.5	32
90	MnCo ₂ O ₄ decorated Magn phase titanium oxide as a carbon-free cathode for LiO ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 19991-19996	13	18
89	Advances in Lithium-Containing Anodes of Aprotic LiO ₂ Batteries: Challenges and Strategies for Improvements. <i>Small Methods</i> , 2017 , 1, 1700135	12.8	61
88	A Postspinel Anode Enabling Sodium-Ion Ultralong Cycling and Superfast Transport via 1D Channels. <i>Advanced Energy Materials</i> , 2017 , 7, 1700361	21.8	12

87	Unraveling the Complex Role of Iodide Additives in LiO ₂ Batteries. <i>ACS Energy Letters</i> , 2017 , 2, 1869-1878	20.1	72
86	Li-CO ₂ Electrochemistry: A New Strategy for CO ₂ Fixation and Energy Storage. <i>Joule</i> , 2017 , 1, 359-370	27.8	207
85	Study on the Aqueous Hybrid Supercapacitor Based on Carbon-coated NaTi ₂ (PO ₄) ₃ and Activated Carbon Electrode Materials. <i>Acta Chimica Sinica</i> , 2017 , 75, 241	3.3	3
84	Synthesis of hierarchical and bridging carbon-coated LiMn _{0.9} Fe _{0.1} PO ₄ nanostructure as cathode material with improved performance for lithium ion battery. <i>Journal of Power Sources</i> , 2017 , 359, 408-414	8.9	21
83	Organic hydrogen peroxide-driven low charge potentials for high-performance lithium-oxygen batteries with carbon cathodes. <i>Nature Communications</i> , 2017 , 8, 15607	17.4	49
82	Reversible Lithium-Ion Uptake in Poly(methylmethacrylate) Thin-Film via Lithiation/Delithiation at In Situ Formed Intramolecular Cyclopentanedione. <i>Advanced Energy Materials</i> , 2016 , 6, 1601375	21.8	32
81	Distributed fault-tolerance consensus filtering in wireless sensor networks-Part I: communication failure. <i>International Journal of Sensor Networks</i> , 2016 , 22, 127	0.8	9
80	Progress in research on LiO ₂ batteries: Mechanism, catalyst and performance. <i>Chinese Journal of Catalysis</i> , 2016 , 37, 1016-1024	11.3	77
79	Robust adaptive synchronization of general dynamical networks with multiple delays and uncertainties 2016 , 86, 1223-1241		5
78	synchronization of coupled reaction-diffusion neural networks with mixed delays. <i>Complexity</i> , 2016 , 21, 42-53	1.6	15
77	Highly Connected Silicon-Copper Alloy Mixture Nanotubes as High-Rate and Durable Anode Materials for Lithium-Ion Batteries. <i>Advanced Functional Materials</i> , 2016 , 26, 524-531	15.6	92
76	Fabrication of High-Energy Li-Ion Cells with Li ₄ Ti ₅ O ₁₂ Microspheres as Anode and 0.5Li ₂ MnO ₃ /0.5LiNi _{0.4} Co _{0.2} Mn _{0.4} O ₂ Microspheres as Cathode. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 1273-80	4.5	10
75	Ruthenium functionalized graphene aerogels with hierarchical and three-dimensional porosity as a free-standing cathode for rechargeable lithium-oxygen batteries. <i>NPG Asia Materials</i> , 2016 , 8, e239-e239	10.3	73
74	Noise tolerance leader-following of high-order nonlinear dynamical multi-agent systems with switching topology and communication delay. <i>Journal of the Franklin Institute</i> , 2016 , 353, 108-143	4	33
73	Lithium-Air Batteries with Hybrid Electrolytes. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 1267-80	6.4	78
72	Stabilization of polysulfides via lithium bonds for LiS batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 5406-5409	13	87
71	Hierarchical Porous Nickel Cobaltate Nanoneedle Arrays as Flexible Carbon-Protected Cathodes for High-Performance Lithium-Oxygen Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 8427-35	9.5	69
70	Fabrication and Performance of High Energy Li-Ion Battery Based on the Spherical Li[Li(0.2)Ni(0.16)Co(0.1)Mn(0.54)]O ₂ Cathode and Si Anode. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 208-14	9.5	16

69	A self-defense redox mediator for efficient lithium ^{ion} batteries. <i>Energy and Environmental Science</i> , 2016 , 9, 1024-1030	35.4	185
68	Ordered mesoporous TiC-C composites as cathode materials for Li-O ₂ batteries. <i>Chemical Communications</i> , 2016 , 52, 2713-6	5.8	46
67	A battery with sulphur cathode and lithiated graphite anode based on Lithium shuttle reaction. <i>Materials Technology</i> , 2016 , 31, 517-520	2.1	6
66	Guaranteed cost synchronization of complex networks with uncertainties and time-Varying delays. <i>Complexity</i> , 2016 , 21, 381-395	1.6	11
65	Critical Challenges in Rechargeable Aprotic Li ^{ion} Batteries. <i>Advanced Energy Materials</i> , 2016 , 6, 1502303	21.8	305
64	Optimal guaranteed cost synchronization of coupled neural networks with Markovian jump and mode-dependent mixed time-delay. <i>Optimal Control Applications and Methods</i> , 2016 , 37, 922-947	1.7	7
63	Delay-independent stabilization of nonlinear systems with multiple time-delays and its application in chaos synchronization of Rössler system. <i>International Journal of Intelligent Computing and Cybernetics</i> , 2016 , 9, 205-216	2.2	2
62	High-Loading Nano-SnO ₂ Encapsulated in situ in Three-Dimensional Rigid Porous Carbon for Superior Lithium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2016 , 22, 4915-23	4.8	98
61	Exploring the electrochemical reaction mechanism of carbonate oxidation in Li ^{ion} /CO ₂ battery through tracing missing oxygen. <i>Energy and Environmental Science</i> , 2016 , 9, 1650-1654	35.4	140
60	Ruthenium oxide coated ordered mesoporous carbon nanofiber arrays: a highly bifunctional oxygen electrocatalyst for rechargeable Zn ^{ion} batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 6282-6289	13.9	52
59	Research on Effective Oxygen Window Influencing the Capacity of Li-O ₂ Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 10375-82	9.5	18
58	Exploration of LiO ₂ by the method of electrochemical quartz crystal microbalance in TEGDME based Li-O ₂ battery. <i>Journal of Power Sources</i> , 2016 , 329, 525-529	8.9	16
57	A multi-layered Fe ₂ O ₃ /graphene composite with mesopores as a catalyst for rechargeable aprotic lithium-oxygen batteries. <i>Nanotechnology</i> , 2016 , 27, 365402	3.4	17
56	The water catalysis at oxygen cathodes of lithium-oxygen cells. <i>Nature Communications</i> , 2015 , 6, 7843	17.4	178
55	Mesoporous NiO with a single-crystalline structure utilized as a noble metal-free catalyst for non-aqueous Li ^{ion} batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 16177-16182	13	116
54	Fabrication and Performance of All-Solid-State Li-Air Battery with SWCNTs/LAGP Cathode. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 17307-10	9.5	76
53	Binder-free carbonized bacterial cellulose-supported ruthenium nanoparticles for Li-O ₂ batteries. <i>Chemical Communications</i> , 2015 , 51, 7302-4	5.8	67
52	Superior Performance of a Li ^{ion} Battery with Metallic RuO ₂ Hollow Spheres as the Carbon-Free Cathode. <i>Advanced Energy Materials</i> , 2015 , 5, 1500294	21.8	122

51	Robust adaptive synchronization of uncertain complex networks with multiple time-varying coupled delays. <i>Complexity</i> , 2015 , 20, 62-73	1.6	75
50	Synthesis of quasi-spherical micro-size lithium titanium oxide by an easy sol-gel method. <i>Journal of Solid State Electrochemistry</i> , 2015 , 19, 299-305	2.6	7
49	Control and synchronization of a hyperchaotic finance system via single controller scheme. <i>International Journal of Intelligent Computing and Cybernetics</i> , 2015 , 8, 330-344	2.2	7
48	An oxygen cathode with stable full discharge/charge capability based on 2D conducting oxide. <i>Energy and Environmental Science</i> , 2015 , 8, 1992-1997	35.4	103
47	Enabling catalytic oxidation of Li ₂ O ₂ at the liquid-solid interface: the evolution of an aprotic Li-O ₂ battery. <i>ChemSusChem</i> , 2015 , 8, 600-2	8.3	111
46	Finite-Time Chaotic Control of Unified Hyperchaotic Systems with Multiple Parameters. <i>International Journal of Control and Automation</i> , 2015 , 8, 57-66	1.9	3
45	Core-shell-structured CNT@RuO(2) composite as a high-performance cathode catalyst for rechargeable Li-O(2) batteries. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 442-6	16.4	453
44	Activated carbon with ultrahigh specific surface area synthesized from natural plant material for lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 15889-15896	13	161
43	Synchronization of general complex networks via adaptive control schemes 2014 , 82, 499-514		14
42	Robust decentralized adaptive synchronization of general complex networks with coupling delayed and uncertainties. <i>Complexity</i> , 2014 , 19, 10-26	1.6	74
41	Core-shell-Structured CNT@RuO ₂ Composite as a High-Performance Cathode Catalyst for Rechargeable Li-O ₂ Batteries. <i>Angewandte Chemie</i> , 2014 , 126, 452-456	3.6	49
40	Global Stabilization of a Class of Nonlinear System Based on Reduced-order State Feedback Control. <i>International Journal on Cybernetics & Informatics</i> , 2014 , 3, 9-20	0	
39	Robust exponential synchronization for neutral complex networks with discrete and distributed time-varying delays: A descriptor model transformation method. <i>Optimal Control Applications and Methods</i> , 2014 , 35, 676-695	1.7	16
38	Adaptive Synchronization of Delayed Chen Chaotic System. <i>Discontinuity, Nonlinearity, and Complexity</i> , 2014 , 3, 367-378	1.8	2
37	Feedback Linearization Synchronization of Unified Chaotic Systems. <i>Journal of Applied Nonlinear Dynamics</i> , 2014 , 3, 173-186	2	2
36	Improvement of electrochemical properties of LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ by coating with V ₂ O ₅ layer. <i>Journal of Alloys and Compounds</i> , 2013 , 552, 76-82	5.7	62
35	A hybrid phase-transition model of olivine LiFePO ₄ for the charge and discharge processes. <i>Journal of Power Sources</i> , 2013 , 233, 299-303	8.9	13
34	Robust adaptive synchronisation of complex networks with multiple coupling time-varying delays. <i>International Journal of Automation and Control</i> , 2013 , 7, 223	1.8	15

33	An unsymmetrical lithium-ion pathway between charge and discharge processes in a two-phase stage of Li ₄ Ti ₅ O ₁₂ . <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 9086-91	3.6	16
32	Layered lithium transition metal oxide cathodes towards high energy lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012 , 22, 3680		361
31	Finite-time mixed outer synchronization of complex networks with coupling time-varying delay. <i>Chaos</i> , 2012 , 22, 043151	3.3	44
30	High-energy 'composite' layered manganese-rich cathode materials via controlling Li ₂ MnO ₃ phase activation for lithium-ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 6584-95	3.6	232
29	Nano- and micro-sized TiN as the electrocatalysts for ORR in Li-air fuel cell with alkaline aqueous electrolyte. <i>Journal of Materials Chemistry</i> , 2012 , 22, 15549		50
28	Li-Redox Flow Batteries Based on Hybrid Electrolytes: At the Cross Road between Li-ion and Redox Flow Batteries. <i>Advanced Energy Materials</i> , 2012 , 2, 770-779	21.8	119
27	Olivine LiFePO ₄ : development and future. <i>Energy and Environmental Science</i> , 2011 , 4, 805-817	35.4	273
26	A lithium-air capacitor battery based on a hybrid electrolyte. <i>Energy and Environmental Science</i> , 2011 , 4, 4994	35.4	82
25	Single-crystal H ₂ V ₃ O ₈ nanowires: a competitive anode with large capacity for aqueous lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2011 , 21, 1780-1787		90
24	Titanium nitride catalyst cathode in a Li-air fuel cell with an acidic aqueous solution. <i>Chemical Communications</i> , 2011 , 47, 10701-3	5.8	66
23	High-surface vanadium oxides with large capacities for lithium-ion batteries: from hydrated aerogel to nanocrystalline VO ₂ (B), V ₆ O ₁₃ and V ₂ O ₅ . <i>Journal of Materials Chemistry</i> , 2011 , 21, 10999		143
22	Investigation on capacity fading of LiFePO ₄ in aqueous electrolyte. <i>Electrochimica Acta</i> , 2011 , 56, 2351-2357	23.57	98
21	The effect of alkalinity and temperature on the performance of lithium-air fuel cell with hybrid electrolytes. <i>Journal of Power Sources</i> , 2011 , 196, 5611-5616	8.9	59
20	Raising the cycling stability of aqueous lithium-ion batteries by eliminating oxygen in the electrolyte. <i>Nature Chemistry</i> , 2010 , 2, 760-5	17.6	679
19	Nano active materials for lithium-ion batteries. <i>Nanoscale</i> , 2010 , 2, 1294-305	7.7	443
18	A novel direct borohydride fuel cell using an acid-alkaline hybrid electrolyte. <i>Energy and Environmental Science</i> , 2010 , 3, 1515	35.4	23
17	A novel rechargeable Li-AgO battery with hybrid electrolytes. <i>Chemical Communications</i> , 2010 , 46, 2055-3.8	3.8	21
16	Controllable hydrogen generation from water. <i>ChemSusChem</i> , 2010 , 3, 571-4	8.3	21

15	The development of a new type of rechargeable batteries based on hybrid electrolytes. <i>ChemSusChem</i> , 2010 , 3, 1009-19	8.3	78
14	A Li-air fuel cell with recycle aqueous electrolyte for improved stability. <i>Electrochemistry Communications</i> , 2010 , 12, 1686-1689	5.1	100
13	Electrochemical Profile of Oxygen-Deficient LiMn_2O_4 in Aqueous Electrolyte. <i>Journal of the Electrochemical Society</i> , 2009 , 156, A209	3.9	14
12	Preparation of mesocellular carbon foam and its application for lithium/oxygen battery. <i>Electrochemistry Communications</i> , 2009 , 11, 1127-1130	5.1	296
11	The effect of oxygen vacancies on the structure and electrochemistry of $\text{LiTi}_2(\text{PO}_4)_3$ for lithium-ion batteries: A combined experimental and theoretical study. <i>Journal of Power Sources</i> , 2009 , 194, 1075-1080	8.9	93
10	Preparation and electrochemical profile of $\text{Li}_{0.33}\text{MnO}_2$ nanorods as cathode material for secondary lithium batteries. <i>Electrochimica Acta</i> , 2009 , 54, 7345-7349	6.7	11
9	Direct synthesis of mesoporous carbon nanowires in nanotubes using MnO_2 nanotubes as a template and their application in supercapacitors. <i>Chemical Communications</i> , 2009 , 6813-5	5.8	37
8	Lithium-Ion Intercalation Behavior of LiFePO_4 in Aqueous and Nonaqueous Electrolyte Solutions. <i>Journal of the Electrochemical Society</i> , 2008 , 155, A144	3.9	76
7	A Polyaniline-Intercalated Layered Manganese Oxide Nanocomposite Prepared by an Inorganic/Organic Interface Reaction and Its High Electrochemical Performance for Li Storage. <i>Advanced Materials</i> , 2008 , 20, 2166-2170	24	106
6	Electrochemical kinetics study of Li-ion in Cu_6Sn_5 electrode of lithium batteries by PITT and EIS. <i>Journal of Electroanalytical Chemistry</i> , 2008 , 624, 161-166	4.1	30
5	A novel $\text{LiTi}_2(\text{PO}_4)_3/\text{MnO}_2$ hybrid supercapacitor in lithium sulfate aqueous electrolyte. <i>Electrochimica Acta</i> , 2008 , 53, 8128-8133	6.7	44
4	Pore-widening with the assistance of ultrasonic: A novel process for preparing porous anodic aluminum oxide membrane. <i>Materials Letters</i> , 2006 , 60, 2098-2100	3.3	5
3	Restraining Oxygen Release and Suppressing Structure Distortion in Single-Crystal Li-Rich Layered Cathode Materials. <i>Advanced Functional Materials</i> , 2110295	15.6	9
2	Ion-Exchange: A Promising Strategy to Design Li-Rich and Li-Excess Layered Cathode Materials for Li-Ion Batteries. <i>Advanced Energy Materials</i> , 2003972	21.8	9
1	Delay-range-dependent H _∞ synchronization approaches for time-delay chaotic systems. <i>International Journal of Computer Mathematics</i> , 1-17	1.2	0