

Bianca M Buurman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11219335/publications.pdf>

Version: 2024-02-01

100
papers

2,903
citations

185998

28
h-index

205818

48
g-index

105
all docs

105
docs citations

105
times ranked

3881
citing authors

#	ARTICLE	IF	CITATIONS
1	Geriatric Conditions in Acutely Hospitalized Older Patients: Prevalence and One-Year Survival and Functional Decline. PLoS ONE, 2011, 6, e26951.	1.1	276
2	Transitional Care Interventions Prevent Hospital Readmissions For Adults With Chronic Illnesses. Health Affairs, 2014, 33, 1531-1539.	2.5	199
3	The prediction of functional decline in older hospitalised patients. Age and Ageing, 2012, 41, 381-387.	0.7	139
4	The Development of the Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS): A Large-Scale Data Sharing Initiative. PLoS ONE, 2013, 8, e81673.	1.1	128
5	Variability in measuring (instrumental) activities of daily living functioning and functional decline in hospitalized older medical patients: a systematic review. Journal of Clinical Epidemiology, 2011, 64, 619-627.	2.4	108
6	Should We Be Afraid of Simple Messages? The Effects of Text Difficulty and Illustrations in People With Low or High Health Literacy. Health Communication, 2015, 30, 1181-1189.	1.8	86
7	Comprehensive Geriatric Assessment and Transitional Care in Acutely Hospitalized Patients. JAMA Internal Medicine, 2016, 176, 302.	2.6	69
8	Barriers and facilitators for shared decision making in older patients with multiple chronic conditions: a systematic review. BMC Geriatrics, 2021, 21, 112.	1.1	69
9	Clinical Characteristics and Outcomes of Hospitalized Older Patients with Distinct Risk Profiles for Functional Decline: A Prospective Cohort Study. PLoS ONE, 2012, 7, e29621.	1.1	67
10	Failure to Regain Function at 3 months After Acute Hospital Admission Predicts Institutionalization Within 12 Months in Older Patients. Journal of the American Medical Directors Association, 2012, 13, 569.e1-569.e7.	1.2	64
11	Identification of older hospitalised patients at risk for functional decline, a study to compare the predictive values of three screening instruments. Journal of Clinical Nursing, 2010, 19, 1219-1225.	1.4	57
12	Risk for poor outcomes in older patients discharged from an emergency department. European Journal of Emergency Medicine, 2011, 18, 215-220.	0.5	52
13	The Value of a Comprehensive Geriatric Assessment for Patient Care in Acutely Hospitalized Older Patients with Cancer. Oncologist, 2011, 16, 1403-1412.	1.9	51
14	The effect of a pharmacy-led transitional care program on medication-related problems post-discharge: A before-and-after prospective study. PLoS ONE, 2019, 14, e0213593.	1.1	50
15	A randomised clinical trial on a comprehensive geriatric assessment and intensive home follow-up after hospital discharge: the Transitional Care Bridge. BMC Health Services Research, 2010, 10, 296.	0.9	48
16	Systematic comprehensive geriatric assessment in elderly patients on chronic dialysis: a cross-sectional comparative and feasibility study. BMC Nephrology, 2012, 13, 30.	0.8	45
17	The influence of age on health valuations: the older olds prefer functional independence while the younger olds prefer less morbidity. Clinical Interventions in Aging, 2015, 10, 1131.	1.3	44
18	Barriers and facilitators with medication use during the transition from hospital to home: a qualitative study among patients. BMC Health Services Research, 2019, 19, 204.	0.9	41

#	ARTICLE	IF	CITATIONS
19	The Course of Geriatric Syndromes in Acutely Hospitalized Older Adults: The Hospital-ADL Study. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 152-158.e2.	1.2	41
20	“œl Feel Worn Out, as if I Neglected Myself” Older Patients’s™ Perspectives on Post-hospital Symptoms After Acute Hospitalization. <i>Gerontologist</i> , The, 2019, 59, 315-326.	2.3	38
21	Unravelling the potential mechanisms behind hospitalization-associated disability in older patients; the Hospital-Associated Disability and impact on daily Life (Hospital-ADL) cohort study protocol. <i>BMC Geriatrics</i> , 2016, 16, 59.	1.1	37
22	Prognostication in Acutely Admitted Older Patients by Nurses and Physicians. <i>Journal of General Internal Medicine</i> , 2008, 23, 1883-1889.	1.3	35
23	Acute and chronic diseases as part of multimorbidity in acutely hospitalized older patients. <i>European Journal of Internal Medicine</i> , 2016, 27, 68-75.	1.0	35
24	Effectiveness of sensor monitoring in an occupational therapy rehabilitation program for older individuals after hip fracture, the SO-HIP trial: study protocol of a three-arm stepped wedge cluster randomized trial. <i>BMC Health Services Research</i> , 2017, 17, 3.	0.9	35
25	A simple validated questionnaire predicted functional decline in community-dwelling older persons: prospective cohort studies. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1121-1130.	2.4	34
26	Comprehensive geriatric assessment, multifactorial interventions and nurse-led care coordination to prevent functional decline in community-dwelling older persons: protocol of a cluster randomized trial. <i>BMC Health Services Research</i> , 2012, 12, 85.	0.9	32
27	Sensor Monitoring to Measure and Support Daily Functioning for Independently Living Older People: A Systematic Review and Road Map for Further Development. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 2219-2227.	1.3	32
28	Trajectories of Disability Among Older Persons Before and After a Hospitalization Leading to a Skilled Nursing Facility Admission. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 225-231.	1.2	32
29	Urinary Incontinence and Indwelling Urinary Catheters in Acutely Admitted Elderly Patients: Relationship With Mortality, Institutionalization, and Functional Decline. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 147.e7-147.e12.	1.2	31
30	A qualitative study of patient-centered goal-setting in geriatric rehabilitation: patient and professional perspectives. <i>Clinical Rehabilitation</i> , 2019, 33, 128-140.	1.0	31
31	Effective components of nurse-coordinated care to prevent recurrent coronary events: a systematic review and meta-analysis. <i>Heart</i> , 2016, 102, 50-56.	1.2	30
32	Effectiveness of sensor monitoring in a rehabilitation programme for older patients after hip fracture: a three-arm stepped wedge randomised trial. <i>Age and Ageing</i> , 2019, 48, 650-657.	0.7	30
33	Effects of Nurse-Led Multifactorial Care to Prevent Disability in Community-Living Older People: Cluster Randomized Trial. <i>PLoS ONE</i> , 2016, 11, e0158714.	1.1	29
34	Symptoms of depression, anxiety, and perceived mastery in older adults before and during the COVID-19 pandemic: Results from the Longitudinal Aging Study Amsterdam. <i>Journal of Psychosomatic Research</i> , 2021, 151, 110656.	1.2	29
35	Improving handoff communication from hospital to home: the development, implementation and evaluation of a personalized patient discharge letter. <i>International Journal for Quality in Health Care</i> , 2016, 28, 384-390.	0.9	27
36	End-of-life care during and after an acute hospitalization in older patients with cancer, end-stage organ failure, or frailty: A sub-analysis of a prospective cohort study. <i>Palliative Medicine</i> , 2016, 30, 75-82.	1.3	27

#	ARTICLE	IF	CITATIONS
37	Self-Report of Healthcare Utilization among Community-Dwelling Older Persons: A Prospective Cohort Study. PLoS ONE, 2014, 9, e93372.	1.1	26
38	Health-Related Quality of Life at Admission Is Associated with Postdischarge Mortality, Functional Decline, and Institutionalization in Acutely Hospitalized Older Medical Patients. Journal of the American Geriatrics Society, 2016, 64, 761-768.	1.3	25
39	Functional decline of older patients 1 year after cardiothoracic surgery followed by intensive care admission: a prospective longitudinal cohort study. Age and Ageing, 2014, 43, 575-580.	0.7	23
40	Effects of Postacute Multidisciplinary Rehabilitation Including Exercise in Out-of-Hospital Settings in the Aged: Systematic Review and Meta-analysis. Archives of Physical Medicine and Rehabilitation, 2019, 100, 530-550.	0.5	23
41	A European Research Agenda for Geriatric Emergency Medicine: a modified Delphi study. European Geriatric Medicine, 2021, 12, 413-422.	1.2	23
42	PATIENT AND PROXY RATING AGREEMENTS ON ACTIVITIES OF DAILY LIVING AND THE INSTRUMENTAL ACTIVITIES OF DAILY LIVING OF ACUTELY HOSPITALIZED OLDER ADULTS. Journal of the American Geriatrics Society, 2011, 59, 1554-1556.	1.3	21
43	Insight Into the Posthospital Syndrome: A 3-Month Longitudinal Follow up on Geriatric Syndromes and Their Association With Functional Decline, Readmission, and Mortality. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1403-1410.	1.7	21
44	Factors Associated with Step Numbers in Acutely Hospitalized Older Adults: The Hospital-Activities of Daily Living Study. Journal of the American Medical Directors Association, 2021, 22, 425-432.	1.2	21
45	Establishing a composite endpoint for measuring the effectiveness of geriatric interventions based on older persons' and informal caregivers' preference weights: a vignette study. BMC Geriatrics, 2014, 14, 51.	1.1	20
46	How do hospital-based nurses and physicians identify the palliative phase in their patients and what difficulties exist? A qualitative interview study. BMC Palliative Care, 2019, 18, 54.	0.8	20
47	Medication-related interventions delivered both in hospital and following discharge: a systematic review and meta-analysis. BMJ Quality and Safety, 2021, 30, 146-156.	1.8	20
48	Coping With Serious Events at Work. Journal of the American Psychiatric Nurses Association, 2011, 17, 321-329.	0.4	19
49	An exploratory study of healthcare professionals' perceptions of interprofessional communication and collaboration. Journal of Interprofessional Care, 2017, 31, 397-400.	0.8	18
50	Muscle strength is longitudinally associated with mobility among older adults after acute hospitalization: The Hospital-ADL study. PLoS ONE, 2019, 14, e0219041.	1.1	18
51	Measuring triadic decision making in older patients with multiple chronic conditions: Observer OPTIONMCC. Patient Education and Counseling, 2019, 102, 1969-1976.	1.0	18
52	Longitudinal Changes in Muscle Mass, Muscle Strength, and Physical Performance in Acutely Hospitalized Older Adults. Journal of the American Medical Directors Association, 2021, 22, 839-845.e1.	1.2	18
53	Are presymptomatic SARS-CoV-2 infections in nursing home residents unrecognised symptomatic infections? Sequence and metadata from weekly testing in an extensive nursing home outbreak. Age and Ageing, 2021, 50, 1454-1463.	0.7	18
54	The nurse-coordinated cardiac care bridge transitional care programme: a randomised clinical trial. Age and Ageing, 2021, 50, 2105-2115.	0.7	16

#	ARTICLE	IF	CITATIONS
55	Patients'™ preferred place of death: patients are willing to consider their preferences, but someone has to ask them. <i>Age and Ageing</i> , 2021, 50, 2004-2011.	0.7	16
56	Distinct Cognitive Trajectories in the First Year After Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1034-1042.	1.3	15
57	Decreased Appetite is Associated with Sarcopenia-Related Outcomes in Acute Hospitalized Older Adults. <i>Nutrients</i> , 2019, 11, 932.	1.7	15
58	Comprehensive geriatric assessment: recognition of identified geriatric conditions by community-dwelling older persons. <i>Age and Ageing</i> , 2016, 45, 894-899.	0.7	14
59	Not feeling ready to go home: a qualitative analysis of chronically ill patients'™ perceptions on care transitions. <i>International Journal for Quality in Health Care</i> , 2019, 31, 125-132.	0.9	13
60	Examining the construct and known-group validity of a composite endpoint for The Older Persons and Informal Caregivers Survey Minimum Data Set (TOPICS-MDS); A large-scale data sharing initiative. <i>PLoS ONE</i> , 2017, 12, e0173081.	1.1	13
61	Comparing the Health State Preferences of Older Persons, Informal Caregivers and Healthcare Professionals: A Vignette Study. <i>PLoS ONE</i> , 2015, 10, e0119197.	1.1	12
62	Hopelessness and Other Depressive Symptoms in Adults 70 Years and Older as Predictors of All-Cause Mortality Within 3 Months After Acute Hospitalization: The Hospital-ADL Study. <i>Psychosomatic Medicine</i> , 2019, 81, 477-485.	1.3	12
63	Two European Examples of Acute Geriatric Units Located Outside of a General Hospital for Older Adults With Exacerbated Chronic Conditions. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1228-1234.	1.2	12
64	Older patients'™ perspectives on factors contributing to frequent visits to the emergency department: a qualitative interview study. <i>BMC Public Health</i> , 2021, 21, 1709.	1.2	12
65	Investigating the effectiveness of care delivery at an acute geriatric community hospital for older adults in the Netherlands: a protocol for a prospective controlled observational study. <i>BMJ Open</i> , 2020, 10, e033802.	0.8	11
66	The development of the evidence-based SDMMCC intervention to improve shared decision making in geriatric outpatients: the DICO study. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 35.	1.5	11
67	Emergency department management of older people living with frailty: a guide for emergency practitioners. <i>Emergency Medicine Journal</i> , 2021, 38, 724-729.	0.4	11
68	Changes in the in-hospital mortality and 30-day post-discharge mortality in acutely admitted older patients: retrospective observational study. <i>Age and Ageing</i> , 2016, 45, 41-47.	0.7	10
69	Determinants of Post-acute Care Costs in Acutely Hospitalized Older Adults: The Hospital-ADL Study. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1300-1306.e1.	1.2	10
70	Trajectories of cognitive-affective depressive symptoms in acutely hospitalized older adults: The hospital-ADL study. <i>Journal of Psychosomatic Research</i> , 2019, 120, 66-73.	1.2	10
71	Health Care Providers' Views on the Transition Between Hospital and Primary Care in Patients in the Palliative Phase: A Qualitative Description Study. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 372-380.e1.	0.6	10
72	Longitudinal medication reconciliation at hospital admission, discharge and post-discharge. <i>Research in Social and Administrative Pharmacy</i> , 2021, 17, 677-684.	1.5	10

#	ARTICLE	IF	CITATIONS
73	Cost-effectiveness of nurse-led multifactorial care to prevent or postpone new disabilities in community-living older people: Results of a cluster randomized trial. <i>PLoS ONE</i> , 2017, 12, e0175272.	1.1	9
74	Usability of the surprise question by nurses to identify 12-month mortality in hospitalized older patients: A prospective cohort study. <i>International Journal of Nursing Studies</i> , 2020, 109, 103609.	2.5	9
75	Physical Resilience in Daily Functioning Among Acutely Ill Hospitalized Older Adults: The Hospital-ADL Study. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 903.e1-903.e12.	1.2	9
76	Association between Acute Geriatric Syndromes and Medication-Related Hospital Admissions. <i>Drugs and Aging</i> , 2012, 29, 691-699.	1.3	7
77	Residential Relocations Among Older People Over the Course of More Than 10 Years. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 521-526.	1.2	7
78	Views of Primary Care Physicians and Home Care Nurses on the Causes of Readmission of Older Adults. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2193-2196.	1.3	7
79	Safe handovers for every patient: an interrupted time series analysis to test the effect of a structured discharge bundle in Dutch hospitals. <i>BMJ Open</i> , 2019, 9, e023446.	0.8	7
80	The Cardiac Care Bridge randomized trial in high-risk older cardiac patients: A mixed-methods process evaluation. <i>Journal of Advanced Nursing</i> , 2021, 77, 2498-2510.	1.5	7
81	Hospital Deaths Increased After Reforms Regardless of Dementia Status: An Interrupted Time-Series Analysis. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1507-1511.	1.2	7
82	Asymptomatic Cases and Limited Transmission of SARS-CoV-2 in Residents and Healthcare Workers in Three Dutch Nursing Homes. <i>Gerontology and Geriatric Medicine</i> , 2020, 6, 233372142098280.	0.8	7
83	The Impact of COVID-19 from the Perspectives of Dutch District Nurses: A Mixed-Methods Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13266.	1.2	7
84	Survey Mode Biases Reporting of Activities of Daily Living and Instrumental Activities of Daily Living. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2419-2421.	1.3	5
85	Implementation of a Transfer Intervention Procedure (TIP) to improve handovers from hospital to home: interrupted time series analysis. <i>BMC Health Services Research</i> , 2016, 16, 479.	0.9	5
86	Feasibility of the PalliSupport care pathway: results from a mixed-method study in acutely hospitalized older patients at the end of life. <i>Pilot and Feasibility Studies</i> , 2020, 6, 129.	0.5	5
87	Experiences of frail older cardiac patients with a nurse-coordinated transitional care intervention - a qualitative study. <i>BMC Health Services Research</i> , 2021, 21, 786.	0.9	5
88	Expert Knowledge for Modeling Functional Health from Sensor Data. <i>Methods of Information in Medicine</i> , 2016, 55, 516-524.	0.7	4
89	“Patients come with two garbage bags full of problems and we have to sort them.” A qualitative study of the experiences of healthcare professionals on patients admitted to short-term residential care in the Netherlands. <i>Age and Ageing</i> , 2021, 50, 1361-1370.	0.7	4
90	The performance of the Dutch Safety Management System frailty tool to predict the risk of readmission or mortality in older hospitalised cardiac patients. <i>BMC Geriatrics</i> , 2021, 21, 299.	1.1	4

#	ARTICLE	IF	CITATIONS
91	Patient experience and satisfaction with admission to an acute geriatric community hospital in the Netherlands: a mixed method study. <i>Journal of Integrated Care</i> , 2021, 29, 390-402.	0.2	4
92	The longitudinal association between depressive symptoms and functional abilities in older patients. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110195.	1.2	3
93	The course of readmission in frail older cardiac patients. <i>Journal of Advanced Nursing</i> , 2021, 77, 2807-2818.	1.5	3
94	Implementation of a national testing policy in Dutch nursing homes during <scp>SARSâ€CoV</scp>â€2 outbreaks. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 940-949.	1.3	3
95	Place of Death with Dementiaâ€”Dutch People Rarely Die in the Hospital. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1961-1962.	1.3	2
96	Motivational factors mediate the association of general self-efficacy and performance outcomes in acutely hospitalised older patients. <i>Age and Ageing</i> , 2020, 49, 837-842.	0.7	2
97	Symptom- and Prevention-Based Testing of COVID-19 in Nursing Home Residents: A Retrospective Cohort Study. <i>Gerontology and Geriatric Medicine</i> , 2021, 7, 233372142110553.	0.8	2
98	Insulin-dependent diabetic patients with macrovascular complications suffer from many geriatric conditions. <i>European Journal of Internal Medicine</i> , 2013, 24, 52-58.	1.0	1
99	Effects of a transitional care program on medication adherence in an older cardiac population: a randomized clinical trial. <i>British Journal of Clinical Pharmacology</i> , 2021, , .	1.1	0
100	The Cardiac Care Bridge transitional care program for the management of older high-risk cardiac patients: An economic evaluation alongside a randomized controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263130.	1.1	0