Mauro Tettamanti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1122575/publications.pdf

Version: 2024-02-01

191 papers 5,591 citations

76322 40 h-index 102480 66 g-index

204 all docs

204 docs citations

times ranked

204

8867 citing authors

#	Article	IF	Citations
1	Homocysteine, folate, and vitamin B-12 in mild cognitive impairment, Alzheimer disease, and vascular dementia. American Journal of Clinical Nutrition, 2004, 80, 114-22.	4.7	258
2	Polypharmacy, length of hospital stay, and in-hospital mortality among elderly patients in internal medicine wards. The REPOSI study. European Journal of Clinical Pharmacology, 2011, 67, 507-519.	1.9	255
3	Longâ€term acetylâ€Lâ€carnitine treatment in Alzheimer's disease. Neurology, 1991, 41, 1726-1726.	1.1	206
4	Prevalence, incidence and types of mild anemia in the elderly: the "Health and Anemia" population-based study. Haematologica, 2010, 95, 1849-1856.	3 . 5	183
5	Doxycycline in Creutzfeldt-Jakob disease: a phase 2, randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2014, 13, 150-158.	10.2	157
6	Association of Anticholinergic Burden with Cognitive and Functional Status in a Cohort of Hospitalized Elderly: Comparison of the Anticholinergic Cognitive Burden Scale and Anticholinergic Risk Scale. Drugs and Aging, 2013, 30, 103-112.	2.7	140
7	Association of Mild Anemia with Cognitive, Functional, Mood and Quality of Life Outcomes in the Elderly: The "Health and Anemia―Study. PLoS ONE, 2008, 3, e1920.	2.5	124
8	Oral lichen planus and malignant transformation: a longitudinal cohort study. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2011, 112, 328-334.	1.4	120
9	Association of mild anemia with hospitalization and mortality in the elderly: the Health and Anemia population-based study. Haematologica, 2009, 94, 22-28.	3.5	114
10	Postural stability and history of falls in cognitively able older adults: The Canton Ticino study. Gait and Posture, 2012, 36, 662-666.	1.4	106
11	Association between clusters of diseases and polypharmacy in hospitalized elderly patients: Results from the REPOSI study. European Journal of Internal Medicine, 2011, 22, 597-602.	2.2	104
12	Potentially severe drug interactions in elderly outpatients: results of an observational study of an administrative prescription database. Journal of Clinical Pharmacy and Therapeutics, 2009, 34, 377-386.	1.5	97
13	Changes in illicit drug consumption patterns in 2009 detected by wastewater analysis. Drug and Alcohol Dependence, 2011, 118, 464-469.	3.2	88
14	Prevalence and appropriateness of drug prescriptions for peptic ulcer and gastro-esophageal reflux disease in a cohort of hospitalized elderly. European Journal of Internal Medicine, 2011, 22, 205-210.	2.2	88
15	Nonsteroidal antiinflammatory drug use in Alzheimer's disease. Biological Psychiatry, 1994, 36, 854-856.	1.3	83
16	Adverse drug reactions caused by drug–drug interactions in elderly outpatients: a prospective cohort study. European Journal of Clinical Pharmacology, 2012, 68, 1667-1676.	1.9	77
17	Prevention of Inappropriate Prescribing in Hospitalized Older Patients Using a Computerized Prescription Support System (INTERcheck \hat{A}^{0}). Drugs and Aging, 2013, 30, 821-828.	2.7	76
18	Inflammatory markers in Alzheimer's disease and multi-infarct dementia. Mechanisms of Ageing and Development, 2001, 122, 1985-1995.	4.6	75

#	Article	IF	Citations
19	Gender-differences in disease distribution and outcome in hospitalized elderly: Data from the REPOSI study. European Journal of Internal Medicine, 2014, 25, 617-623.	2.2	75
20	Attitudes towards polypharmacy and medication withdrawal among older inpatients in Italy. International Journal of Clinical Pharmacy, 2016, 38, 454-461.	2.1	73
21	Risk factors for hospital readmission of elderly patients. European Journal of Internal Medicine, 2013, 24, 45-51.	2.2	72
22	Rate of Progression and Prognostic Factors in Alzheimer's Disease: A Prospective Study. Journal of the American Geriatrics Society, 1993, 41, 45-49.	2.6	71
23	Homocysteine and B vitamins in mild cognitive impairment and dementia. Clinical Chemistry and Laboratory Medicine, 2005, 43, 1096-100.	2.3	66
24	Long-Term Relationship Between Atrial Fibrillation, Multimorbidity and Oral Anticoagulant Drug Use. Mayo Clinic Proceedings, 2019, 94, 2427-2436.	3.0	66
25	Under-detection of delirium and impact of neurocognitive deficits on in-hospital mortality among acute geriatric and medical wards. European Journal of Internal Medicine, 2015, 26, 696-704.	2.2	65
26	The Role of European Healthcare Databases for Post-Marketing Drug Effectiveness, Safety and Value Evaluation: Where Does Italy Stand?. Drug Safety, 2019, 42, 347-363.	3.2	65
27	Prevalence, incidence and mortality of diagnosed diabetes: evidence from an Italian populationâ€based study. Diabetic Medicine, 2012, 29, 385-392.	2.3	64
28	The Effect of a Structured Intervention on Caregivers of Patients With Dementia and Problem Behaviors. Alzheimer Disease and Associated Disorders, 2004, 18, 75-82.	1.3	62
29	Prevalence of potentially inappropriate medications and risk of adverse clinical outcome in a cohort of hospitalized elderly patients: results from the REPOSI Study. Journal of Clinical Pharmacy and Therapeutics, 2014, 39, 511-515.	1.5	59
30	Peripheral Inflammatory Response in Alzheimer's Disease and Multiinfarct Dementia. Neurobiology of Disease, 2002, 11, 308-314.	4.4	57
31	Drug utilization and polypharmacy in an Italian elderly population: the EPIFARMâ€elderly project. Pharmacoepidemiology and Drug Safety, 2011, 20, 488-496.	1.9	56
32	Prevalence of dementia in the oldest old: The Monzino 80â€plus population based study. Alzheimer's and Dementia, 2015, 11, 258.	0.8	56
33	Preventive study in subjects at risk of fatal familial insomnia: Innovative approach to rare diseases. Prion, 2015, 9, 75-79.	1.8	54
34	Drug–drug interactions in a cohort of hospitalized elderly patients. Pharmacoepidemiology and Drug Safety, 2013, 22, 1054-1060.	1.9	53
35	Mortality rate and risk factors for gastrointestinal bleeding in elderly patients. European Journal of Internal Medicine, 2019, 61, 54-61.	2.2	52
36	Factors affecting adherence to guidelines for antithrombotic therapy in elderly patients with atrial fibrillation admitted to internal medicine wards. European Journal of Internal Medicine, 2010, 21, 516-523.	2.2	51

3

#	Article	IF	CITATIONS
37	Changes in drug prescribing to Italian community-dwelling elderly people: the EPIFARM–Elderly Project 2000–2010. European Journal of Clinical Pharmacology, 2014, 70, 437-443.	1.9	47
38	Relation Between Delirium and Anticholinergic Drug Burden in a Cohort of Hospitalized Older Patients: An Observational Study. Drugs and Aging, 2019, 36, 85-91.	2.7	46
39	COVID-19 mortality in Lombardy: the vulnerability of the oldest old and the resilience of male centenarians. Aging, 2020, 12, 15186-15195.	3.1	46
40	Older patients are still under-represented in clinical trials of Alzheimer's disease. Alzheimer's Research and Therapy, 2016, 8, 32.	6.2	44
41	Incidence and Predictors of Adverse Drug Reactions Caused by Drug-Drug Interactions in Elderly Outpatients: A Prospective Cohort Study. Journal of Pharmacy and Pharmaceutical Sciences, 2012, 15, 332.	2.1	43
42	Changes in clinical outcomes for community-dwelling older people exposed to incident chronic polypharmacy: a comparison between 2001 and 2009. Pharmacoepidemiology and Drug Safety, 2016, 25, 204-211.	1.9	43
43	¹²³ lâ€2βâ€carbomethoxyâ€3βâ€(4â€iodophenyl)â€ <i>N</i> à€(3â€fluoropropyl) nortropane single emission computed tomography and ¹²³ lâ€metaiodobenzylguanidine myocardial scintigraphy in differentiating dementia with lewy bodies from other dementias: A comparative study. Annals of Neurology, 2016, 80, 368-378.	photon 5.3	42
44	Lower limb function as predictor of falls and loss of mobility with social repercussions one year after discharge among elderly inpatients. Aging Clinical and Experimental Research, 2005, 17, 82-89.	2.9	41
45	Geographical differences in the prevalence of chronic polypharmacy in older people: eleven years of the EPIFARM-Elderly Project. European Journal of Clinical Pharmacology, 2013, 69, 1477-1483.	1.9	41
46	Social isolation and loneliness as related to progression and reversion of frailty in the Survey of Health Aging Retirement in Europe (SHARE). Age and Ageing, 2021, 50, 258-262.	1.6	41
47	Trends in drug prescriptions to diabetic patients from 2000 to 2008 in Italy's Lombardy Region: A large population-based study. Diabetes Research and Clinical Practice, 2011, 93, 123-130.	2.8	40
48	The <i>SIRT2</i> polymorphism rs10410544 and risk of Alzheimer's disease in two Caucasian caseâ€"control cohorts. Alzheimer's and Dementia, 2013, 9, 392-399.	0.8	40
49	Drug Use by the Elderly in Italy. Annals of Pharmacotherapy, 1997, 31, 416-422.	1.9	39
50	In-Hospital Death and Adverse Clinical Events in Elderly Patients According to Disease Clustering: The REPOSI Study. Rejuvenation Research, 2010, 13, 469-477.	1.8	38
51	Clinical relevance of clonal hematopoiesis in persons aged ≥80 years. Blood, 2021, 138, 2093-2105.	1.4	37
52	Antidepressants utilization among elderly in Lombardy from 2000 to 2007: dispensing trends and appropriateness. European Journal of Clinical Pharmacology, 2011, 67, 1077-1083.	1.9	36
53	Alzheimer Special Care Units Compared With Traditional Nursing Home for Dementia Care. Alzheimer Disease and Associated Disorders, 2008, 22, 352-361.	1.3	32
54	Inâ€hospital death according to dementia diagnosis in acutely ill elderly patients: the REPOSI study. International Journal of Geriatric Psychiatry, 2011, 26, 930-936.	2.7	32

#	Article	lF	CITATIONS
55	E-learning in order to improve drug prescription for hospitalized older patients: a cluster-randomized controlled study. British Journal of Clinical Pharmacology, 2016, 82, 53-63.	2.4	31
56	Ficolin-3–mediated lectin complement pathway activation in patients with subarachnoid hemorrhage. Neurology, 2014, 82, 126-134.	1.1	29
57	Mortality Prediction in the Oldest Old with Five Different Equations to Estimate Glomerular Filtration Rate: The Health and Anemia Population-based Study. PLoS ONE, 2015, 10, e0136039.	2.5	29
58	Risk of dementia and death in patients with atrial fibrillation: A competing risk analysis of a population-based cohort. International Journal of Cardiology, 2016, 220, 440-444.	1.7	28
59	ICC-dementia (International Centenarian Consortium - dementia): an international consortium to determine the prevalence and incidence of dementia in centenarians across diverse ethnoracial and sociocultural groups. BMC Neurology, 2016, 16, 52.	1.8	28
60	Ethical issues in end of life treatments for patients with dementia. European Journal of Neurology, 2010, 17, 774-779.	3.3	27
61	Adverse Clinical Events and Mortality During Hospitalization and 3 Months After Discharge in Cognitively Impaired Elderly Patients. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 419-425.	3.6	27
62	Diabetes mellitus as risk factor for atrial fibrillation hospitalization: Incidence and outcomes over nine years in a region of Northern Italy. Diabetes Research and Clinical Practice, 2015, 109, 476-484.	2.8	27
63	Drug prescriptions in nursing home residents: an Italian multicenter observational study. European Journal of Clinical Pharmacology, 2020, 76, 1011-1019.	1.9	27
64	Tumor necrosis factor \hat{l}_{\pm} polymorphism C-850T is not associated with Alzheimer's disease and vascular dementia in an Italian population. Neuroscience Letters, 2003, 344, 135-137.	2.1	26
65	Low Folate and the Risk of Cognitive and Functional Deficits in the Very Old: The Monzino 80-plus Study. Journal of the American College of Nutrition, 2006, 25, 502-508.	1.8	25
66	Cerebrospinal fluid pentraxin 3 early after subarachnoid hemorrhage is associated with vasospasm. Intensive Care Medicine, 2011, 37, 302-309.	8.2	25
67	Inappropriate prescription of allopurinol and febuxostat and risk of adverse events in the elderly: results from the REPOSI registry. European Journal of Clinical Pharmacology, 2014, 70, 1495-1503.	1.9	25
68	Gender difference in drug use in hospitalized elderly patients. European Journal of Internal Medicine, 2015, 26, 483-490.	2.2	25
69	Adherence to antibiotic treatment guidelines and outcomes in the hospitalized elderly with different types of pneumonia. European Journal of Internal Medicine, 2015, 26, 330-337.	2.2	25
70	Use and misuse of antipsychotic drugs in patients with dementia in Alzheimer special care units. International Clinical Psychopharmacology, 2009, 24, 97-104.	1.7	24
71	A Population-based study of dementia in the oldest old: the Monzino 80-plus Study. BMC Neurology, 2011, 11, 54.	1.8	24
72	Changes in trend of antipsychotics prescription in patients treated with cholinesterase inhibitors after warnings from Italian Medicines Agency. Results from the EPIFARM-Elderly Project. European Neuropsychopharmacology, 2012, 22, 569-577.	0.7	24

#	Article	IF	CITATIONS
73	Prevalence and Risk Factors Associated with Use of QT-Prolonging Drugs in Hospitalized Older People. Drugs and Aging, 2016, 33, 53-61.	2.7	24
74	Drug–drug interactions involving CYP3A4 and p-glycoprotein in hospitalized elderly patients. European Journal of Internal Medicine, 2019, 65, 51-57.	2.2	24
75	Imatinib and polypharmacy in very old patients with chronic myeloid leukemia: effects on response rate, toxicity and outcome. Oncotarget, 2016, 7, 80083-80090.	1.8	24
76	Prophylaxis of venous thromboembolism in elderly patients with multimorbidity. Internal and Emergency Medicine, 2013, 8, 509-520.	2.0	23
77	Outcomes in patients hospitalized for heart failure and chronic obstructive pulmonary disease: differences in clinical profile and treatment between 2002 and 2009. European Journal of Heart Failure, 2016, 18, 840-848.	7.1	23
78	Sex differences in cardiovascular outcomes, pharmacological treatments and indicators of care in patients with newly diagnosed diabetes: Analyses on administrative database. European Journal of Internal Medicine, 2014, 25, 270-275.	2.2	22
79	Patient-Reported Symptoms and Sequelae 12 Months After COVID-19 in Hospitalized Adults: A Multicenter Long-Term Follow-Up Study. Frontiers in Medicine, 2022, 9, 834354.	2.6	22
80	Epidemiologic Trends in Hospitalized Ischemic Stroke from 2002 to 2010: Results from a Large Italian Population-Based Study. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1917-1923.	1.6	21
81	Cholinesterase inhibitor use in Alzheimer's disease: the EPIFARMâ€Elderly Project. Pharmacoepidemiology and Drug Safety, 2011, 20, 497-505.	1.9	20
82	Metabolic syndrome and drug discontinuation in schizophrenia: a randomized trial comparing aripiprazole olanzapine and haloperidol. Acta Psychiatrica Scandinavica, 2016, 133, 63-75.	4.5	20
83	Lower risk of death and cardiovascular events in patients with diabetes initiating glucagonâ€like peptideâ€1 receptor agonists or sodiumâ€glucose cotransporterâ€2 inhibitors: A realâ€world study in two Italian cohorts. Diabetes, Obesity and Metabolism, 2021, 23, 1484-1495.	4.4	20
84	Mortality of demented patients in a geriatric institution. Archives of Gerontology and Geriatrics, 1989, 9, 193-197.	3.0	18
85	Pattern of comorbidities and 1-year mortality in elderly patients with COPD hospitalized in internal medicine wards: data from the RePoSI Registry. Internal and Emergency Medicine, 2021, 16, 389-400.	2.0	18
86	Diabetes mellitus: a risk factor for seizures in the elderly—a population-based study. Acta Diabetologica, 2017, 54, 863-870.	2.5	17
87	Prognostic value of degree and types of anaemia on clinical outcomes for hospitalised older patients. Archives of Gerontology and Geriatrics, 2017, 69, 21-30.	3.0	17
88	Choice and Outcomes of Rate Control versus Rhythm Control in Elderly Patients with Atrial Fibrillation: A Report from the REPOSI Study. Drugs and Aging, 2018, 35, 365-373.	2.7	17
89	Incidence of dementia in the oldestâ€old and its relationship with age: The Monzino 80â€plus populationâ€based study. Alzheimer's and Dementia, 2020, 16, 472-481.	0.8	17
90	Effect of optical flow versus attentional strategy on gait in Parkinson's Disease: a study with a portable optical stimulating device. Journal of NeuroEngineering and Rehabilitation, 2008, 5, 3.	4.6	16

#	Article	IF	CITATIONS
91	Prognostic value of estimated glomerular filtration rate in hospitalized elderly patients. Internal and Emergency Medicine, 2014, 9, 735-747.	2.0	16
92	Relationship between atrial fibrillation and cognitive decline in individuals aged 80 and older. European Journal of Internal Medicine, 2017, 46, 6-10.	2.2	16
93	Outcome of community-based rehabilitation program for people with mental illness who are considered difficult to treat. Journal of Rehabilitation Research and Development, 2007, 44, 775.	1.6	15
94	Metformin use is associated with a decrease in the risk of hospitalization and mortality in <scp>COVID</scp> â€19 patients with diabetes: A populationâ€based study in Lombardy. Diabetes, Obesity and Metabolism, 2022, 24, 891-898.	4.4	15
95	Comparison of Disease Clusters in Two Elderly Populations Hospitalized in 2008 and 2010. Gerontology, 2013, 59, 307-315.	2.8	14
96	SORL1 Gene is Associated with the Conversion from Mild Cognitive Impairment to Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 46, 771-776.	2.6	14
97	Brain and kidney, victims of atrial microembolism in elderly hospitalized patients? Data from the REPOSI study. European Journal of Internal Medicine, 2015, 26, 243-249.	2.2	14
98	Comparison of Health Care Resource Utilization by Immigrants Versus Native Elderly People. Journal of Immigrant and Minority Health, 2016, 18, 1-7.	1.6	14
99	Are all people with diabetes and cardiovascular risk factors or microvascular complications at very high risk? Findings from the Risk and Prevention Study. Acta Diabetologica, 2017, 54, 123-131.	2.5	14
100	Risk factors for three-month mortality after discharge in a cohort of non-oncologic hospitalized elderly patients: Results from the REPOSI study. Archives of Gerontology and Geriatrics, 2018, 74, 169-173.	3.0	14
101	Cholinesterase Inhibitor Use and Age in the General Population. Archives of Neurology, 2006, 63, 154.	4.5	13
102	The Serotonin Transporter Promoter Polymorphic Region is not a Risk Factor for Alzheimer's Disease Related Behavioral Disturbances. Journal of Alzheimer's Disease, 2009, 18, 125-130.	2.6	13
103	Living alone as an independent predictor of prolonged length of hospital stay and non-home discharge in older patients. European Journal of Internal Medicine, 2018, 57, 25-31.	2.2	13
104	Prognostic value of copeptin and midâ€regional proadrenomedullin in COVIDâ€19â€hospitalized patients. European Journal of Clinical Investigation, 2022, 52, e13753.	3.4	13
105	Role of VEGF gene variability in longevity: A lesson from the Italian population. Neurobiology of Aging, 2008, 29, 1917-1922.	3.1	12
106	Joint use of cardio-embolic and bleeding risk scores in elderly patients with atrial fibrillation. European Journal of Internal Medicine, 2013, 24, 800-806.	2.2	12
107	Peripheral arterial disease: Changes in clinical outcomes and therapeutic strategies in two cohorts, from 2002 to 2008 and from 2008 to 2014. A population-based study. European Journal of Preventive Cardiology, 2018, 25, 1735-1743.	1.8	12
108	Cohort profile: â€~Centenari a Trieste' (CaT), a study of the health status of centenarians in a small defined area of Italy. BMJ Open, 2018, 8, e019250.	1.9	12

#	Article	IF	CITATIONS
109	Sex-related differences in prevalence, treatment and outcomes in patients with atrial fibrillation. Internal and Emergency Medicine, 2020, 15, 231-240.	2.0	12
110	Prevalence and characteristics of antidepressant drug prescriptions in older Italian patients. International Psychogeriatrics, 2012, 24, 606-613.	1.0	11
111	Elevated risk of death and major cardiovascular events in subjects with newly diagnosed diabetes: Findings from an administrative database. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 263-270.	2.6	11
112	How experience modulates semantic memory for food: evidence from elderly adults and centenarians. Scientific Reports, 2018, 8, 6468.	3.3	10
113	Orthostatic hypotension among elderly patients in Italian internal medicine wards: an observational study. Internal and Emergency Medicine, 2020, 15, 281-287.	2.0	10
114	The role of diet on the risk of dementia in the oldest old: The Monzino 80-plus population-based study. Clinical Nutrition, 2021, 40, 4783-4791.	5.0	10
115	Antipsychotic prescription and mortality in hospitalized older persons. Psychogeriatrics, 2017, 17, 397-405.	1.2	9
116	Prevalence and Determinants of the Use of Lipid-Lowering Agents in a Population of Older Hospitalized Patients: the Findings from the REPOSI (REgistro POliterapie Società Italiana di Medicina) Tj ETQq0	0 02.n gBT /	Overlock 101
117	Antipsychotics Prescription and Cerebrovascular Events in Italian Older Persons. Journal of Clinical Psychopharmacology, 2013, 33, 542-545.	1.4	8
118	E-learning to improve the drug prescribing in the hospitalized elderly patients: the ELICADHE feasibility pilot study. Aging Clinical and Experimental Research, 2014, 26, 435-443.	2.9	8
119	Prevalence and management of diabetes in immigrants resident in the Lombardy Region: the importance of ethnicity and duration of stay. Acta Diabetologica, 2018, 55, 355-362.	2.5	8
120	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. Trials, 2020, 21, 695.	1.6	8
121	Changes in prescribing patterns and clinical outcomes in elderly diabetic patients in 2000 and 2010: analysis of a large Italian population-based study. European Journal of Clinical Pharmacology, 2014, 70, 965-974.	1.9	7
122	The stigma of low opioid prescription in the hospitalized multimorbid elderly in Italy. Internal and Emergency Medicine, 2015, 10, 305-313.	2.0	7
123	protocol of multicentre, parallel group, randomised, preclinical trial in female and male rat and mouse from the Italian Stroke Organization (ISO) Basic Science networkMulticentre translational Trial of Remote Ischaemic Conditioning in Acute Ischaemic Stroke (TRICS): protocol of multicentre, parallel group, randomised, preclinical trial in female and male rat and mouse from, BMI Open Science.	1.7	7
124	2020, 44, e100063. Interleukin-1α, interleukin-1β and tumor necrosis factor-α genetic variants and risk of dementia in the very old: evidence from the "Monzino 80-plus―prospective study. Age, 2012, 34, 519-526.	3.0	6
125	Antibiotic use and associated factors in a large sample of hospitalised older people. Journal of Global Antimicrobial Resistance, 2019, 19, 167-172.	2.2	6
126	Relation between anticholinergic burden and cognitive impairment: Results from the Monzino 80â€plus populationâ€based study. Pharmacoepidemiology and Drug Safety, 2020, 29, 1696-1702.	1.9	6

#	Article	IF	CITATIONS
127	Impact of liver disease on oral anticoagulant prescription and major adverse events in patients with atrial fibrillation: analysis from a population-based cohort study. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, f84-f92.	3.0	6
128	Hyperglycemia at admission, comorbidities, and in-hospital mortality in elderly patients hospitalized in internal medicine wards: data from the RePoSI Registry. Acta Diabetologica, 2021, 58, 1225-1236.	2.5	6
129	Prognostic Interplay of Functional Status and Multimorbidity Among Older Patients Discharged From Hospital. Journal of the American Medical Directors Association, 2022, 23, 499-506.e1.	2.5	6
130	The Drug Prescription Network: A System-Level View of Drug Co-Prescription in Community-Dwelling Elderly People. Rejuvenation Research, 2015, 18, 153-161.	1.8	5
131	P4â€237: Headaches and Dementia in the Oldestâ€Old: The Monzino 80â€Plus Populationâ€Based Study. Alzheimer's and Dementia, 2016, 12, P1120.	0.8	5
132	Exacerbations of oral lichen planus and elevated levels of aminotransferases. International Journal of Dermatology, 2017, 56, 842-849.	1.0	5
133	Cardiovascular complications and drug prescriptions in subjects with and without diabetes in a Northern region of Italy, in 2002 and 2012. Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 54-62.	2.6	5
134	Hospital Care of Older Patients With COPD: Adherence to International Guidelines for Use of Inhaled Bronchodilators and Corticosteroids. Journal of the American Medical Directors Association, 2019, 20, 1313-1317.e9.	2.5	5
135	Need for Deprescribing in Hospital Elderly Patients Discharged with a Limited Life Expectancy: The REPOSI Study. Medical Principles and Practice, 2019, 28, 501-508.	2.4	5
136	Clinical factors associated with death in 3044 COVID-19 patients managed in internal medicine wards in Italy: comment. Internal and Emergency Medicine, 2022, 17, 299-302.	2.0	5
137	The Italian version of Consortium to Establish a Registry of Alzheimer's Disease (CERAD). , 2008, 4, 310-310.		4
138	New prescriptions of spironolactone associated with angiotensin-converting-enzyme inhibitors and/or angiotensin receptor blockers and their laboratory monitoring from 2001 to 2008: a population study on older people living in the community in Italy. European Journal of Clinical Pharmacology, 2013, 69, 909-917.	1.9	4
139	Therapeutic Duplicates in a Cohort of Hospitalized Elderly Patients: Results from the REPOSI Study. Drugs and Aging, 2016, 33, 647-654.	2.7	4
140	Prognostic relevance of glomerular filtration rate estimation obtained through different equations in hospitalized elderly patients. European Journal of Internal Medicine, 2018, 54, 60-64.	2.2	4
141	Is Parkinson's Disease a Very Rare Pathology in Centenarians? A Clinical Study in a Cohort of Subjects. Journal of Alzheimer's Disease, 2020, 73, 73-76.	2.6	4
142	Comparison between drug therapy-based comorbidity indices and the Charlson Comorbidity Index for the detection of severe multimorbidity in older subjects. Aging Clinical and Experimental Research, 2021, 33, 1929-1935.	2.9	4
143	Increased ratio of P[v-a]CO2 to C[a-v]O2 without global hypoxia: the case of metformin-induced lactic acidosis. Respiratory Physiology and Neurobiology, 2021, 285, 103586.	1.6	4
144	How palliative care professionals deal with predicting life expectancy at the end of life: predictors and accuracy. Supportive Care in Cancer, 2021, 29, 2093-2103.	2.2	4

#	Article	IF	Citations
145	Underdiagnosis and undertreatment of osteoporotic patients admitted in internal medicine wards in Italy between 2010 and 2016 (the REPOSI Register). Endocrine, 2021, 71, 484-493.	2.3	4
146	Signatures of Gait Movement Variability in CKD Patients Scheduled for Hemodialysis Indicate Pathological Performance Before and After Hemodialysis: A Prospective, Observational Study. Frontiers in Medicine, 2021, 8, 702029.	2.6	4
147	Gait disorders in CKD patients: muscle wasting or cognitive impairment? A cross-sectional pilot study to investigate gait signatures in Stage 1–5 CKD patients. BMC Nephrology, 2022, 23, 72.	1.8	4
148	Mild anemia and 11- to 15-year mortality risk in young-old and old-old: Results from two population-based cohort studies. PLoS ONE, 2021, 16, e0261899.	2.5	4
149	Stabilization after postural transitions in the elderly: Experimental study on community-dwelling subjects and nursing home residents. Gait and Posture, 2022, 91, 105-110.	1.4	3
150	Multi-Center Randomized Phase II Clinical Trial on Remote Ischemic Conditioning in Acute Ischemic Stroke Within 9 Hours of Onset in Patients Ineligible to Recanalization Therapies (TRICS-9): Study Design and Protocol. Frontiers in Neurology, 2021, 12, 724050.	2.4	3
151	MGUS and clonal hematopoiesis show unrelated clinical and biological trajectories in an older population cohort. Blood Advances, 2022, 6, 5702-5706.	5.2	3
152	Preventive pharmacological treatment in subjects at risk for fatal familial insomnia: science and public engagement. Prion, 2022, 16, 66-77.	1.8	3
153	Singleâ€Dose Safety and Pharmacokinetics of a Potential Cognitionâ€Enhancing Compound, CL 275,838, in Healthy Volunteers. Journal of Clinical Pharmacology, 1993, 33, 845-850.	2.0	2
154	Homocysteine Lowering and Cognitive Performance. New England Journal of Medicine, 2006, 355, 1390-1391.	27.0	2
155	The GiSAS study: Rationale and design of a pragmatic randomized controlled trial on aripiprazole, olanzapine and haloperidol in the long-term treatment of schizophrenia. Contemporary Clinical Trials, 2011, 32, 675-684.	1.8	2
156	Reply to Brinks and Rathmann: Prevalence, incidence and mortality of diagnosed diabetes: evidence from an Italian population-based study. Diabetic Medicine, 2012, 29, 1085-1085.	2.3	2
157	Prevalence of use and appropriateness of antidepressants prescription in acutely hospitalized elderly patients. European Journal of Internal Medicine, 2019, 68, e7-e11.	2.2	2
158	Association of renal function with cognition, functional ability and mood in the oldestâ€old: The â€~Health and Anemia study'. Nephrology, 2020, 25, 48-54.	1.6	2
159	Echocardiographic evaluation of centenarians in Trieste. Journal of Cardiovascular Medicine, 2020, 21, 556-561.	1.5	2
160	Temporal trends from 2005 to 2018 in deaths and cardiovascular events in subjects with newly diagnosed rheumatoid arthritis. Internal and Emergency Medicine, 2021, 16, 1467-1475.	2.0	2
161	Clinical risk scores for the early prediction of severe outocomes in patients hospitalized for COVID-19: comment. Internal and Emergency Medicine, 2022, 17, 303-306.	2.0	2
162	Clinical Relevance of Clonal Hematopoiesis in the Oldest-Old Population: Analysis of the "Health and Anemia" Study. Blood, 2018, 132, 750-750.	1.4	2

#	Article	IF	Citations
163	Insulin treatment in patients with diabetes mellitus and heart failure in the era of new antidiabetic medications. BMJ Open Diabetes Research and Care, 2022, 10, e002708.	2.8	2
164	The malignant potential of oral lichen planus - reply. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2013, 115, 415-416.	0.4	1
165	Electrocardiographic monitoring for new prescriptions of quetiapine co-prescribed with acetylcholinesterase inhibitors or memantine from 2005 to 2009. A population study on community-dwelling older people in Italy. European Journal of Clinical Pharmacology, 2014, 70, 1487-1494.	1.9	1
166	Gout, allopurinol intake and clinical outcomes in the hospitalized multimorbid elderly. European Journal of Internal Medicine, 2014, 25, 847-852.	2.2	1
167	P2-306: "CAT: CENTENARI A TRIESTE― A STUDY FOR A CLINICAL-BIOLOGICAL AND PSYCHO-SOCIAL DATABAS OF THE CENTENARIAN POPULATION IN TRIESTE. , 2014, 10, P590-P591.	SE	1
168	P3â€373: Marital Status and the Risk of Dementia in the Oldestâ€Old: the Monzino 80â€Plus Populationâ€Based Study. Alzheimer's and Dementia, 2016, 12, P992.	0.8	1
169	Use of non-steroidal anti-inflammatory drugs and analgesics in a cohort of hospitalized elderly patients: Results from the REPOSI study. European Journal of Internal Medicine, 2017, 38, e11-e12.	2.2	1
170	P4â€120: NORMATIVE DATA FOR THE OLDESTâ€OLD ON CERAD NEUROPSYCHOLOGICAL TESTS FROM FOUR ITALIAN STUDIES. Alzheimer's and Dementia, 2018, 14, P1485.	0.8	1
171	PoliFIT-INFOcus: A pilot study exploring how to promote physical activity in older people. European Journal of Internal Medicine, 2018, 57, e41-e42.	2.2	1
172	Treatment of venous thromboembolism in Northern Italy: A population-based study from 2013 to 2018. Thrombosis Research, 2020, 188, 97-99.	1.7	1
173	The multifaceted spectrum of liver cirrhosis in older hospitalised patients: analysis of the REPOSI registry. Age and Ageing, 2021, 50, 498-504.	1.6	1
174	What do we learn from the clinical and biological evaluation of the oral cavity in centenarians?. Maturitas, 2021, 145, 31-37.	2.4	1
175	MGUS and Chip: Two Faces, but Not of the Same Medal. Blood, 2021, 138, 3800-3800.	1.4	1
176	A Pilot Observational Study Assessing Long-Term Changes in Clinical Parameters, Functional Capacity and Fall Risk of Patients With Chronic Renal Disease Scheduled for Hemodialysis. Frontiers in Medicine, 2022, 9, 682198.	2.6	1
177	Multipleâ€Dose Pharmacokinetics and Safety of a Potential Memoryâ€Enhancing Compound, CL 275,838, in Healthy Male Volunteers. Journal of Clinical Pharmacology, 1994, 34, 748-753.	2.0	O
178	P2-395 Extra caregiver time due to dementia: results from the monzino 80-plus study. Neurobiology of Aging, 2004, 25, S346.	3.1	0
179	The Declining Use of Reboxetine in Years 2000 to 2006. Journal of Clinical Psychopharmacology, 2012, 32, 303-305.	1.4	O
180	P2-271: History of labial herpes and dementia among the oldest-old: The monzino 80-plus study. , 2015, 11, P595-P595.		0

11

#	Article	IF	CITATIONS
181	P3-257: Dementia and the risk of falls among the oldest-old: The monzino 80-plus study. , 2015, 11, P729-P730.		O
182	P3â€189: Plasma Metabolic Alteration in MCI and Alzheimer's Disease Subjects. Alzheimer's and Dementia, 2016, 12, P894.	0.8	0
183	Response to " Dementia and death: Separate sides of the same Atrial Fibrillation coin?― International Journal of Cardiology, 2017, 227, 190.	1.7	O
184	Influence of Hemodialysis on the Physical Activity and Motor Capacity of Patients with Chronic Renal Disease, Stage 4-5 (K/DOQI): Study Synopsis. Nephrology @ Point of Care, 2017, 3, napoc.5000211.	0.2	0
185	P3â€485: NEUROPSYCHOLOGICAL PROFILE OF MIDDLEâ€AGED, YOUNGâ€OLD, AND OLDâ€OLD PATIENTS WITH COGNITIVE IMPAIRMENT: THE CANTON TICINO STUDY. Alzheimer's and Dementia, 2018, 14, P1307.	A MILD	O
186	Anemia and the risk of dementia in the oldestâ€old: The Monzino 80â€plus populationâ€based study. Alzheimer's and Dementia, 2020, 16, e044445.	0.8	0
187	Red cell distribution width (RDW) and the risk of dementia in the oldestâ€old: The Monzino 80â€plus populationâ€based study. Alzheimer's and Dementia, 2020, 16, e044453.	0.8	O
188	What changed in the Italian internal medicine and geriatric wards during the lockdown. European Journal of Internal Medicine, 2021, 84, 97-100.	2.2	0
189	Abbreviated Comprehensive Geriatric Assessment (Cga) in Elderly Cancer Patients: Preliminary Results of an Observational Pilot Study. Annals of Oncology, 2012, 23, ix452.	1.2	О
190	Very Elderly Patients with Chronic Phase-Chronic Myeloid Leukemia on Imatinib: No Impact of Concomitant Drugs on Complete Cytogenetic Response. Blood, 2015, 126, 1582-1582.	1.4	0
191	Clinical Relevance of Clonal Hematopoiesis in the Oldest-Old Population. SSRN Electronic Journal, 0, , .	0.4	0