

Ionel Haiduc

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11227894/publications.pdf>

Version: 2024-02-01

171
papers

4,676
citations

126708

33
h-index

155451

55
g-index

189
all docs

189
docs citations

189
times ranked

2337
citing authors

#	ARTICLE	IF	CITATIONS
1	Inverse coordination complexes with oxoanions as centroligands. A review of topologies. <i>Inorganica Chimica Acta</i> , 2022, , 120999.	1.2	1
2	Review: Inverse coordination. Inorganic open and cyclic nitrogen heteroatom molecules as coordination centers. A survey of molecular topologies. <i>Journal of Coordination Chemistry</i> , 2019, 72, 35-52.	0.8	6
3	Nitrogen centered inverse coordination complexes. A survey of molecular topologies. <i>Journal of Coordination Chemistry</i> , 2018, 71, 3139-3179.	0.8	15
4	Inverse coordination " An emerging new chemical concept. Oxygen and other chalcogens as coordination centers. <i>Coordination Chemistry Reviews</i> , 2017, 338, 1-26.	9.5	47
5	Inverse coordination " An emerging new chemical concept. II. Halogens as coordination centers. <i>Coordination Chemistry Reviews</i> , 2017, 348, 71-91.	9.5	22
6	Mono urotropine adducts of some binary zinc xanthates and dithiocarbamates: solid-state molecular structures and supramolecular self-assembly. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2016, 231, 737-747.	0.4	1
7	Main group metal lone-pair" (arene) interactions: a new bonding mode for supramolecular associations. <i>CrystEngComm</i> , 2016, 18, 6960-6978.	1.3	30
8	Serendipitous compositional and structural diversity in urotropine adducts of binary cadmium xanthates. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2016, 231, 155-165.	0.4	4
9	M" (arene) interactions for M=gallium, indium and thallium: Influence upon supramolecular self-assembly and prevalence in some proteins. <i>Coordination Chemistry Reviews</i> , 2014, 281, 50-63.	9.5	26
10	Postsynthetic Modification of a Metal"Organic Framework (MOF) Structure for Enantioselective Catalytic Epoxidation. <i>ChemPlusChem</i> , 2013, 78, 443-450.	1.3	22
11	Delocalised antimony(lone pair)- and bismuth-(lone pair)" (arene) interactions: Supramolecular assembly and other considerations. <i>Coordination Chemistry Reviews</i> , 2013, 257, 2863-2879.	9.5	65
12	Steric control over C=O...C=O interactions in M(S2COR)2(dafone) compounds: M = Zn and Cd; R = Me, Et and iPr; dafone = 4,5-diazafluoren-9-one-N,N". <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2013, 228, 187-198.	0.4	5
13	Supramolecular Self-assembly of Transition Metal Carbonyl Molecules Through M"CO(Lone) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 107 Td (dithiocarbonyl) (2,2'-bipyridyl). <i>Journal of Chemical Crystallography</i> , 2010, 40, 1029-1034.	0.5	31
14	A Robust Metal"Organic Framework Constructed from Alkoxo-Bridged Binuclear Nodes and Hexamethylenetetramine Spacers: Crystal Structure and Sorption Studies. <i>Inorganic Chemistry</i> , 2012, 51, 7954-7956.	1.9	15
15	The metal"carbonyl" (aryl) interaction as a supramolecular synthon for the stabilisation of transition metal carbonyl crystal structures. <i>Chemical Communications</i> , 2011, 47, 12682.	2.2	46
16	Crystal and molecular structures of two triphenyllead xanthates, Ph3Pb(S2COR), R = Me and i-Pr, featuring weak intramolecular Pb " O interactions. <i>Zeitschrift Fur Kristallographie</i> , 2011, 226, 780-785.	1.1	2
17	Crystal and Molecular Structures of Two 1:1 Adducts of bis(O-ethyl) (2,2'-bipyridyl). <i>Journal of Chemical Crystallography</i> , 2010, 40, 1029-1034.	0.5	9
18	Hydrogen bond supramolecular self-assembly in nickel(II) dithiophosphates, Ni[S2P(OR)2]2, R=sec-Bu, iso-Bu, and their bis(pyrazole) adducts. <i>Inorganica Chimica Acta</i> , 2010, 363, 4319-4323.	1.2	14

#	ARTICLE	IF	CITATIONS
19	Dimeric thiophosphorus complexes of sodium and zinc: Structural characterization of [(THF) ₂ NaO(S)PPh ₂] ₂ and [Zn{S ₂ P(OMe)C ₆ H ₄ OEt-p} ₂] ₂ . <i>Inorganica Chimica Acta</i> , 2008, 361, 407-410.	1.2	7
20	Trichlorodiphenylantimony(V). <i>Inorganic Syntheses</i> , 2007, , 194-195.	0.3	7
21	Supramolecular aspects of tin and lead chemistry. <i>Applied Organometallic Chemistry</i> , 2007, 21, 476-482.	1.7	13
22	[1,4-Bis(diphenylphosphino)butane- η^2 P, η^2 Pa ϵ^2](dithiocarbonato- η^2 S, η^2 Sa ϵ^2)nickel(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, m2168-m2168.	0.2	0
23	Differing Coordination Modes of (O-Alkyl)-p-Ethoxyphenyldithiophosphonato Ligands in Copper(I), Silver(I) and Gold(I) Triphenylphosphine Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 295-300.	0.6	25
24	Unprecedented self-assembled cyclic hexamer of ferrocenyldimethylsilanol, [FcSiMe ₂ OH] ₆ (Fc =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5	1.7	8
25	Di(p-tert-butylphenyl)-N,N-di-(iso-butyl)carbamoylmethylphosphine oxide and its organotin and uranyl adducts: structural and spectroscopic characterization. <i>Applied Organometallic Chemistry</i> , 2005, 19, 510-517.	1.7	27
26	Stereochemical Aspects of Metal Xanthate Complexes: Molecular Structures and Supramolecular Self-Assembly. <i>Progress in Inorganic Chemistry</i> , 2005, , 127-319.	3.0	165
27	Secondary Bonding. , 2004, , 1215-1224.		19
28	Silicone Grease: A Serendipitous Reagent for the Synthesis of Exotic Molecular and Supramolecular Compounds. <i>ChemInform</i> , 2004, 35, no.	0.1	0
29	Silicone Grease: A Serendipitous Reagent for the Synthesis of Exotic Molecular and Supramolecular Compounds. <i>Organometallics</i> , 2004, 23, 3-8.	1.1	75
30	Supramolecular Organometallic Compounds. , 2004, , 1-8.		1
31	Organometallic Oxides of Main Group and Transition Elements Downsizing Inorganic Solids to Small Molecular Fragments. <i>ChemInform</i> , 2003, 34, no.	0.1	0
32	Unsymmetrically-substituted 2,4,6-trimercaptotriazine: supramolecular self-assembly through C π ...S π -H π -N hydrogen bonds in the crystal structures of C ₃ N ₃ S ₃ H ₂ Na \cdot 3H ₂ O and C ₃ N ₃ S ₃ H ₂ Cu(PPh ₃) ₂ . <i>Inorganica Chimica Acta</i> , 2003, 348, 75-81.	1.2	21
33	Supramolecular self-assembly of Ph ₂ Tl(S ₂ COMe) based on a rare coordination mode of the xanthate ligand and thallium π -phenyl interactions. <i>Journal of Molecular Structure</i> , 2003, 656, 225-230.	1.8	11
34	The reaction of nickel(II) xanthates with tetraphenyldiphosphinoethane (dppe) revisited. Formation and crystal structures of Ni ₃ S ₂ (S ₂ COR) ₂ (dppe) (R=Me, Et; dppe=Ph ₂ PCH ₂ CH ₂ PPh ₂) at room temperature and of Ni(S ₂ CO)(dppe) at 150 K. <i>Polyhedron</i> , 2003, 22, 2895-2900.	1.0	14
35	Two structurally differing (heterogeometric) mesityltellurium(II) phosphor-1,1-dithiolates: the first monomeric dicoordinate MesTeS(S)PPh ₂ and a self-assembled tricoordinate [MesTeS(S)P(OPri) ₂] _x . <i>Inorganic Chemistry Communication</i> , 2003, 6, 958-960.	1.8	6
36	Organometallic Oxides of Main Group and Transition Elements Downsizing Inorganic Solids to Small Molecular Fragments. <i>Chemical Reviews</i> , 2003, 103, 2579-2596.	23.0	114

#	ARTICLE	IF	CITATIONS
37	An Organometallic Radical Route to Bis(phosphido)- and Hydrido π -Phosphido-Bridged Metal π -Metal-Bonded Complexes of Cyclopentadienylchromium via Desulfurization of Thiophosphinito Ligands. <i>Organometallics</i> , 2002, 21, 5287-5291.	1.1	18
38	Tellurium π -aryl interactions: a new bonding motif for supramolecular self-assembly and crystal engineering. <i>CrystEngComm</i> , 2002, 4, 178-193.	1.3	79
39	Supramolecular self-assembly through tellurium π -halogen secondary bonds: A hexagonal grid of Te ₂ Cl ₂ and Te ₆ Cl ₆ rings in the solid state structure of 1,1,3-trichloro-2,4,5,6-tetrahydro-1H-1,4-benzo[b]tellurophene. <i>Canadian Journal of Chemistry</i> , 2002, 80, 1530-1537.	0.6	9
40	The structural chemistry of organotin derivatives of 5-mercapto-3-phenyl-1,3,4-thiadiazoline-2-thione: supramolecular structures involving intermolecular Sn π -S, N π -H π -S or S π -S interactions. <i>Dalton Transactions RSC</i> , 2002, , 1036.	2.3	30
41	Supramolecular self-assembly in the crystal structures of methylmercury xanthates, MeHgS(S)COR, R=Et, iPr and CH ₂ Ph. <i>Inorganica Chimica Acta</i> , 2002, 329, 71-78.	1.2	21
42	Supramolecular Self-Assembly Through Secondary Bonds in Organotellurium Chemistry. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2001, 171, 171-185.	0.8	47
43	Diorganotellurium(IV) Dihalides and Secondary Bonding: Revisiting the Coordination Polyhedra. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2001, 171, 73-112.	0.8	33
44	Contrasting modes of bonding for copper(I), silver(I), and gold(I) in dithioimidodiphosphinato metallacycles. <i>Journal of Molecular Structure</i> , 2001, 598, 127-131.	1.8	12
45	Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account. <i>Journal of Organometallic Chemistry</i> , 2001, 623, 29-42.	0.8	109
46	Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphoryl)disulfanes. Syntheses and X-ray crystal structures of CpCr(CO) ₂ (S ₂ P(OR) ₂), CpCr(S ₂ P(OR) ₂) ₂ and Cr(S ₂ P(OR) ₂) ₃ (R=iPr). <i>Journal of Organometallic Chemistry</i> , 2001, 631, 67-75.	0.8	16
47	Supramolecular self-assembly involving cooperative use of dative coordinate, secondary and hydrogen bonding in solid [(Me ₃ Sn) ₃ ($\frac{1}{4}$ -OH) ₂]+Br π . <i>Inorganic Chemistry Communication</i> , 2001, 4, 530-533.	1.8	15
48	Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-(R ₃ Sn) ₃ C ₃ N ₃ S ₃ (R=Me, Ph). <i>Journal of Organometallic Chemistry</i> , 2001, 627, 6-12.	0.8	24
49	A spirobicyclic complex of Schmidpeter's ligand, bis(tetraphenylimidodiphosphinato)beryllium, Be(OPh ₂ PNPh ₂ O) ₂ , an inorganic analog of beryllium bis(π -diketonates). <i>Heteroatom Chemistry</i> , 2000, 11, 244-248.	0.4	8
50	First nickel(II) complexes containing tetrahedral NiO ₂ S ₂ cores. The molecular structures of Ni[(OPPh ₂)(SPR ₂)N] ₂ (R=Ph, Me). <i>Inorganica Chimica Acta</i> , 2000, 305, 106-110.	1.2	22
51	Preparation and single-crystal characterization of manganese(II) complexes of dichalcogenoimidodiphosphinato ligands. Monomeric versus dimeric Mn[(OPPh ₂)(XPh ₂)N] ₂ (X=S, O). <i>Inorganica Chimica Acta</i> , 2000, 299, 247-252.	1.2	26
52	Rupture of a P π -S bond in a disulfurimidodiphosphinate ligand. The X-ray crystal structures of [($\frac{1}{4}$ -H)Ru ₃ ($\frac{1}{4}$ -S) ₃]{($\frac{1}{4}$ -S,S, π - π -(SPPH ₂)(PPh ₂)N)}(CO) ₈] and [($\frac{1}{4}$ -H)Ru ₃ {($\frac{1}{4}$ -S,S, π - π -(SPPH ₂)(PPh ₂)N)}(CO) ₈]. <i>Inorganic Chemistry Communication</i> , 2000, 3, 173-177.	0.8	13
53	Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of CpCr(CO) ₂ (S ₂ PPh ₂) and CpCr(S ₂ PPh ₂) ₂ . X-ray crystal structure of CpCr(S ₂ PPh ₂) ₂ . <i>Journal of Organometallic Chemistry</i> , 2000, 607, 64-71.	0.8	24
54	Synthesis and Spectroscopic Characterization of New Organolead(IV) Complexes Containing Organophosphorus Ligands. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2000, 30, 485-498.	1.8	6

#	ARTICLE	IF	CITATIONS
55	Cyclic Inorganic Oligomers and Polymers. , 2000, , 601-698.		0
56	A new inorganic (carbon-free) chelate ring: SnO ₂ N ₂ . Eight-coordinated tin(IV) in Sn(O ₂ N ₂ Ph) ₄ and a self-assembled 20-membered macrocycle in [Me ₃ Sn(O ₂ N ₂ Ph) ₄]. Inorganic Chemistry Communication, 1999, 2, 265-268.	1.8	17
57	New versatile phosphorus-containing ligands asymmetric (XPR ₂)(YPR ₂)NH (X, Y=O, S; R, R ² =Ph, OEt) and their potassium salts: the crystal and molecular structures of (SPPPh ₂)[OP(OEt) ₂]NH, K[(SPPPh ₂){OP(OEt) ₂ }N]·H ₂ O and (OPPh ₂)[OP(OEt) ₂]NH·1/2HCl·1/4H ₂ O. Inorganica Chimica Acta, 1999, 287, 61-71.	1.2	22
58	Displacement of triphenylphosphine from Cu(PPh ₃) ₂ NO ₃ and Co(PPh ₃) ₂ Cl ₂ by a diselenoimidodiphosphinato ligand. X-ray crystal structure of (PPh ₃)Cu[Ph ₂ P(Se)NP(Se)Ph ₂] and Co[Ph ₂ P(Se)NP(Se)Ph ₂] ₂ containing the novel CuSe ₂ P ₂ N and CoSe ₂ P ₂ N inorganic metallocycles. Inorganica Chimica Acta, 1999, 290, 256-260.	1.2	38
59	Title is missing!. Journal of Chemical Crystallography, 1999, 29, 831-836.	0.5	11
60	Is the Trigonal Prismatic Distortion the Answer for the Geometry of InIII four Members Dithiochelatate Compounds? The Crystal and Molecular Structure of In(S ₂ AsR ₂) ₃ (R ² =SMe, Ph). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 1999, 625, 347-351.	0.6	9
61	Fluorine as a structure-directing element in organometallic fluorides: discrete molecules, supramolecular self-assembly and host-guest complexation. Journal of the Chemical Society Dalton Transactions, 1999, , 2249-2264.	1.1	71
62	Stable Isomers of Sila - and Germanododecahedrane. a Semiempirical (Am1) Investigation of the Structure of 4/6 and 4/5/6 Ring Containing E ₂₀ (E=Si, Ge) Systems. Fullerenes, Nanotubes, and Carbon Nanostructures, 1999, 7, 841-854.	0.6	5
63	Triphenyltellurium(IV) dichalcogenoimidodiphosphinates containing novel six-membered TeXYP ₂ N Acta, 1998, 271, 75-82.	1.2	23
64	Supramolecular self-assembly in triphenyllead(IV) dimethylphosphinodithioate, x1[Ph ₃ PbS ₂ PMe ₂], a chain polymer built through intermolecular Pb-S secondary bonds. Polyhedron, 1998, 17, 2043-2047.	1.0	12
65	Coordination and self-assembly in the crystal structure of K[AsMe ₂ S ₂]·2H ₂ O. Polyhedron, 1998, 17, 4115-4119.	1.0	5
66	A unique self-assembled tricyclic stannasiloxane containing a planar Sn ₃ SiO ₅ fused 6.4.4 tricyclic ring system. Journal of the Chemical Society Dalton Transactions, 1998, , 1-2.	1.1	21
67	Bis(thiophosphinoyl)amines and their neutral cobalt(II) complexes, containing stable tetrahedral CoS ₄ cores. Crystal structures of NH(SPM ₂)(SPPPh ₂) and [Co{(SPMe ₂)(SPPPh ₂)N} ₂]. Journal of the Chemical Society Dalton Transactions, 1998, , 73-78.	1.1	35
68	Vibrational Spectra of Dimethyldithiophosphinate Anion: (CH ₃) ₂ PS ₂ . Spectroscopy Letters, 1998, 31, 1469-1483.	0.5	2
69	NEW VERSATILE ORGANOPHOSPHORUS LIGANDS. CRYSTAL AND MOLECULAR STRUCTURES OF ISOMERIC P, P-DIMETHYL-P ² , P ² -DIPHENYL-P-THIOIMIDODIPHOSPHINIC AND P, P-DIMETHYL-P ² , P ² -DIPHENYL-P ² -THIOIMIDODIPHOSPHINIC ACIDS. Phosphorus, Sulfur and Silicon and the Related Elements, 1998, 132, 231-250.	0.8	15
70	Edge or Vertex Inversion at Phosphorus in the cis-trans isomerization of Diazadiphosphetidines? Model MNDO and ab initio Molecular Orbital Calculations. Main Group Chemistry, 1998, 2, 309-314.	0.4	4
71	Investigations in Organoarsenic Chemistry. , 1998, , 149-150.		1
72	Inorganic Chelate (Carbon-Free) Rings in Monomeric and Dimeric [xM{(XPR' ₂)(YPR ₂)N}] _n . Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 124, 63-72.	0.8	1

#	ARTICLE	IF	CITATIONS
73	Comparative PM3-MO Study of the E2O2 and E2N2 (E=P,As) Four Membered Ring Systems. Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 124, 441-444.	0.8	1
74	Supramolecular associations, secondary bonds, quasi-cyclic structures and heterogeometrism in metal derivatives of phosphorus- and arsenic-based thioacids and oxo analogs. Coordination Chemistry Reviews, 1997, 158, 325-358.	9.5	68
75	On the formation of cyclodisilazanes via the coordination of bis(dialkylaminosilanes) to halogenosilanes: an ab initio and AM1 molecular orbital study of the 4644 R2Si(NR ²)2: SiX4 ring systems. Computational and Theoretical Chemistry, 1997, 397, 213-222.	1.5	1
76	Supramolecular self-organization in methyl(di henylphos hinothioato)mercury(II), HgMeOPPh2, a polymer containing 1 Hg2O2P2S2 eight-membered rings interconnected through secondary Hg - S bonds. Polyhedron, 1997, 16, 781-787.	1.0	22
77	Metal-oxygen versus metal-sulfur bonding of the ambident monothiofosphinato ligand in some triphenylmeta(IV) derivatives, Ph3M[OSPR2] (M = Ge, Sn, Pb). Crystal structures of Ph3Ge[O(S)PPh2] and [Ph2Sn{O(S)PPh2} (1/4-OH)]2. Polyhedron, 1997, 16, 949-961.	1.0	21
78	Triorganoantimony(V) diorganophosphinates. Crystal and molecular structure of (diphenylphosphinato)(hydroxo)trimethylantimony(V), exhibiting a polymeric chain supramolecular self-assembly through hydrogen bonds. Polyhedron, 1997, 16, 2643-2649.	1.0	17
79	The first oxygen-bridged diorganoarsenic(V) compound: the crystal structure of AsMe2(S)OAs(S)Me2. Journal of Organometallic Chemistry, 1997, 549, 187-192.	0.8	16
80	Bismuth(III) dimethyldithioarsinate, Bi(S2AsMe2)3: A new dimer formed through Bi - S secondary bonding. Heteroatom Chemistry, 1997, 8, 317-321.	0.4	11
81	Inorganic Chelate (Carbon-Free) Rings in Monomeric and Dimeric [RxM{(XPR')2(YPR'')N)y]n. Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 124, 63-72.	0.8	2
82	Coordinative Dimerization of Aminosilanes. Model MNDO and Ab Initio Molecular Orbital Calculations. Main Group Chemistry, 1996, 1, 387-398.	0.4	5
83	The first crystal structures of mixed chalcogen derivatives SnR2[(OPPh2)(SPPPh2)N]2 (R = Me or Ph). Journal of the Chemical Society Dalton Transactions, 1996, , 391-399.	1.1	32
84	Genotoxicity of Some Metal-Based Antineoplastics, Evaluated by SOS Chromotest and Cytogenetic Analysis. Metal-Based Drugs, 1996, 3, 91-99.	3.8	3
85	Structural patterns in inorganic and organoantimony derivatives of oxo- and thiodiorganophosphorus ligands. Coordination Chemistry Reviews, 1996, 147, 117-146.	9.5	83
86	More about boron-nitrogen B12 + 3nN12 + 3n fullerene-like cages. An ab initio and AM1 investigation of some isomers. Computational and Theoretical Chemistry, 1996, 367, 47-54.	1.5	38
87	A12B12 (A = B,Al; B = N,P) fullerene-like cages and their hydrogenated forms stabilized by exohedral bonds. An AM1 molecular orbital study. Computational and Theoretical Chemistry, 1996, 370, 17-23.	1.5	28
88	Tetrahedral versus square-planar NiS4 core in solid-state bis(dithioimidodiphosphinato)nickel(II) chelates. Crystal and molecular structures of Ni[(SPR2) (SPPPh2) N]2 (R = Ph, Me). Inorganica Chimica Acta, 1996, 241, 47-54.	1.2	54
89	Gallium and indium compounds of sulphur donor ligands: Pyridine-2-thiolates and diphenylthiophosphinates. Polyhedron, 1996, 15, 391-402.	1.0	54
90	Stereochemical aspects of phosphor-1,1-dithiolato metal complexes: Coordination patterns, molecular structures and supramolecular associations in dithiophosphinates and related compounds. Polyhedron, 1996, 15, 2469-2521.	1.0	104

#	ARTICLE	IF	CITATIONS
91	Studies on inorganic tin diphenyldithiophosphinates. Crystal and molecular structure of CIS-dichlorobis(diphenyldithiophosphinato)tin(IV). Polyhedron, 1996, 15, 3857-3867.	1.0	9
92	Reduction of antimony(V) by dithiophosphinates and the crystal structure of dimeric diphenylantimony(III) dimethyldithiophosphinate. Polyhedron, 1996, 15, 4573-4578.	1.0	9
93	Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic SbO ₂ P ₂ N and SbOSP ₂ N rings: crystal and molecular structures of Ph ₂ SbCl ₂ [(OPPh ₂)(XPPPh ₂)N] (X = O, S). Journal of Organometallic Chemistry, 1996, 515, 131-138.	0.8	21
94	Oxidation of (AsPh ₂) ₂ E (E=O or S); supramolecular hydrogen-bonded self-assembly of an unusual tetranuclear adduct and crystal structure of [AsPh ₂ (O)OH]·[AsPh ₂ (S)OH] ₂ . Journal of Organometallic Chemistry, 1996, 517, 101-106.	0.8	25
95	Synthesis, structural characterization and in vitro antitumour properties of triorganoantimony(V) disalicylates: Crystal and molecular structures of [5-Y-2-(ho)-C ₆ H ₃ COO] ₂ SbMe ₃ (Y=H, Me, MeO). Applied Organometallic Chemistry, 1995, 9, 597-607.	1.7	31
96	A new eight-membered Pb ₂ S ₄ P ₂ inorganic ring. crystal and molecular structure of dimeric [Pb(S ₂ PMe ₂) ₂] ₂ , associated into polymeric chains through intermolecular Pb···S interactions. Inorganica Chimica Acta, 1995, 233, 151-154.	1.2	22
97	Crystal and molecular structure of diphenylthallium(III) tetraphenyldithioimidodiphosphinate, [TlPh ₂ {(SPPPh ₂) ₂ N}], containing a new inorganic (carbon-free) TlS ₂ P ₂ N metallocycle. Polyhedron, 1995, 14, 805-809.	1.0	19
98	Crystal and molecular structures of spiro-bis(trithiastannocane), Sn(SCH ₂ CH ₂ SCH ₂ CH ₂ S) ₂ , and spiro-bis(oxadithiastannocane), Sn(SCH ₂ CH ₂ OCH ₂ CH ₂ S) ₂ . Distortion of the SnS ₄ tetrahedral coordination produced by transannular Sn···X (X = S, O) interactions. Polyhedron, 1995, 14, 747-755.	1.0	16
99	X-ray crystal structure of (tetraphenyldithioimidodiphosphinato) (triphenylphosphine)copper(I), (Ph ₃ P)Cu(SPPPh ₂) ₂ N, a monocyclic inorganic (carbon-free) chelate ring compound. Polyhedron, 1995, 14, 1067-1071.	1.0	38
100	Diphenyltellurium(IV) bis(diorganophosphinodithioates). X-ray crystal structure of Ph ₂ Te(S ₂ PPh ₂) ₂ ·0.5CHCl ₃ and a multinuclear NMR study of the decomposition process of Ph ₂ Te(S ₂ PR ₂) ₂ to Ph ₂ Tell and [R ₂ P(S)S] ₂ . Polyhedron, 1995, 14, 1175-1183.	1.0	12
101	Solid state supramolecular structure of (tetraphenyldithioimidodiphosphinato)trimethyltin(IV)·benzene, [Me ₃ Sn(SPPPh ₂) ₂ N·C ₆ H ₆] _n , a unique polymer containing a bridging "SPR ₂ NPR ₂ S" ligand. Polyhedron, 1995, 14, 1169-1174.	1.0	25
102	Synthesis and characterization of triphenylgermanium(IV) diorganophosphinodithioates: Crystal and molecular structures of Ph ₃ GeS(S)PR ₂ (R → Me, Ph). Polyhedron, 1995, 14, 2231-2237.	1.0	8
103	Triphenyltelluronium derivatives of dithiophosphorus ligands: Crystal and molecular structure of [Ph ₃ Te][S ₂ PPh ₂] and [Ph ₃ Te][(SPPPh ₂) ₂ N], displaying weak cation-anion Te···S secondary interactions. Polyhedron, 1995, 14, 2047-2053.	1.0	36
104	Unexpected linear P=N-P fragment in the anion [SPh ₂ PNPPh ₂ S] ⁻ : Crystal structure of bis(triphenylphosphine)iminium dithiotetraphenylimidodiphosphinate, [Ph ₃ PNPPh ₃] ⁺ [SPh ₂ PNPPh ₂ S] ⁻ . Polyhedron, 1995, 14, 2041-2046.	1.0	28
105	Crystal structures of antimony and indium phosphinodithioates, M(S ₂ PR ₂) ₃ (M → Sb, R → Et; M → In, R → Me). Journal of Organometallic Chemistry, 1995, 481, 1-10.	1.0	28
106	Stereochemical aspects of phosphor-1,1-dithiolato metal complexes (dithiophosphates), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Td (d associations". Polyhedron, 1995, 14, 3389-3472.	1.0	232
107	Crystal and Molecular Structure of Tetramethyldithioimidodiphosphinic acid, (SPMe ₂) ₂ NH, and Its Cobalt(II) Complex, Co[(SPMe ₂) ₂ N] ₂ , Containing a Tetrahedral CoS ₄ Core. Inorganic Chemistry, 1995, 34, 3352-3354.	1.9	71
108	Cleavage of Bis(thiophosphinyl)disulfanes, R ₂ P(S)SSP(S)R ₂ (R = Et, Ph), by a Low-Valent Palladium Dimer. Inorganic Chemistry, 1995, 34, 6141-6144.	1.9	6

#	ARTICLE	IF	CITATIONS
109	Antitumor Organometallics. IV. The Mutagenic Potential of Some Diphenylantimony(III) Dithiophosphorus Derivatives. <i>Metal-Based Drugs</i> , 1994, 1, 291-297.	3.8	24
110	ON THE GEOMETRY OF 1,3-DIAZADIPHOSPHETIDINES. THE CIS-TRANS ISOMERISM. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1994, 91, 21-36.	0.8	23
111	Formation of Inorganic Quasi-Cyclic Structures Through Secondary Interaction. A Few Cases of Heterogeometrism. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1994, 93, 345-348.	0.8	13
112	Crystal and molecular structure of (dimethyldithiophosphinato)dimethylantimony(III), $[Me_2SbS_2PMe_2]$, a chain polymer built through secondary, intermolecular $Sb \cdots S$ interactions. <i>Polyhedron</i> , 1994, 13, 2531-2535.	1.0	21
113	Diorganotin(IV) derivatives of tetraphenylimidodiphosphinic acid. Crystal and molecular structure of $n-Bu_2Sn[(OPPh)_2N]_2$, a trans-octahedral spiro-bicyclic compound. <i>Polyhedron</i> , 1994, 13, 3159-3165.	1.0	38
114	Bismuth(III) dimethyldithiophosphinate, $Bi(S_2PMe_2)_3$: another dimer formed through secondary bonding. The stereochemically active lone pair revisited. <i>Polyhedron</i> , 1994, 13, 547-552.	1.0	21
115	Crystal and molecular structure of spirobicyclic bis(tetraphenylthioimidodiphosphinato)lead(II), $[Pb(SPPPh_2)_2N]_2$, containing a new inorganic (carbon-free) PbS_2P_2N chelate ring and $Pb \cdots S$ interactions. <i>Polyhedron</i> , 1994, 13, 2873-2879.	1.0	52
116	Phenyllead(IV) diorganophosphinodithioates, $PhnPb(S_2PR_2)_4$. Synthesis, spectroscopic characterization, and NMR study of the redistribution/decomposition of diphenyllead(IV) derivatives. <i>Heteroatom Chemistry</i> , 1994, 5, 327-336.	0.4	10
117	Trimethylantimony(V) diorganomonothiophosphinates: the crystal structure of bis(diphenylmonothiophosphinato)trimethylantimony(V), $Me_3Sb(OSPPPh_2)_2$, containing a monodentate monothiophosphinato ligand. <i>Journal of Organometallic Chemistry</i> , 1994, 468, 113-119.	0.8	19
118	Antimony(III) and phenylantimony(III) dimethyldithioarsinates: Synthesis and mass spectral study. Crystal structure of $Ph_2SbS_2AsMe_2$, the first coordination polymer associated via bridging dimethyldithioarsinate ligands. <i>Journal of Organometallic Chemistry</i> , 1994, 469, 45-53.	0.8	12
119	Ein alter Ligand in neuer Umgebung: Dreifach verbrückendes O,Ä“- Dimethyldithiophosphat im Organosamarium-Komplex $[(C_5Me_5)_2Sm\{S_2P(OMe)_2\}_2]_2$. <i>Journal of Organometallic Chemistry</i> , 1994, 469, C19-C21.	0.8	13
120	Syntheses and structures of dimesitylbismuth(III) bromide, Mes_2BiBr , and bis(diphenyldithiophosphinato)mesitylbismuth(III), $MesBi(S_2PPh_2)_2$. <i>Journal of Organometallic Chemistry</i> , 1994, 470, 93-98.	0.8	37
121	New aryltellurium(II) diorganophosphinodithioates. Crystal structure of red (294 K) and yellow (173 K) $TjEtQq_1$ phosphinodithioato ligand. <i>Journal of Organometallic Chemistry</i> , 1994, 482, 253-259.	0.8	23
122	Synthesis and characterization of phenoxarsin-10-yl diorganodithiophosphinates. A folded phenoxarsine system in the first dimeric organoarsenic(III) 1,1-dithiolate associated through $As \cdots S$ secondary bonding. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2191-2195.	1.1	17
123	Novel Coordination Pattern of Dithiophosphorus Ligands. Crystal and Molecular Structure of (Diphenylphosphinodithioato)phenyltellurium(II), $PhTeS_2PPh_2$. Supramolecular Association through Monodentate Biconnective Dithiophosphorus Ligands. <i>Inorganic Chemistry</i> , 1994, 33, 1253-1254.	1.9	27
124	Crystal and Molecular Structure of Bis(diphenyldithiophosphinato)lead(II), $[Pb(S_2PPh_2)_2]$, a New Type of Polymer Associated through $Pb \cdots S$ Secondary Interactions. <i>Inorganic Chemistry</i> , 1994, 33, 1695-1699.	1.9	42
125	A new inorganic metallocycle containing tin, sulphur, phosphorus and nitrogen. Crystal and	1.0	66
126	Synthesis, spectroscopic characterization and molecular structure of dimeric (diethyldithiophosphinato)di(para-tolyl)antimony(III), $[(p-CH_3C_6H_4)_2SbS_2P(C_2H_5)_2]_2$, containing a novel monocyclic $P_2S_4Sb_2$ inorganic ring system, formed through $Sb \cdots S$ semibonding interactions. <i>Polyhedron</i> , 1993, 12, 2611-2617.	1.0	24

#	ARTICLE	IF	CITATIONS
145	Preparation and properties of some organotin dimethyl- and diphenyl-dithioarsinates. The crystal structure of $(\text{CH}_3)_2\text{Sn}[\text{S}_2\text{As}(\text{CH}_3)_2]_2$. <i>Journal of Organometallic Chemistry</i> , 1984, 263, 159-165.	0.8	23
146	A sulfotropic molecular rearrangement of diphenylphosphinyl diorganodithioarsinates. Formation of diorganoarsenic(III) diphenyldithiophosphinates. <i>Journal of Organometallic Chemistry</i> , 1983, 252, 295-299.	0.8	18
147	Antimony(III) diorganophosphoro- and diorganophosphinodithioates: Crystal structure of $\text{Sb}[\text{S}_2\text{P}(\text{OR})_2]_3$ (R = Me and i-Pr). <i>Inorganica Chimica Acta</i> , 1983, 68, 87-96.	1.2	57
148	Organo-silicon,-germanium and -lead derivatives of dimethyl- and diphenyl-dithioarsinic acids. <i>Journal of Organometallic Chemistry</i> , 1983, 259, 65-69.	0.8	16
149	Coverage of inorganic heterocycles in Chemical Abstracts. <i>Journal of Chemical Information and Computer Sciences</i> , 1983, 23, 74-78.	2.8	2
150	Convenient Preparation of Phenylarsenic (III) Chlorides from Tetraphenyltin and Arsenic (III) Chloride. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1983, 13, 475-480.	1.8	4
151	Organotin Compounds: New Organometallic Derivatives Exhibiting Anti-tumour Activity. <i>Bulletin Des Sociétés Chimiques Belges</i> , 1983, 92, 187-189.	0.0	20
152	BONDING IN ORGANOPHOSPHORUS DITHIO ACIDS. A CNDO/2 CALCULATION OF ELECTRONIC STRUCTURE. Phosphorous and Sulfur and the Related Elements, 1982, 12, 205-212.	0.2	2
153	Organotin and tin(IV) derivatives of dimethyldithioarsinic acid. <i>Journal of Organometallic Chemistry</i> , 1982, 225, 225-232.	0.8	18
154	The crystal structure of a cyclo-silazoxane, $[(\text{Me}_2\text{Si})_2\text{ONC}_6\text{F}_5]_2$. <i>Journal of Organometallic Chemistry</i> , 1982, 236, 293-299.	0.8	5
155	Solvent extraction of dioxouranium(VI) with dialkylphosphorodithioic acids. VI Synergic effect of triphenylphosphine oxide. <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981, 43, 1076-1078.	0.5	11
156	Preparation and Spectral Properties of Some Organotin Mono- and Dithiocarboxylates. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1980, 10, 417-424.	1.8	4
157	Pentagonal pyramidal co-ordination; X-ray crystal structure of antimony(III) tris(diphenyldithiophosphinate). <i>Journal of the Chemical Society Chemical Communications</i> , 1980, , 64.	2.0	24
158	Inorganic fragments in graft and block copolymers: A review of solved and unsolved problems. <i>Journal of Polymer Science, Polymer Symposia</i> , 1978, 64, 43-55.	0.1	1
159	Solvent extraction of dioxouranium(VI) with dialkylphosphorodithioic acids. I. <i>Journal of Inorganic and Nuclear Chemistry</i> , 1977, 39, 1415-1418.	0.5	25
160	The crystal structure of N,N'-diphenylethylenediamine-bis-(O,O'-diethylphosphorodithioato)nickel(II). <i>Inorganic and Nuclear Chemistry Letters</i> , 1976, 12, 791-793.	0.7	6
161	Preparation of Bis(Dialkylphosphorodithioato)Dioxo-(Triphenylphosphine Oxide)Uranium(VI) Complexes. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1976, 6, 125-132.	1.8	16
162	Metal-Organic Derivatives of Organo-Thiophosphorus Acids. II. Arylmercury Dialkylphosphorodithioates. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1975, 5, 115-122.	1.8	11

#	ARTICLE	IF	CITATIONS
163	Metal-Organic Derivatives of Organo-Thiophosphorus Acids. I. Tri- and Diphenyllead Phosphorodithioates. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1975, 5, 103-114.	1.8	11
164	Reactions of transition metal compounds with macrocyclic alkadiynes. Journal of Organometallic Chemistry, 1973, 47, 145-151.	0.8	15
165	Reactions of transition metal compounds with macrocyclic alkadiynes. III. Intramolecular transannular cyclizations and related processes with iron carbonyls. Journal of the American Chemical Society, 1973, 95, 2508-2516.	6.6	30
166	Ring size effects in the intramolecular transannular cyclizations of macrocyclic alkadiynes with iron carbonyls. Journal of the American Chemical Society, 1972, 94, 4044-4046.	6.6	26
167	Polyhalo-organometallic and -organometalloidal compounds XXIX. Lithiation of 1,2,3-trichloro- and 1,2,3,4-tetrachlorobenzenes. Organosilicon derivatives. Journal of Organometallic Chemistry, 1968, 13, P4-P6.	0.8	5
168	Polyhaloorganometallic- and organometalloidal compounds XXI. (Pentachlorophenyl)- and (pentafluorophenyl)dimethylchlorosilane. Journal of Organometallic Chemistry, 1968, 13, 257-258.	0.8	7
169	Polyhalo-organometallic and -organometalloidal compounds. Journal of Organometallic Chemistry, 1968, 12, 394-396.	0.8	20
170	Transition Metal Complexes of Germanium, Tin and Lead. , 0, , 1241-1332.		4
171	Materials Chemistry and Structural Chemistry of Tin Compounds. , 0, , 285-411.		2