Tetsuya Gotoh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11227943/publications.pdf Version: 2024-02-01



TETSUXA COTOH

#	Article	IF	CITATIONS
1	The circadian factor Period 2 modulates p53 stability and transcriptional activity in unstressed cells. Molecular Biology of the Cell, 2014, 25, 3081-3093.	2.1	82
2	Model-driven experimental approach reveals the complex regulatory distribution of p53 by the circadian factor Period 2. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 13516-13521.	7.1	81
3	Association of the circadian factor Period 2 to p53 influences p53's function in DNA-damage signaling. Molecular Biology of the Cell, 2015, 26, 359-372.	2.1	48
4	Distinct control of PERIOD2 degradation and circadian rhythms by the oncoprotein and ubiquitin ligase MDM2. Science Signaling, 2018, 11, .	3.6	32
5	Inactivation of the checkpoint kinase Cds1 is dependent on cyclin B-Cdc2 kinase activation at the meiotic G2/M-phase transition in Xenopus oocytes. Journal of Cell Science, 2001, 114, 3397-3406.	2.0	18
6	A Systems Biology Approach Identifies Hidden Regulatory Connections Between the Circadian and Cell-Cycle Checkpoints. Frontiers in Physiology, 2020, 11, 327.	2.8	14
7	Cyclin E2 is required for embryogenesis in Xenopus laevis. Developmental Biology, 2007, 310, 341-347.	2.0	10
8	Phosphorylation of Claspin is triggered by the nucleocytoplasmic ratio at the Xenopus laevis midblastula transition. Developmental Biology, 2011, 353, 302-308.	2.0	10
9	Regulatory Pathways Coordinating Cell Cycle Progression in Early Xenopus Development. Results and Problems in Cell Differentiation, 2011, 53, 171-199.	0.7	9
10	Possible Involvement of a Cell Cycle Control System Dependent on Nuclear Activities in Establishment of the Cell Division Interval in Early Xenopus Embryos. Zoological Science, 1998, 15, 913-922.	0.7	3