Takeo Suzuki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11229252/publications.pdf Version: 2024-02-01



TAKEO SUZUKI

#	Article	IF	CITATIONS
1	Mass spectrometric analysis of mRNA 5′ terminal modifications. Methods in Enzymology, 2021, 658, 407-418.	1.0	2
2	N6-methyladenosine (m6A) is an endogenous A3 adenosine receptor ligand. Molecular Cell, 2021, 81, 659-674.e7.	9.7	28
3	Mass Spectrometric Analysis of Mitochondrial RNA Modifications. Methods in Molecular Biology, 2021, 2192, 89-101.	0.9	1
4	Higd1a improves respiratory function in the models of mitochondrial disorder. FASEB Journal, 2020, 34, 1859-1871.	0.5	16
5	Complete chemical structures of human mitochondrial tRNAs. Nature Communications, 2020, 11, 4269.	12.8	144
6	Distinct Modified Nucleosides in tRNA ^{Trp} from the Hyperthermophilic Archaeon Thermococcus kodakarensis and Requirement of tRNA m ² G10/m ² ₂ G10 Methyltransferase (Archaeal Trm11) for Survival at High Temperatures. Journal of Bacteriology, 2019, 201, .	2.2	15
7	Mammalian NSUN2 introduces 5-methylcytidines into mitochondrial tRNAs. Nucleic Acids Research, 2019, 47, 8734-8745.	14.5	60
8	Impact of intron removal from tRNA genes on Saccharomyces cerevisiae. Nucleic Acids Research, 2019, 47, 5936-5949.	14.5	20
9	Cap-specific terminal <i>N</i> ⁶ -methylation of RNA by an RNA polymerase Il–associated methyltransferase. Science, 2019, 363, .	12.6	262
10	Metabolic and chemical regulation of tRNA modification associated with taurine deficiency and human disease. Nucleic Acids Research, 2018, 46, 1565-1583.	14.5	110
11	Defective Mitochondrial tRNA Taurine Modification Activates Global Proteostress and Leads to Mitochondrial Disease. Cell Reports, 2018, 22, 482-496.	6.4	84
12	ALKBH1 is an RNA dioxygenase responsible for cytoplasmic and mitochondrial tRNA modifications. Nucleic Acids Research, 2017, 45, 7401-7415.	14.5	180
13	Identification of 2-methylthio cyclic N6-threonylcarbamoyladenosine (ms2ct6A) as a novel RNA modification at position 37 of tRNAs. Nucleic Acids Research, 2017, 45, 2124-2136.	14.5	48
14	Mtu1-Mediated Thiouridine Formation of Mitochondrial tRNAs Is Required for Mitochondrial Translation and Is Involved in Reversible Infantile Liver Injury. PLoS Genetics, 2016, 12, e1006355.	3.5	28
15	NSUN3 methylase initiates 5-formylcytidine biogenesis in human mitochondrial tRNAMet. Nature Chemical Biology, 2016, 12, 546-551.	8.0	174
16	Cdk5rap1-Mediated 2-Methylthio Modification of Mitochondrial tRNAs Governs Protein Translation and Contributes to Myopathy in Mice and Humans. Cell Metabolism, 2015, 21, 428-442.	16.2	95
17	Single methylation of 23S rRNA triggers late steps of 50S ribosomal subunit assembly. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E4707-16.	7.1	52
18	5-Hydroxymethylcytosine Plays a Critical Role in Glioblastomagenesis by Recruiting the CHTOP-Methylosome Complex. Cell Reports, 2014, 9, 48-60.	6.4	122

ΤΑΚΕΟ SUZUKI

#	Article	IF	CITATIONS
19	Human NAT10 Is an ATP-dependent RNA Acetyltransferase Responsible for N4-Acetylcytidine Formation in 18 S Ribosomal RNA (rRNA). Journal of Biological Chemistry, 2014, 289, 35724-35730.	3.4	159
20	A complete landscape of post-transcriptional modifications in mammalian mitochondrial tRNAs. Nucleic Acids Research, 2014, 42, 7346-7357.	14.5	247
21	Biochemical and Mass Spectrometric Analysis of 3'-End Methylation of piRNAs. Methods in Molecular Biology, 2014, 1093, 59-72.	0.9	1
22	A Single Acetylation of 18 S rRNA Is Essential for Biogenesis of the Small Ribosomal Subunit in Saccharomyces cerevisiae. Journal of Biological Chemistry, 2014, 289, 26201-26212.	3.4	76
23	Structural Dynamics of a Mitochondrial tRNA Possessing Weak Thermodynamic Stability. Biochemistry, 2014, 53, 1456-1465.	2.5	9
24	Quantitative PCR Measurement of tRNA 2-Methylthio Modification for Assessing Type 2 Diabetes Risk. Clinical Chemistry, 2013, 59, 1604-1612.	3.2	24
25	Decoding Mechanism of Non-universal Genetic Codes in Loligo bleekeri Mitochondria. Journal of Biological Chemistry, 2013, 288, 7645-7652.	3.4	8
26	Base methylations in the double-stranded RNA by a fused methyltransferase bearing unwinding activity. Nucleic Acids Research, 2012, 40, 4071-4085.	14.5	28
27	Loss of ribosomal RNA modification causes developmental defects in zebrafish. Nucleic Acids Research, 2012, 40, 391-398.	14.5	88
28	Human Mitochondrial tRNAs: Biogenesis, Function, Structural Aspects, and Diseases. Annual Review of Genetics, 2011, 45, 299-329.	7.6	464
29	Human mitochondrial diseases caused by lack of taurine modification in mitochondrial tRNAs. Wiley Interdisciplinary Reviews RNA, 2011, 2, 376-386.	6.4	100
30	Molecular basis of dihydrouridine formation on tRNA. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 19593-19598.	7.1	58
31	Taurine-containing Uridine Modifications in tRNA Anticodons Are Required to Decipher Non-universal Genetic Codes in Ascidian Mitochondria. Journal of Biological Chemistry, 2011, 286, 35494-35498.	3.4	20
32	Actin-binding protein ABP140 is a methyltransferase for 3-methylcytidine at position 32 of tRNAs in <i>Saccharomyces cerevisiae</i> . Rna, 2011, 17, 1111-1119.	3.5	62
33	Deficit of tRNALys modification by Cdkal1 causes the development of type 2 diabetes in mice. Journal of Clinical Investigation, 2011, 121, 3598-3608.	8.2	212
34	Profiling Sex-Specific piRNAs in Zebrafish. Genetics, 2010, 186, 1175-1185.	2.9	19
35	Agmatine-conjugated cytidine in a tRNA anticodon is essential for AUA decoding in archaea. Nature Chemical Biology, 2010, 6, 277-282.	8.0	127
36	Selective stabilization of mammalian microRNAs by 3′ adenylation mediated by the cytoplasmic poly(A) polymerase GLD-2. Genes and Development, 2009, 23, 433-438.	5.9	378

ΤΑΚΕΟ SUZUKI

#	Article	IF	CITATIONS
37	Tertiary network in mammalian mitochondrial tRNAAsp revealed by solution probing and phylogeny. Nucleic Acids Research, 2009, 37, 6881-6895.	14.5	27
38	Biogenesis of glutaminyl-mt tRNA ^{Gln} in human mitochondria. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 16209-16214.	7.1	93
39	Mass Spectrometric Identification and Characterization of RNAâ€Modifying Enzymes. Methods in Enzymology, 2007, 425, 211-229.	1.0	114
40	Pimet, the <i>Drosophila</i> homolog of HEN1, mediates 2′- <i>O</i> -methylation of Piwi- interacting RNAs at their 3′ ends. Genes and Development, 2007, 21, 1603-1608.	5.9	400
41	Aminoacyl-tRNA surveillance by EF-Tu in mammalian mitochondria Nucleic Acids Symposium Series, 2007, 51, 41-42.	0.3	17
42	Chaplet Column Chromatography: Isolation of a Large Set of Individual RNAs in a Single Step. Methods in Enzymology, 2007, 425, 231-239.	1.0	55
43	The 3′ termini of mouse Piwi-interacting RNAs are 2′-O-methylated. Nature Structural and Molecular Biology, 2007, 14, 349-350.	8.2	202
44	Mitochondria-specific RNA-modifying Enzymes Responsible for the Biosynthesis of the Wobble Base in Mitochondrial tRNAs. Journal of Biological Chemistry, 2005, 280, 1613-1624.	3.4	192
45	Wobble modification differences and subcellular localization of tRNAs in Leishmania tarentolae: implication for tRNA sorting mechanism. EMBO Journal, 2003, 22, 657-667.	7.8	106
46	Simple and rapid synthesis of siRNA derived from in vitro transcribed shRNA. Nucleic Acids Symposium Series, 2003, 3, 249-250.	0.3	15
47	Taurine as a constituent of mitochondrial tRNAs: new insights into the functions of taurine and human mitochondrial diseases. EMBO Journal, 2002, 21, 6581-6589.	7.8	332
48	Modification Defect at Anticodon Wobble Nucleotide of Mitochondrial tRNAsLeu(UUR) with Pathogenic Mutations of Mitochondrial Myopathy, Encephalopathy, Lactic Acidosis, and Stroke-like Episodes. Journal of Biological Chemistry, 2000, 275, 4251-4257.	3.4	232
49	High Sensitive Analysis of Modified Nucleosides by LC/MS Using ESI/Iontrap Mass Spectrometry Journal of the Mass Spectrometry Society of Japan, 1999, 47, 168-176.	0.1	3
50	Mass spectrometric analysis of 3'-terminal nucleosides of non-coding RNAs. Protocol Exchange, 0, , .	0.3	2