

# Qiuyang Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1123234/publications.pdf>

Version: 2024-02-01

45  
papers

1,581  
citations

361045

20  
h-index

301761

39  
g-index

45  
all docs

45  
docs citations

45  
times ranked

2904  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A Novel Controlled PTEN-Knockout Mouse Model for Prostate Cancer Study. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 696537.  | 1.6 | 7         |
| 2  | Abstract 1760: Role of Batf-dependant Th17 immune response in PTEN-null mouse model. , 2021, , .  |     | 0         |
| 3  | CD4 <sup>+</sup> T helper 17 cell response of aged mice promotes prostate cancer cell migration and invasion. <i>Prostate</i> , 2020, 80, 764-776.  | 1.2 | 12        |
| 4  | Age-Related Increased Onset and Progression of Prostate Cancer Is Revealed in Novel Pten-Null Mouse Models. <i>Innovation in Aging</i> , 2020, 4, 129-130.  | 0.0 | 3         |
| 5  | AGE-RELATED ELEVATED CD4+ T HELPER 17 CELL RESPONSE PROMOTES PROSTATE CANCER CELL GROWTH, MIGRATION, AND INVASION. <i>Innovation in Aging</i> , 2019, 3, S879-S879.   | 0.0 | 0         |
| 6  | Disruption of ubiquitin specific protease 26 gene causes male subfertility associated with spermatogenesis defects in mice. <i>Biology of Reproduction</i> , 2019, 100, 1118-1128.  | 1.2 | 14        |
| 7  | Abstract 58: Age-related elevated Th17 immune response contributes to prostate carcinogenesis. , 2018, , .  |     | 0         |
| 8  | Interleukin-17 promotes metastasis in an immunocompetent orthotopic mouse model of prostate cancer. <i>American Journal of Clinical and Experimental Urology</i> , 2018, 6, 114-122.  | 0.4 | 9         |
| 9  | Interleukin-17 promotes prostate cancer via MMP7-induced epithelial-to-mesenchymal transition. <i>Oncogene</i> , 2017, 36, 687-699.   | 2.6 | 147       |
| 10 | Inflammatory cytokines IL-17 and TNF- $\alpha$ up-regulate PD-L1 expression in human prostate and colon cancer cells. <i>Immunology Letters</i> , 2017, 184, 7-14.  | 1.1 | 241       |
| 11 | Targeting Th17-IL-17 Pathway in Prevention of Microinvasive Prostate Cancer in a Mouse Model. <i>Prostate</i> , 2017, 77, 888-899.  | 1.2 | 49        |
| 12 | Posttranscriptional Control of PD-L1 Expression by 17 $\beta$ -Estradiol via PI3K/Akt Signaling Pathway in ER $\alpha$ -Positive Cancer Cell Lines. <i>International Journal of Gynecological Cancer</i> , 2017, 27, 196-205. | 1.2 | 68        |
| 13 | Organoid culture of human prostate cancer cell lines LNCaP and C4-2B. <i>American Journal of Clinical and Experimental Urology</i> , 2017, 5, 25-33.  | 0.4 | 4         |
| 14 | Interleukin-17A Differentially Induces Inflammatory and Metabolic Gene Expression in the Adipose Tissues of Lean and Obese Mice. <i>International Journal of Molecular Sciences</i> , 2016, 17, 522.                          | 1.8 | 21        |
| 15 | Monomethyl Auristatin E Phosphate Inhibits Human Prostate Cancer Growth. <i>Prostate</i> , 2016, 76, 1420-1430.   | 1.2 | 16        |
| 16 | PD-L1 expression is associated with advanced non-small cell lung cancer. <i>Oncology Letters</i> , 2016, 12, 921-927.   | 0.8 | 18        |
| 17 | Expression of PD-1, PD-L1 and PD-L2 is associated with differentiation status and histological type of endometrial cancer. <i>Oncology Letters</i> , 2016, 12, 944-950.   | 0.8 | 75        |
| 18 | Abstract 5171: Interleukin-17 acts through MMP7 to promote prostate cancer. , 2016, , .   |     | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Aminomethylphosphonic acid inhibits growth and metastasis of human prostate cancer in an orthotopic xenograft mouse model. <i>Oncotarget</i> , 2016, 7, 10616-10626.  | 0.8 | 8         |
| 20 | Hyperinsulinemia enhances interleukin-17-induced inflammation to promote prostate cancer development in obese mice through inhibiting glycogen synthase kinase 3-mediated phosphorylation and degradation of interleukin-17 receptor. <i>Oncotarget</i> , 2016, 7, 13651-13666.                       | 0.8 | 32        |
| 21 | Abstract A92: Aminomethylphosphonic acid inhibits human prostate xenograft tumor growth through interfering glycine synthesis in the cancer cells. , 2016, , .  |     | 0         |
| 22 | PD-1, PD-L1 and PD-L2 expression in mouse prostate cancer. <i>American Journal of Clinical and Experimental Urology</i> , 2016, 4, 1-8.   | 0.4 | 22        |
| 23 | IL-17 and insulin/IGF1 enhance adhesion of prostate cancer cells to vascular endothelial cells through CD44-VCAM-1 interaction. <i>Prostate</i> , 2015, 75, 883-895.  | 1.2 | 32        |
| 24 | Aminomethylphosphonic Acid and Methoxyacetic Acid Induce Apoptosis in Prostate Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11750-11765.  | 1.8 | 9         |
| 25 | Estradiol Inhibits Th17 Cell Differentiation through Inhibition of <i>ROR<math>\gamma</math>T</i> Transcription by Recruiting the ER $\alpha$ /RE $\alpha$ Complex to Estrogen Response Elements of the <i>ROR<math>\gamma</math>T</i> Promoter. <i>Journal of Immunology</i> , 2015, 194, 4019-4028. | 0.4 | 89        |
| 26 | Doublecortin May Play a Role in Defining Chondrocyte Phenotype. <i>International Journal of Molecular Sciences</i> , 2014, 15, 6941-6960.   | 1.8 | 6         |
| 27 | AZD5363 Inhibits Inflammatory Synergy between Interleukin-17 and Insulin/Insulin-Like Growth Factor 1. <i>Frontiers in Oncology</i> , 2014, 4, 343.   | 1.3 | 10        |
| 28 | Interleukin-17 promotes development of castration-resistant prostate cancer potentially through creating an immunotolerant and pro-angiogenic tumor microenvironment. <i>Prostate</i> , 2014, 74, 869-879.  | 1.2 | 46        |
| 29 | Interleukin-17 Indirectly Promotes M2 Macrophage Differentiation through Stimulation of COX-2/PGE2 Pathway in the Cancer Cells. <i>Cancer Research and Treatment</i> , 2014, 46, 297-306.   | 1.3 | 76        |
| 30 | Methoxyacetic acid suppresses prostate cancer cell growth by inducing growth arrest and apoptosis. <i>American Journal of Clinical and Experimental Urology</i> , 2014, 2, 300-12.  | 0.4 | 3         |
| 31 | Insulin and IGF-1 enhance IL-17-induced chemokine expression through a GSK-3 $\beta$ -dependent mechanism: a new target for melatonin's anti-inflammatory action. <i>Journal of Pineal Research</i> , 2013, 55, 377-387.  | 3.4 | 56        |
| 32 | Glyphosate and AMPA inhibit cancer cell growth through inhibiting intracellular glycine synthesis. <i>Drug Design, Development and Therapy</i> , 2013, 7, 635.  | 2.0 | 31        |
| 33 | Comparison of the Tendon Damage Caused by Four Different Anchor Systems Used in Transtendon Rotator Cuff Repair. <i>Advances in Orthopedics</i> , 2012, 2012, 1-6.  | 0.4 | 8         |
| 34 | Interleukin-17 and Prostaglandin E2 Are Involved in Formation of an M2 Macrophage-Dominant Microenvironment in Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2012, 7, 1091-1100.   | 0.5 | 97        |
| 35 | Interleukin-17 Promotes Formation and Growth of Prostate Adenocarcinoma in Mouse Models. <i>Cancer Research</i> , 2012, 72, 2589-2599.  | 0.4 | 84        |
| 36 | LNCaP prostate cancer cells with autocrine interleukin-6 expression are resistant to IL-6-induced neuroendocrine differentiation due to increased expression of suppressors of cytokine signaling. <i>Prostate</i> , 2012, 72, 1306-1316.   | 1.2 | 31        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Abstract 3286: Interleukin-17 receptor c (IL-17RC) knockout mice developed fewer and smaller prostate tumors compared to the wild-type mice in Pten-deficient context. , 2012, , .   |     | 0         |
| 38 | Interleukin-17 Induces Expression of Chemokines and Cytokines in Prostatic Epithelial Cells but Does Not Stimulate Cell Growth In Vitro. International Journal of Medical and Biological Frontiers, 2012, 18, 629-644.   | 0.2 | 9         |
| 39 | Rat Mitochondrion-Neuron Focused Microarray (rMNChip) and Bioinformatics Tools for Rapid Identification of Differential Pathways in Brain Tissues. International Journal of Biological Sciences, 2011, 7, 308-322.   | 2.6 | 12        |
| 40 | Expression of doublecortin reveals articular chondrocyte lineage in mouse embryonic limbs. Genesis, 2011, 49, 75-82.   | 0.8 | 26        |
| 41 | Two types of human malignant melanoma cell lines revealed by expression patterns of mitochondrial and survival-apoptosis genes: implications for malignant melanoma therapy. Molecular Cancer Therapeutics, 2009, 8, 1292-1304.                                    | 1.9 | 61        |
| 42 | Molecular mechanism underlying differential apoptosis between human melanoma cell lines UACC903 and UACC903(+6) revealed by mitochondria-focused cDNA microarrays. Apoptosis: an International Journal on Programmed Cell Death, 2008, 13, 993-1004.               | 2.2 | 18        |
| 43 | Dysregulated Mitochondrial Genes and Networks with Drug Targets in Postmortem Brain of Patients with Posttraumatic Stress Disorder (PTSD) Revealed by Human Mitochondria-Focused cDNA Microarrays. International Journal of Biological Sciences, 2008, 4, 223-235. | 2.6 | 101       |
| 44 | Differences in Apoptosis and Cell Cycle Distribution between Human Melanoma Cell Lines UACC903 and UACC903(+6), before and after UV Irradiation. International Journal of Biological Sciences, 2007, 3, 342-348.   | 2.6 | 5         |
| 45 | Third-generation human mitochondria-focused cDNA microarray and its bioinformatic tools for analysis of gene expression. BioTechniques, 2007, 42, 365-375.   | 0.8 | 24        |