

# Giovanni Cerasola

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11240761/publications.pdf>

Version: 2024-02-01

50  
papers

1,544  
citations

236925

25  
h-index

302126

39  
g-index

50  
all docs

50  
docs citations

50  
times ranked

2007  
citing authors

#	ARTICLE	IF	CITATIONS
1	Microalbuminuria, renal dysfunction and cardiovascular complication in essential hypertension. <i>Journal of Hypertension</i> , 1996, 14, 915-920.	0.5	106
2	Left ventricular hypertrophy and geometry in hypertensive patients with chronic kidney disease. <i>Journal of Hypertension</i> , 2009, 27, 633-641.	0.5	87
3	Epidemiology and pathophysiology of left ventricular abnormalities in chronic kidney disease: a review. <i>Journal of Nephrology</i> , 2011, 24, 1-10.	2.0	86
4	Relation of C-Reactive Protein to Oxidative Stress and to Endothelial Activation in Essential Hypertension. <i>American Journal of Hypertension</i> , 2006, 19, 313-318.	2.0	77
5	The progressive pathway of microalbuminuria: from early marker of renal damage to strong cardiovascular risk predictor. <i>Journal of Hypertension</i> , 2010, 28, 2357-2369.	0.5	73
6	Micro-albuminuria as a predictor of cardiovascular damage in essential hypertension. <i>Journal of Hypertension</i> , 1989, 7, S332-333.	0.5	58
7	Endothelin-1 and F2-isoprostane relate to and predict renal dysfunction in hypertensive patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 497-503.	0.7	56
8	Sympathetic Activity and Blood Pressure Pattern in Autosomal Dominant Polycystic Kidney Disease Hypertensives. <i>American Journal of Nephrology</i> , 1998, 18, 391-398.	3.1	54
9	Metabolic syndrome in hypertensive patients: An unholy alliance. <i>World Journal of Cardiology</i> , 2014, 6, 890.	1.5	52
10	Influence of the metabolic syndrome on aortic stiffness in never treated hypertensive patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 54-59.	2.6	49
11	Insulin-like growth factor 1 and sodium-lithium countertransport in essential hypertension and in hypertensive left ventricular hypertrophy. <i>Journal of Hypertension</i> , 1993, 11, 1097-1101.	0.5	47
12	Relationships between 24 h blood pressure load and target organ damage in patients with mild-to-moderate essential hypertension. <i>Blood Pressure Monitoring</i> , 2001, 6, 115-123.	0.8	46
13	Subclinical Kidney Damage in Hypertensive Patients: A Renal Window Opened on the Cardiovascular System. Focus on Microalbuminuria. <i>Advances in Experimental Medicine and Biology</i> , 2016, 956, 279-306.	1.6	43
14	Inverse Relationship Between Ambulatory Arterial Stiffness Index and Glomerular Filtration Rate in Arterial Hypertension. <i>American Journal of Hypertension</i> , 2008, 21, 35-40.	2.0	42
15	Intra-renal hemodynamics and carotid intima-media thickness in the metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, 177-185.	2.8	42
16	Left ventricular mass in hypertensive patients with mild-to-moderate reduction of renal function. <i>Nephrology</i> , 2010, 15, 203-210.	1.6	39
17	Changes of Plasma Endothelin and Growth Factor Levels, and of Left Ventricular Mass, After Chronic AT1-Receptor Blockade in Human Hypertension. <i>American Journal of Hypertension</i> , 1998, 11, 548-553.	2.0	38
18	Relationship of Metabolic Syndrome With Pulse Pressure in Patients With Essential Hypertension. <i>American Journal of Hypertension</i> , 2007, 20, 197-203.	2.0	32

#	ARTICLE	IF	CITATIONS
19	Inflammation and endothelial activation are linked to renal function in long-term kidney transplantation. <i>Transplant International</i> , 2007, 20, 82-87.	1.6	32
20	Relationships between maximal oxygen uptake and endothelial function in healthy male adults: a preliminary study. <i>Acta Diabetologica</i> , 2013, 50, 135-141.	2.5	31
21	The Association of Microalbuminuria With Aortic Stiffness Is Independent of C-Reactive Protein in Essential Hypertension. <i>American Journal of Hypertension</i> , 2009, 22, 1041-1047.	2.0	30
22	Relationship Between Short-Term Blood Pressure Variability and Subclinical Renal Damage in Essential Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2015, 17, 473-480.	2.0	30
23	The Metabolic Syndrome and Its Relationship to Hypertensive Target Organ Damage. <i>Journal of Clinical Hypertension</i> , 2006, 8, 195-201.	2.0	29
24	C-reactive protein and intercellular adhesion molecule-1 are stronger predictors of oxidant stress than blood pressure in established hypertension. <i>Journal of Hypertension</i> , 2007, 25, 423-428.	0.5	29
25	Plasma Aldosterone and Its Relationships With Left Ventricular Mass in Essential Hypertensive Patients With the Metabolic Syndrome. <i>American Journal of Hypertension</i> , 2008, 21, 1055-1061.	2.0	29
26	Sympathetic Overactivity and 24-Hour Blood Pressure Pattern in Hypertensives with Chronic Renal Failure. <i>Renal Failure</i> , 1995, 17, 751-758.	2.1	24
27	Amplified biochemical activation of endothelial function in hypertension associated with moderate to severe renal failure. <i>Journal of Nephrology</i> , 2002, 15, 643-8.	2.0	21
28	Insulin, Sodium-Lithium Countertransport, and Microalbuminuria in Hypertensive Patients. <i>Hypertension</i> , 1998, 31, 110-113.	2.7	20
29	Endothelium-derived factors in microalbuminuric and nonmicroalbuminuric essential hypertensives. <i>American Journal of Hypertension</i> , 2000, 13, 172-176.	2.0	20
30	Long-Term Effects of a Multidisciplinary Treatment of Uncomplicated Obesity on Carotid Intima-Media Thickness. <i>Obesity</i> , 2011, 19, 1187-1192.	3.0	20
31	Influence of chronic renal insufficiency on left ventricular diastolic function in hypertensives without left ventricular hypertrophy. <i>Journal of Nephrology</i> , 2007, 20, 320-8.	2.0	20
32	Subclinical atherosclerosis and fetuin-A plasma levels in essential hypertensive patients. <i>Hypertension Research</i> , 2013, 36, 129-133.	2.7	19
33	Unfavourable interaction of microalbuminuria and mildly reduced creatinine clearance on aortic stiffness in essential hypertension. <i>International Journal of Cardiology</i> , 2010, 145, 372-375.	1.7	17
34	Hypertension, microalbuminuria and renal dysfunction: the Renal Dysfunction in Hypertension (REDHY) study. <i>Journal of Nephrology</i> , 2008, 21, 368-73.	2.0	17
35	Microalbuminuria Fractional Clearance and Early Renal Permeability Changes in Essential Hypertension. <i>American Journal of Nephrology</i> , 1992, 12, 326-329.	3.1	15
36	Interleukin 6 plasma levels predict with high sensitivity and specificity coronary stenosis detected by coronary angiography. <i>Thrombosis and Haemostasis</i> , 2007, 98, 1362-1367.	3.4	15

#	ARTICLE	IF	CITATIONS
37	Impact of metabolic syndrome on left ventricular mass in overweight and obese hypertensive subjects. <i>International Journal of Cardiology</i> , 2007, 121, 267-275.	1.7	14
38	Relationship of fetuin-A with glomerular filtration rate and endothelial dysfunction in moderate-severe chronic kidney disease. <i>Journal of Nephrology</i> , 2010, 23, 62-9.	2.0	13
39	Usefulness of Microalbuminuria in Cardiovascular Risk Stratification of Essential Hypertensive Patients. <i>Nephron Clinical Practice</i> , 2004, 96, c123-c130.	2.3	12
40	Impact of the Metabolic Syndrome on Total Arterial Compliance in Essential Hypertension Patients. <i>Journal of the Cardiometabolic Syndrome</i> , 2007, 2, 84-90.	1.7	12
41	Prevalence and predictors of left ventricular hypertrophy in patients with hypertension and normal electrocardiogram. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 854-861.	1.8	12
42	Renal plasma flow, filtration fraction and microalbuminuria in hypertensive patients: Effects of chronic smoking. <i>Nephrology</i> , 2005, 10, 483-486.	1.6	11
43	Relationship between aortic root size and glomerular filtration rate in hypertensive patients. <i>Journal of Hypertension</i> , 2016, 34, 495-505.	0.5	11
44	The Metabolic Syndrome as a Prohypertensive State. <i>American Journal of Hypertension</i> , 2008, 21, 8-8.	2.0	5
45	Parathyroid hormone is inversely related to endothelin-1 in patients on haemodialysis. <i>Nephrology</i> , 2008, 13, 467-471.	1.6	3
46	Relationship of transforming growth factor-beta1 with tumour necrosis factor-alpha and endothelial activation in patients with stable renal transplantation. <i>Nephrology</i> , 2008, 13, 164-170.	1.6	2
47	Electrocardiography Plus Limited Echocardiography in Young, Newly Identified, Hypertensives: Some Considerations. <i>American Journal of Hypertension</i> , 2010, 23, 1050-1050.	2.0	2
48	Influence of the Calcium Antagonist Amlodipine on Left Ventricular Mass and Function in Patients with Essential Hypertension. <i>Clinical Drug Investigation</i> , 1997, 13, 17-21.	2.2	1
49	The Relationship between an Oxidative Stress Biomarker and Plasma Haemoglobin in Patients with Chronic Kidney Disease. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2010, 17, 227-233.	2.2	1
50	Impact of metabolic syndrome on left ventricular mass: Is the same in all ethnic groups and in men and women? Reply. <i>International Journal of Cardiology</i> , 2009, 131, 396-397.	1.7	0