

Giovanni Cerasola

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11240761/publications.pdf>

Version: 2024-02-01

50
papers

1,544
citations

236925

25
h-index

302126

39
g-index

50
all docs

50
docs citations

50
times ranked

2007
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Relationship between aortic root size and glomerular filtration rate in hypertensive patients. <i>Journal of Hypertension</i> , 2016, 34, 495-505. | 0.5 | 11 |
| 2 | Subclinical Kidney Damage in Hypertensive Patients: A Renal Window Opened on the Cardiovascular System. Focus on Microalbuminuria. <i>Advances in Experimental Medicine and Biology</i> , 2016, 956, 279-306. | 1.6 | 43 |
| 3 | Relationship Between Short-Term Blood Pressure Variability and Subclinical Renal Damage in Essential Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2015, 17, 473-480. | 2.0 | 30 |
| 4 | Metabolic syndrome in hypertensive patients: An unholy alliance. <i>World Journal of Cardiology</i> , 2014, 6, 890. | 1.5 | 52 |
| 5 | Relationships between maximal oxygen uptake and endothelial function in healthy male adults: a preliminary study. <i>Acta Diabetologica</i> , 2013, 50, 135-141. | 2.5 | 31 |
| 6 | Prevalence and predictors of left ventricular hypertrophy in patients with hypertension and normal electrocardiogram. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 854-861. | 1.8 | 12 |
| 7 | Subclinical atherosclerosis and fetuin-A plasma levels in essential hypertensive patients. <i>Hypertension Research</i> , 2013, 36, 129-133. | 2.7 | 19 |
| 8 | Long-Term Effects of a Multidisciplinary Treatment of Uncomplicated Obesity on Carotid Intima-Media Thickness. <i>Obesity</i> , 2011, 19, 1187-1192. | 3.0 | 20 |
| 9 | Epidemiology and pathophysiology of left ventricular abnormalities in chronic kidney disease: a review. <i>Journal of Nephrology</i> , 2011, 24, 1-10. | 2.0 | 86 |
| 10 | Left ventricular mass in hypertensive patients with mild-to-moderate reduction of renal function. <i>Nephrology</i> , 2010, 15, 203-210. | 1.6 | 39 |
| 11 | Electrocardiography Plus Limited Echocardiography in Young, Newly Identified, Hypertensives: Some Considerations. <i>American Journal of Hypertension</i> , 2010, 23, 1050-1050. | 2.0 | 2 |
| 12 | Unfavourable interaction of microalbuminuria and mildly reduced creatinine clearance on aortic stiffness in essential hypertension. <i>International Journal of Cardiology</i> , 2010, 145, 372-375. | 1.7 | 17 |
| 13 | The Relationship between an Oxidative Stress Biomarker and Plasma Haemoglobin in Patients with Chronic Kidney Disease. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2010, 17, 227-233. | 2.2 | 1 |
| 14 | The progressive pathway of microalbuminuria: from early marker of renal damage to strong cardiovascular risk predictor. <i>Journal of Hypertension</i> , 2010, 28, 2357-2369. | 0.5 | 73 |
| 15 | Relationship of fetuin-A with glomerular filtration rate and endothelial dysfunction in moderate-severe chronic kidney disease. <i>Journal of Nephrology</i> , 2010, 23, 62-9. | 2.0 | 13 |
| 16 | The Association of Microalbuminuria With Aortic Stiffness Is Independent of C-Reactive Protein in Essential Hypertension. <i>American Journal of Hypertension</i> , 2009, 22, 1041-1047. | 2.0 | 30 |
| 17 | Left ventricular hypertrophy and geometry in hypertensive patients with chronic kidney disease. <i>Journal of Hypertension</i> , 2009, 27, 633-641. | 0.5 | 87 |
| 18 | Intra-renal hemodynamics and carotid intima-media thickness in the metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, 177-185. | 2.8 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Impact of metabolic syndrome on left ventricular mass: Is the same in all ethnic groups and in men and women? Reply. <i>International Journal of Cardiology</i> , 2009, 131, 396-397. | 1.7 | 0 |
| 20 | Relationship of transforming growth factor-beta1 with tumour necrosis factor-alpha and endothelial activation in patients with stable renal transplantation. <i>Nephrology</i> , 2008, 13, 164-170. | 1.6 | 2 |
| 21 | Parathyroid hormone is inversely related to endothelin-1 in patients on haemodialysis. <i>Nephrology</i> , 2008, 13, 467-471. | 1.6 | 3 |
| 22 | Inverse Relationship Between Ambulatory Arterial Stiffness Index and Glomerular Filtration Rate in Arterial Hypertension. <i>American Journal of Hypertension</i> , 2008, 21, 35-40. | 2.0 | 42 |
| 23 | The Metabolic Syndrome as a Prohypertensive State. <i>American Journal of Hypertension</i> , 2008, 21, 8-8. | 2.0 | 5 |
| 24 | Plasma Aldosterone and Its Relationships With Left Ventricular Mass in Essential Hypertensive Patients With the Metabolic Syndrome. <i>American Journal of Hypertension</i> , 2008, 21, 1055-1061. | 2.0 | 29 |
| 25 | Endothelin-1 and F2-isoprostane relate to and predict renal dysfunction in hypertensive patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 497-503. | 0.7 | 56 |
| 26 | Hypertension, microalbuminuria and renal dysfunction: the Renal Dysfunction in Hypertension (REDHY) study. <i>Journal of Nephrology</i> , 2008, 21, 368-73. | 2.0 | 17 |
| 27 | C-reactive protein and intercellular adhesion molecule-1 are stronger predictors of oxidant stress than blood pressure in established hypertension. <i>Journal of Hypertension</i> , 2007, 25, 423-428. | 0.5 | 29 |
| 28 | Relationship of Metabolic Syndrome With Pulse Pressure in Patients With Essential Hypertension. <i>American Journal of Hypertension</i> , 2007, 20, 197-203. | 2.0 | 32 |
| 29 | Impact of metabolic syndrome on left ventricular mass in overweight and obese hypertensive subjects. <i>International Journal of Cardiology</i> , 2007, 121, 267-275. | 1.7 | 14 |
| 30 | Interleukin 6 plasma levels predict with high sensitivity and specificity coronary stenosis detected by coronary angiography. <i>Thrombosis and Haemostasis</i> , 2007, 98, 1362-1367. | 3.4 | 15 |
| 31 | Inflammation and endothelial activation are linked to renal function in long-term kidney transplantation. <i>Transplant International</i> , 2007, 20, 82-87. | 1.6 | 32 |
| 32 | Impact of the Metabolic Syndrome on Total Arterial Compliance in Essential Hypertension Patients. <i>Journal of the Cardiometabolic Syndrome</i> , 2007, 2, 84-90. | 1.7 | 12 |
| 33 | Influence of chronic renal insufficiency on left ventricular diastolic function in hypertensives without left ventricular hypertrophy. <i>Journal of Nephrology</i> , 2007, 20, 320-8. | 2.0 | 20 |
| 34 | Relation of C-Reactive Protein to Oxidative Stress and to Endothelial Activation in Essential Hypertension. <i>American Journal of Hypertension</i> , 2006, 19, 313-318. | 2.0 | 77 |
| 35 | The Metabolic Syndrome and Its Relationship to Hypertensive Target Organ Damage. <i>Journal of Clinical Hypertension</i> , 2006, 8, 195-201. | 2.0 | 29 |
| 36 | Influence of the metabolic syndrome on aortic stiffness in never treated hypertensive patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 54-59. | 2.6 | 49 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Renal plasma flow, filtration fraction and microalbuminuria in hypertensive patients: Effects of chronic smoking. <i>Nephrology</i> , 2005, 10, 483-486. | 1.6 | 11 |
| 38 | Usefulness of Microalbuminuria in Cardiovascular Risk Stratification of Essential Hypertensive Patients. <i>Nephron Clinical Practice</i> , 2004, 96, c123-c130. | 2.3 | 12 |
| 39 | Amplified biochemical activation of endothelial function in hypertension associated with moderate to severe renal failure. <i>Journal of Nephrology</i> , 2002, 15, 643-8. | 2.0 | 21 |
| 40 | Relationships between 24 h blood pressure load and target organ damage in patients with mild-to-moderate essential hypertension. <i>Blood Pressure Monitoring</i> , 2001, 6, 115-123. | 0.8 | 46 |
| 41 | Endothelium-derived factors in microalbuminuric and nonmicroalbuminuric essential hypertensives. <i>American Journal of Hypertension</i> , 2000, 13, 172-176. | 2.0 | 20 |
| 42 | Changes of Plasma Endothelin and Growth Factor Levels, and of Left Ventricular Mass, After Chronic AT1-Receptor Blockade in Human Hypertension. <i>American Journal of Hypertension</i> , 1998, 11, 548-553. | 2.0 | 38 |
| 43 | Insulin, Sodium-Lithium Countertransport, and Microalbuminuria in Hypertensive Patients. <i>Hypertension</i> , 1998, 31, 110-113. | 2.7 | 20 |
| 44 | Sympathetic Activity and Blood Pressure Pattern in Autosomal Dominant Polycystic Kidney Disease Hypertensives. <i>American Journal of Nephrology</i> , 1998, 18, 391-398. | 3.1 | 54 |
| 45 | Influence of the Calcium Antagonist Amlodipine on Left Ventricular Mass and Function in Patients with Essential Hypertension. <i>Clinical Drug Investigation</i> , 1997, 13, 17-21. | 2.2 | 1 |
| 46 | Microalbuminuria, renal dysfunction and cardiovascular complication in essential hypertension. <i>Journal of Hypertension</i> , 1996, 14, 915-920. | 0.5 | 106 |
| 47 | Sympathetic Overactivity and 24-Hour Blood Pressure Pattern in Hypertensives with Chronic Renal Failure. <i>Renal Failure</i> , 1995, 17, 751-758. | 2.1 | 24 |
| 48 | Insulin-like growth factor 1 and sodium-lithium countertransport in essential hypertension and in hypertensive left ventricular hypertrophy. <i>Journal of Hypertension</i> , 1993, 11, 1097-1101. | 0.5 | 47 |
| 49 | Microalbuminuria Fractional Clearance and Early Renal Permeability Changes in Essential Hypertension. <i>American Journal of Nephrology</i> , 1992, 12, 326-329. | 3.1 | 15 |
| 50 | Micro-albuminuria as a predictor of cardiovascular damage in essential hypertension. <i>Journal of Hypertension</i> , 1989, 7, S332-333. | 0.5 | 58 |