

Lianjun Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11251201/publications.pdf>

Version: 2024-02-01

54
papers

1,948
citations

279798

23
h-index

254184

43
g-index

54
all docs

54
docs citations

54
times ranked

1987
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparing four regression techniques to explore factors governing the number of forest fires in Southeast, China. <i>Geomatics, Natural Hazards and Risk</i> , 2021, 12, 499-521.	4.3	2
2	Exploring spatially varying relationships between forest fire and environmental factors at different quantile levels. <i>International Journal of Wildland Fire</i> , 2020, 29, 486.	2.4	5
3	A Bayesian Approach to Estimating Seemingly Unrelated Regression for Tree Biomass Model Systems. <i>Forests</i> , 2020, 11, 1302.	2.1	6
4	Aggregated Biomass Model Systems and Carbon Concentration Variations for Tree Carbon Quantification of Natural Mongolian Oak in Northeast China. <i>Forests</i> , 2020, 11, 397.	2.1	12
5	Variation in Carbon Concentration and Allometric Equations for Estimating Tree Carbon Contents of 10 Broadleaf Species in Natural Forests in Northeast China. <i>Forests</i> , 2019, 10, 928.	2.1	8
6	Global and Geographically and Temporally Weighted Regression Models for Modeling PM2.5 in Heilongjiang, China from 2015 to 2018. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 5107.	2.6	32
7	Global and Geographically Weighted Quantile Regression for Modeling the Incident Rate of Children's Lead Poisoning in Syracuse, NY, USA. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2300.	2.6	4
8	Spatial Hurdle Models for Predicting the Number of Children with Lead Poisoning. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1792.	2.6	9
9	Additive Biomass Equations Based on Different Dendrometric Variables for Two Dominant Species (<i>Larix gmelini</i> Rupr. and <i>Betula platyphylla</i> Suk.) in Natural Forests in the Eastern Daxing'an Mountains, Northeast China. <i>Forests</i> , 2018, 9, 261.	2.1	34
10	Exploring spatially varying relationships between children's lead poisoning and environmental factors. <i>Annals of the New York Academy of Sciences</i> , 2017, 1404, 49-60.	3.8	4
11	Interrupted time series analysis of children's blood lead levels: A case study of lead hazard control program in Syracuse, New York. <i>PLoS ONE</i> , 2017, 12, e0171778.	2.5	4
12	Developing Two Additive Biomass Equations for Three Coniferous Plantation Species in Northeast China. <i>Forests</i> , 2016, 7, 136.	2.1	40
13	Modeling Anthropogenic Fire Occurrence in the Boreal Forest of China Using Logistic Regression and Random Forests. <i>Forests</i> , 2016, 7, 250.	2.1	51
14	Trends in Automatic Individual Tree Crown Detection and Delineation—Evolution of LiDAR Data. <i>Remote Sensing</i> , 2016, 8, 333.	4.0	237
15	Allometry and partitioning of individual tree biomass and carbon of <i>Abies nephrolepis</i> Maxim in northeast China. <i>Scandinavian Journal of Forest Research</i> , 2016, 31, 399-411.	1.4	12
16	A Three-Step Proportional Weighting System of Nonlinear Biomass Equations. <i>Forest Science</i> , 2015, 61, 35-45.	1.0	42
17	Evaluation of Four Methods for Predicting Carbon Stocks of Korean Pine Plantations in Heilongjiang Province, China. <i>PLoS ONE</i> , 2015, 10, e0145017.	2.5	7
18	Modeling Bird Species Richness at Multiple Spatial Scales Using Two-Dimensional Wavelet Analysis. <i>Forest Science</i> , 2015, 61, 1-16.	1.0	9

#	ARTICLE	IF	CITATIONS
19	Agent-based region growing for individual tree crown delineation from airborne laser scanning (ALS) data. <i>International Journal of Remote Sensing</i> , 2015, 36, 1965-1993.	2.9	50
20	Developing additive systems of biomass equations for nine hardwood species in Northeast China. <i>Trees - Structure and Function</i> , 2015, 29, 1149-1163.	1.9	69
21	Impact of Tree-Oriented Growth Order in Marker-Controlled Region Growing for Individual Tree Crown Delineation Using Airborne Laser Scanner (ALS) Data. <i>Remote Sensing</i> , 2014, 6, 555-579.	4.0	44
22	Modeling diameter distributions of mixed-species forest stands. <i>Scandinavian Journal of Forest Research</i> , 2014, 29, 653-663.	1.4	21
23	Spatial modeling of the carbon stock of forest trees in Heilongjiang Province, China. <i>Journal of Forestry Research</i> , 2014, 25, 269-280.	3.6	12
24	Impact of training and validation sample selection on classification accuracy and accuracy assessment when using reference polygons in object-based classification. <i>International Journal of Remote Sensing</i> , 2013, 34, 6914-6930.	2.9	71
25	Geographically local modeling of occurrence, count, and volume of downwood in Northeast China. <i>Applied Geography</i> , 2013, 37, 114-126.	3.7	22
26	Comparison of spatial and non-spatial logistic regression models for modeling the occurrence of cloud cover in north-eastern Puerto Rico. <i>Applied Geography</i> , 2013, 37, 52-62.	3.7	47
27	Spatial Poisson Models for Examining the Influence of Climate and Land Cover Pattern on Bird Species Richness. <i>Forest Science</i> , 2012, 58, 61-74.	1.0	16
28	Geographically Local Linear Mixed Models for Tree Height-Diameter Relationship. <i>Forest Science</i> , 2012, 58, 75-84.	1.0	12
29	Indicators for separating undesirable and well-delineated tree crowns in high spatial resolution images. <i>International Journal of Remote Sensing</i> , 2012, 33, 5451-5472.	2.9	12
30	Use of localized descriptive statistics for exploring the spatial pattern changes of bird species richness at multiple scales. <i>Applied Geography</i> , 2012, 32, 185-194.	3.7	20
31	Modeling and Prediction of Tree Height-Diameter Relationships Using Spatial Autoregressive Models. <i>Forest Science</i> , 2011, 57, 252-264.	1.0	10
32	Using error-in-variable regression to predict tree diameter and crown width from remotely sensed imagery. <i>Canadian Journal of Forest Research</i> , 2010, 40, 1095-1108.	1.7	23
33	An Analysis of Ideological Effects in Published Versus Unpublished Judicial Opinions. <i>Journal of Empirical Legal Studies</i> , 2009, 6, 213-239.	0.8	34
34	Comparison of bandwidth selection in application of geographically weighted regression: a case study. <i>Canadian Journal of Forest Research</i> , 2008, 38, 2526-2534.	1.7	113
35	Motivations for Male and Female Birdwatchers in New York State. <i>Human Dimensions of Wildlife</i> , 2008, 13, 187-200.	1.8	20
36	An analysis and comparison of estimation methods for self-referencing equations. <i>Canadian Journal of Forest Research</i> , 2007, 37, 1472-1484.	1.7	4

#	ARTICLE	IF	CITATIONS
37	A new sub-sampling method for analysis of air samples collected with the Andersen single-stage sampler. <i>Aerobiologia</i> , 2006, 22, 177-184.	1.7	8
38	Fitting irregular diameter distributions of forest stands by Weibull, modified Weibull, and mixture Weibull models. <i>Journal of Forest Research</i> , 2006, 11, 369-372.	1.4	43
39	A new spatial-attribute weighting function for geographically weighted regression. <i>Canadian Journal of Forest Research</i> , 2006, 36, 996-1005.	1.7	22
40	Spatial residual analysis of six modeling techniques. <i>Ecological Modelling</i> , 2005, 186, 154-177.	2.5	114
41	A comparison of alternative methods for estimating the self-thinning boundary line. <i>Canadian Journal of Forest Research</i> , 2005, 35, 1507-1514.	1.7	127
42	A mixture model-based approach to the classification of ecological habitats using Forest Inventory and Analysis data. <i>Canadian Journal of Forest Research</i> , 2004, 34, 1150-1156.	1.7	12
43	Evaluation of three methods for predicting diameter distributions of black spruce (<i>Picea mariana</i>) plantations in central Canada. <i>Canadian Journal of Forest Research</i> , 2004, 34, 2424-2432.	1.7	42
44	Modeling spatial variation in tree diameter–height relationships. <i>Forest Ecology and Management</i> , 2004, 189, 317-329.	3.2	69
45	A comparison of estimation methods for fitting Weibull and Johnson's SB distributions to mixed spruce–fir stands in northeastern North America. <i>Canadian Journal of Forest Research</i> , 2003, 33, 1340-1347.	1.7	74
46	Mortality Patterns Following Spruce Budworm Infestation in Unprotected Spruce-Fir Forests in Maine. <i>Northern Journal of Applied Forestry</i> , 2003, 20, 148-153.	0.5	21
47	Maximum size–density relationships for mixed softwoods in the northeastern USA. <i>Forest Ecology and Management</i> , 2002, 155, 163-170.	3.2	40
48	Development and evaluation of ecoregion-based jack pine height-diameter models for Ontario. <i>Forestry Chronicle</i> , 2002, 78, 530-538.	0.6	37
49	Reserve Strip Method as an Alternative for Regenerating Eastern Hemlock. <i>Northern Journal of Applied Forestry</i> , 2001, 18, 69-73.	0.5	1
50	Developing and Validating Nonlinear Height–Diameter Models for Major Tree Species of Ontario's Boreal Forests. <i>Northern Journal of Applied Forestry</i> , 2001, 18, 87-94.	0.5	99
51	A finite mixture of two Weibull distributions for modeling the diameter distributions of rotated-sigmoid, uneven-aged stands. <i>Canadian Journal of Forest Research</i> , 2001, 31, 1654-1659.	1.7	73
52	Growth of Saplings after Selection Cutting in Northern Hardwoods. <i>Northern Journal of Applied Forestry</i> , 2000, 17, 149-152.	0.5	13
53	Height-Diameter Equations for Ten Tree Species in the Inland Northwest. <i>Western Journal of Applied Forestry</i> , 1996, 11, 132-137.	0.5	33
54	Differences in Species Composition and Stand Characteristics of Mixed Upland Hardwood Forests of North Alabama as Reflected by the Presence of Eastern Redcedar (<i>Juniperus virginiana</i> L.). <i>Journal of Sustainable Forestry</i> , 1996, 3, 75-100.	1.4	2