Hugo guas

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1125239/hugo-aguas-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176 3,341 31 50 h-index g-index citations papers 3,822 187 5.07 4.5 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
176	Surface-enhanced Raman scattering paper-based analytical devices 2022 , 117-167		1
175	Mortars from the Palace of Knossos in Crete, Greece: A Multi-Analytical Approach. <i>Minerals (Basel, Switzerland)</i> , 2022 , 12, 30	2.4	0
174	Light management with quantum nanostructured dots-in-host semiconductors. <i>Light: Science and Applications</i> , 2021 , 10, 231	16.7	1
173	E-Skin Piezoresistive Pressure Sensor Combining Laser Engraving and Shrinking Polymeric Films for Health Monitoring Applications. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100877	4.6	0
172	Soft-Microstructured Transparent Electrodes for Photonic-Enhanced Flexible Solar Cells. <i>Micro</i> , 2021 , 1, 215-227		1
171	Porous PDMS conformable coating for high power output carbon fibers/ZnO nanorod-based triboelectric energy harvesters. <i>Nano Energy</i> , 2021 , 90, 106582	17.1	2
170	High UV and Sunlight Photocatalytic Performance of Porous ZnO Nanostructures Synthesized by a Facile and Fast Microwave Hydrothermal Method. <i>Materials</i> , 2021 , 14,	3.5	11
169	Colloidal Lithography for Photovoltaics: An Attractive Route for Light Management. <i>Nanomaterials</i> , 2021 , 11,	5.4	6
168	Recombination of photo-generated charge carriers in H-terminated and (photo-)oxidized silicon nanoparticles. <i>Applied Materials Today</i> , 2021 , 23, 101071	6.6	2
167	Optimization of ZnO Nanorods Concentration in a Micro-Structured Polymeric Composite for Nanogenerators. <i>Chemosensors</i> , 2021 , 9, 27	4	4
166	Reusable and highly sensitive SERS immunoassay utilizing gold nanostars and a cellulose hydrogel-based platform. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 7516-7529	7-3	5
165	Size-dependent critical transition in the origin of light emission from core@hell SiBiO2 nanoparticles. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 9012-9023	7.1	1
164	Design of wave-optical structured substrates for ultra-thin perovskite solar cells. <i>Applied Materials Today</i> , 2020 , 20, 100720	6.6	21
163	Fast Prototyping Microfluidics: Integrating Droplet Digital Lamp for Absolute Quantification of Cancer Biomarkers. <i>Sensors</i> , 2020 , 20,	3.8	8
162	Piezoelectricity Enhancement of Nanogenerators Based on PDMS and ZnSnO Nanowires through Microstructuration. <i>ACS Applied Materials & Samp; Interfaces</i> , 2020 , 12, 18421-18430	9.5	30
161	Self-Cleaned Photonic-Enhanced Solar Cells with Nanostructured Parylene-C. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000264	4.6	7
160	Wave-optical front structures on silicon and perovskite thin-film solar cells 2020 , 315-354		5

(2018-2020)

159	Photonic-structured TCO front contacts yielding optical and electrically enhanced thin-film solar cells. <i>Solar Energy</i> , 2020 , 196, 92-98	6.8	10
158	Paper-Based In-Situ Gold Nanoparticle Synthesis for Colorimetric, Non-Enzymatic Glucose Level Determination. <i>Nanomaterials</i> , 2020 , 10,	5.4	13
157	Transduction Mechanisms, Micro-Structuring Techniques, and Applications of Electronic Skin Pressure Sensors: A Review of Recent Advances. <i>Sensors</i> , 2020 , 20,	3.8	12
156	Solar Cells: Self-Cleaned Photonic-Enhanced Solar Cells with Nanostructured Parylene-C (Adv. Mater. Interfaces 15/2020). <i>Advanced Materials Interfaces</i> , 2020 , 7, 2070084	4.6	1
155	All-Thin-Film Perovskite/CBi Four-Terminal Tandems: Interlayer and Intermediate Contacts Optimization. <i>ACS Applied Energy Materials</i> , 2019 , 2, 3979-3985	6.1	14
154	Lightwave trapping in thin film solar cells with improved photonic-structured front contacts. Journal of Materials Chemistry C, 2019 , 7, 6456-6464	7.1	18
153	Colloidal-structured metallic micro-grids: High performance transparent electrodes in the red and infrared range. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 197, 7-12	6.4	11
152	Optimum Luminescent Down-Shifting Properties for High Efficiency and Stable Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2019 , 2, 2930-2938	6.1	24
151	E-Skin Bimodal Sensors for Robotics and Prosthesis Using PDMS Molds Engraved by Laser. <i>Sensors</i> , 2019 , 19,	3.8	16
150	Photonic-structured TiO2 for high-efficiency, flexible and stable Perovskite solar cells. <i>Nano Energy</i> , 2019 , 59, 91-101	17.1	68
149	Label-Free Nanosensing Platform for Breast Cancer Exosome Profiling. ACS Sensors, 2019, 4, 2073-2083	9.2	30
148	Design and Simple Assembly of Gold Nanostar Bioconjugates for Surface-Enhanced Raman Spectroscopy Immunoassays. <i>Nanomaterials</i> , 2019 , 9,	5.4	11
147	Oxidation and Strain in Free-standing Silicon Nanocrystals. <i>Physical Review Applied</i> , 2019 , 11,	4.3	9
146	Paper-Based SERS Platform for One-Step Screening of Tetracycline in Milk. <i>Scientific Reports</i> , 2019 , 9, 17922	4.9	26
145	Photovoltaics: Passivation of Interfaces in Thin Film Solar Cells: Understanding the Effects of a Nanostructured Rear Point Contact Layer (Adv. Mater. Interfaces 2/2018). <i>Advanced Materials Interfaces</i> , 2018 , 5, 1870007	4.6	1
144	Multifunctional cellulose-paper for light harvesting and smart sensing applications. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 3143-3181	7.1	107
143	Multifunctional microfluidic chip for optical nanoprobe based RNA detection - application to Chronic Myeloid Leukemia. <i>Scientific Reports</i> , 2018 , 8, 381	4.9	13
142	Optimal-Enhanced Solar Cell Ultra-thinning with Broadband Nanophotonic Light Capture. <i>IScience</i> , 2018 , 3, 238-254	6.1	26

141	Study of the stabilizer influence on the structural and optical properties of sol-gel spin coated zinc oxide films. <i>Materials Science in Semiconductor Processing</i> , 2018 , 74, 80-87	4.3	17
140	Piezoresistive E-Skin Sensors Produced with Laser Engraved Molds. <i>Advanced Electronic Materials</i> , 2018 , 4, 1800182	6.4	33
139	Passivation of Interfaces in Thin Film Solar Cells: Understanding the Effects of a Nanostructured Rear Point Contact Layer. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1701101	4.6	36
138	The effects of argon and helium dilution in the growth of nc-Si:H thin films by plasma-enhanced chemical vapor deposition. <i>Journal of Materials Science</i> , 2018 , 53, 3672-3681	4.3	11
137	E-Skin Pressure Sensors Made by Laser Engraved PDMS Molds. <i>Proceedings (mdpi)</i> , 2018 , 2, 1039	0.3	6
136	Raman spectrum of nanocrystals: Phonon dispersion splitting and anisotropy. <i>Physical Review B</i> , 2018 , 98,	3.3	11
135	Ultra-fast plasmonic back reflectors production for light trapping in thin Si solar cells. <i>Solar Energy</i> , 2018 , 174, 786-792	6.8	20
134	A statistics modeling approach for the optimization of thin film photovoltaic devices. <i>Solar Energy</i> , 2017 , 144, 232-243	6.8	13
133	Office paper decorated with silver nanostars - an alternative cost effective platform for trace analyte detection by SERS. <i>Scientific Reports</i> , 2017 , 7, 2480	4.9	61
132	Direct growth of plasmonic nanorod forests on paper substrates for low-cost flexible 3D SERS platforms. <i>Flexible and Printed Electronics</i> , 2017 , 2, 014001	3.1	37
131	Low-temperature spray-coating of high-performing ZnO:Al films for transparent electronics. <i>Journal of Analytical and Applied Pyrolysis</i> , 2017 , 127, 299-308	6	22
130	Flexible thin film solar cells on cellulose substrates with improved light management. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017 , 214, 1700070	1.6	16
129	Colloidal-lithographed TiO2 photonic nanostructures for solar cell light trapping. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 6852-6861	7.1	36
128	3D ZnO/Ag Surface-Enhanced Raman Scattering on Disposable and Flexible Cardboard Platforms. <i>Materials</i> , 2017 , 10, 1351	3.5	31
127	Digital Microfluidics for Nucleic Acid Amplification. Sensors, 2017, 17,	3.8	30
126	A Digital Microfluidics Platform for Loop-Mediated Isothermal Amplification Detection. <i>Sensors</i> , 2017 , 17,	3.8	20
125	Influence of the Substrate on the Morphology of Self-Assembled Silver Nanoparticles by Rapid Thermal Annealing. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 18235-18242	3.8	35
124	Inkjet printed highly porous TiO2 films for improved electrical properties of photoanode. <i>Journal of Colloid and Interface Science</i> , 2016 , 465, 208-14	9.3	27

123	An integrated approach for assessing the bioreceptivity of glazed tiles to phototrophic microorganisms. <i>Biofouling</i> , 2016 , 32, 243-59	3.3	8
122	Hybrid Microfluidic Platform for Multifactorial Analysis Based on Electrical Impedance, Refractometry, Optical Absorption and Fluorescence. <i>Micromachines</i> , 2016 , 7,	3.3	3
121	Optoelectronic Devices from Bacterial NanoCellulose 2016 , 179-197		14
120	Vacuum solid-state ion-conducting silver source for application in field emission electric propulsion systems. <i>Vacuum</i> , 2016 , 131, 252-258	3.7	13
119	Mapping the Electrical Properties of ZnO-Based Transparent Conductive Oxides Grown at Room Temperature and Improved by Controlled Postdeposition Annealing. <i>Advanced Electronic Materials</i> , 2016 , 2, 1500287	6.4	45
118	Design of optimized wave-optical spheroidal nanostructures for photonic-enhanced solar cells. <i>Nano Energy</i> , 2016 , 26, 286-296	17.1	50
117	Influence of post-deposition annealing on electrical and optical properties of ZnO-based TCOs deposited at room temperature. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016 , 213, 2317-2328	1.6	23
116	Broadband light trapping in thin film solar cells with self-organized plasmonic nano-colloids. <i>Nanotechnology</i> , 2015 , 26, 135202	3.4	47
115	Solar cells for self-sustainable intelligent packaging. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13226-13	32336	23
114	Thin Film Silicon Photovoltaic Cells on Paper for Flexible Indoor Applications. <i>Advanced Functional Materials</i> , 2015 , 25, 3592-3598	15.6	86
113	Single nucleotide polymorphism detection using gold nanoprobes and bio-microfluidic platform with embedded microlenses. <i>Biotechnology and Bioengineering</i> , 2015 , 112, 1210-9	4.9	7
112	Nanocrystalline thin film silicon solar cells: A deeper look into p/i interface formation. <i>Thin Solid Films</i> , 2015 , 591, 25-31	2.2	10
111	Ag and Sn Nanoparticles to Enhance the Near-Infrared Absorbance of a-Si:H Thin Films. <i>Plasmonics</i> , 2014 , 9, 1015-1023	2.4	15
110	Color sensing ability of an amorphous silicon position sensitive detector array system. <i>Sensors and Actuators A: Physical</i> , 2014 , 205, 26-37	3.9	3
109	Experimental optimization of a passive planar rhombic micromixer with obstacles for effective mixing in a short channel length. <i>RSC Advances</i> , 2014 , 4, 56013-56025	3.7	11
108	Time-resolved luminescence studies of Eu3+ in soda-lime silicate glasses. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2014 , 134, 29-38	2.1	11
107	Broadband photocurrent enhancement in a-Si:H solar cells with plasmonic back reflectors. <i>Optics Express</i> , 2014 , 22 Suppl 4, A1059-70	3.3	55
106	Highly efficient nanoplasmonic SERS on cardboard packaging substrates. <i>Nanotechnology</i> , 2014 , 25, 41	53,012	47

105	Bio-microfluidic platform for gold nanoprobe based DNA detectionapplication to Mycobacterium tuberculosis. <i>Biosensors and Bioelectronics</i> , 2013 , 48, 87-93	11.8	37
104	Influence of the layer thickness in plasmonic gold nanoparticles produced by thermal evaporation. <i>Scientific Reports</i> , 2013 , 3, 1469	4.9	80
103	Role of a disperse carbon interlayer on the performances of tandem a-Si solar cells. <i>Science and Technology of Advanced Materials</i> , 2013 , 14, 045009	7.1	6
102	Hydrogen plasma treatment of very thin p-type nanocrystalline Si films grown by RF-PECVD in the presence of B(CH). <i>Science and Technology of Advanced Materials</i> , 2012 , 13, 045004	7.1	12
101	Silicon thin film solar cells on commercial tiles. Energy and Environmental Science, 2011, 4, 4620	35.4	57
100	Role of trimethylboron to silane ratio on the properties of p-type nanocrystalline silicon thin film deposited by radio frequency plasma enhanced chemical vapour deposition. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 2547-51	1.3	5
99	Nanostructured silicon based thin film transistors processed in the plasma dark region. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 2938-43	1.3	
98	Inkjet printed and "doctor blade" TiO2 photodetectors for DNA biosensors. <i>Biosensors and Bioelectronics</i> , 2010 , 25, 1229-34	11.8	52
97	Nanostructured silicon and its application to solar cells, position sensors and thin film transistors. <i>Philosophical Magazine</i> , 2009 , 89, 2699-2721	1.6	49
96	Highly conductive p-type nanocrystalline silicon films deposited by RF-PECVD using silane and trimethylboron mixtures at high pressure. <i>Vacuum</i> , 2009 , 83, 1253-1256	3.7	29
95	Metal contamination detection in nickel induced crystallized silicon by spectroscopic ellipsometry. Journal of Non-Crystalline Solids, 2008 , 354, 2319-2323	3.9	1
94	n-PS/a-Si:H heterojunction for device application. <i>Journal of Non-Crystalline Solids</i> , 2008 , 354, 2632-263	6 3.9	7
93	Optical and Microstructural Investigations of Porous Silicon Coated with a-Si:H Using PECVD Technique. <i>Materials Science Forum</i> , 2008 , 587-588, 308-312	0.4	
92	Study of environmental degradation of silver surface. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008 , 5, 1215-1218		10
91	Spectroscopic ellipsometry study of Co-doped TiO2 films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008 , 205, 880-883	1.6	10
90	Highly stable transparent and conducting gallium-doped zinc oxide thin films for photovoltaic applications. <i>Solar Energy Materials and Solar Cells</i> , 2008 , 92, 1605-1610	6.4	139
89	3 dimensional polymorphous silicon based metal-insulator-semiconductor position sensitive detectors. <i>Thin Solid Films</i> , 2007 , 515, 7530-7533	2.2	3
88	Optical and structural analysis of porous silicon coated with GZO films using rf magnetron sputtering. <i>Thin Solid Films</i> , 2007 , 515, 8664-8669	2.2	26

(2004-2006)

87	Nanostructure characterization of high k materials by spectroscopic ellipsometry. <i>Applied Surface Science</i> , 2006 , 253, 339-343	6.7	13
86	Insights on Amorphous Silicon Nip and MIS 3D Position Sensitive Detectors. <i>Materials Science Forum</i> , 2006 , 514-516, 13-17	0.4	2
85	Characterization of Nickel Induced Crystallized Silicon by Spectroscopic Ellipsometry. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 910, 6		
84	Multifunctional Thin Film Zinc Oxide Semiconductors: Application to Electronic Devices. <i>Materials Science Forum</i> , 2006 , 514-516, 3-7	0.4	6
83	Investigation of a-Si:H 1D MIS position sensitive detectors for application in 3D sensors. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 1787-1791	3.9	4
82	Study of nanostructured silicon by hydrogen evolution and its application in pl solar cells. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 1945-1948	3.9	11
81	Spectroscopic ellipsometry study of nickel induced crystallization of a-Si. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 1204-1208	3.9	7
80	Amorphous silicon position sensitive detectors applied to micropositioning. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 1792-1796	3.9	12
79	Silicon thin films prepared in the transition region and their use in solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2006 , 90, 3001-3008	6.4	16
78	Flexible a-Si:H Position-Sensitive Detectors. <i>Proceedings of the IEEE</i> , 2005 , 93, 1281-1286	14.3	27
77	Super linear position sensitive detectors using MIS structures. <i>Optical Materials</i> , 2005 , 27, 1088-1092	3.3	10
76	Role of buffer layer on the performances of amorphous silicon solar cells with incorporated nanoparticles produced by plasma enhanced chemical vapor deposition at 27.12 MHz. <i>Thin Solid Films</i> , 2005 , 487, 170-173	2.2	21
75	Polycrystalline intrinsic zinc oxide to be used in transparent electronic devices. <i>Thin Solid Films</i> , 2005 , 487, 212-215	2.2	43
74	Amorphous silicon-based PINIP structure for color sensor. <i>Thin Solid Films</i> , 2005 , 487, 268-270	2.2	5
73	Characterization of silicon carbide thin films and their use in colour sensor. <i>Solar Energy Materials and Solar Cells</i> , 2005 , 87, 343-348	6.4	2
72	Linearity and sensitivity of MIS position sensitive detectors. <i>Journal of Materials Science</i> , 2005 , 40, 1377	′-143 ₉ 81	13
71	Metal induced crystallization: Gold versus aluminium. <i>Journal of Materials Science</i> , 2005 , 40, 1387-1391	4.3	9
70	Role of Substrate on the Growth Process of Polycrystalline Silicon Thin Films by Low-Pressure Chemical Vapour Deposition. <i>Materials Science Forum</i> , 2004 , 455-456, 112-115	0.4	

69	ZnO:Ga Thin Films Produced by RF Sputtering at Room Temperature: Effect of the Power Density. <i>Materials Science Forum</i> , 2004 , 455-456, 12-15	0.4	6
68	Effect of Annealing on Gold Rectifying Contacts in Amorphous Silicon. <i>Materials Science Forum</i> , 2004 , 455-456, 96-99	0.4	2
67	Sputtering Preparation of Silicon Nitride Thin Films for Gate Dielectric Applications. <i>Materials Science Forum</i> , 2004 , 455-456, 69-72	0.4	
66	Composition, Structure and Optical Characteristics of Polymorphous Silicon Films Deposited by PECVD at 27.12 MHz. <i>Materials Science Forum</i> , 2004 , 455-456, 100-103	0.4	1
65	Growth of Polymorphous/Nanocrystalline Silicon Films Deposited by PECVD at 13.56 MHz. <i>Materials Science Forum</i> , 2004 , 455-456, 532-535	0.4	1
64	Batch Processing Method to Deposit a-Si:H Films by PECVD. <i>Materials Science Forum</i> , 2004 , 455-456, 10	4ରୀ.ଡ଼7	1
63	MIS Photodiodes of Polymorphous Silicon Deposited at Higher Growth Rates by 27.12 MHz PECVD Discharge. <i>Materials Science Forum</i> , 2004 , 455-456, 73-76	0.4	
62	Silicon Etching in CF4/O2 and SF6 Atmospheres. <i>Materials Science Forum</i> , 2004 , 455-456, 120-123	0.4	
61	Polycrystalline silicon obtained by metal induced crystallization using different metals. <i>Thin Solid Films</i> , 2004 , 451-452, 334-339	2.2	32
60	High quality conductive gallium-doped zinc oxide films deposited at room temperature. <i>Thin Solid Films</i> , 2004 , 451-452, 443-447	2.2	92
59	Effect of the discharge frequency and impedance on the structural properties of polymorphous silicon. <i>Thin Solid Films</i> , 2004 , 451-452, 264-268	2.2	6
58	Effect of the tunnelling oxide growth by H2O2 oxidation on the performance of a-Si:H MIS photodiodes. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2004 , 109, 256-259	3.1	
57	Influence of the deposition conditions on the properties of titanium oxide produced by r.f. magnetron sputtering. <i>Materials Science in Semiconductor Processing</i> , 2004 , 7, 243-247	4.3	10
56	New developments in gallium doped zinc oxide deposited on polymeric substrates by RF magnetron sputtering. <i>Surface and Coatings Technology</i> , 2004 , 180-181, 20-25	4.4	51
55	Flexible position sensitive photodetectors based on a-Si:H heterostructures. <i>Sensors and Actuators A: Physical</i> , 2004 , 116, 119-124	3.9	3
54	Performances of hafnium oxide produced by radio frequency sputtering for gate dielectric application. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2004 , 109, 89-93	3.1	34
53	Polycrystalline silicon obtained by gold metal induced crystallization. <i>Journal of Non-Crystalline Solids</i> , 2004 , 338-340, 178-182	3.9	18
52	Role of the rf frequency on the structure and composition of polymorphous silicon films. <i>Journal of Non-Crystalline Solids</i> , 2004 , 338-340, 183-187	3.9	1

(2002-2004)

51	Characterization of the density of states of polymorphous silicon films produced at 13.56 and 27.12 MHz using CPM and SCLC techniques. <i>Journal of Non-Crystalline Solids</i> , 2004 , 338-340, 206-210	3.9	9
50	Characterization of silicon carbide thin films prepared by VHF-PECVD technology. <i>Journal of Non-Crystalline Solids</i> , 2004 , 338-340, 530-533	3.9	18
49	High field-effect mobility zinc oxide thin film transistors produced at room temperature. <i>Journal of Non-Crystalline Solids</i> , 2004 , 338-340, 806-809	3.9	112
48	Effect of an interfacial oxide layer in the annealing behaviour of Au/a-Si:H MIS photodiodes. <i>Journal of Non-Crystalline Solids</i> , 2004 , 338-340, 810-813	3.9	2
47	Polymorphous Silicon Films Deposited at 27.12 MHz. Chemical Vapor Deposition, 2003, 9, 333-337		11
46	Influence of the deposition pressure on the properties of transparent and conductive ZnO:Ga thin-film produced by r.f. sputtering at room temperature. <i>Thin Solid Films</i> , 2003 , 427, 401-405	2.2	263
45	Spectroscopic ellipsometry study of amorphous silicon anodically oxidised. <i>Thin Solid Films</i> , 2003 , 427, 345-349	2.2	10
44	New challenges on gallium-doped zinc oxide films prepared by r.f. magnetron sputtering. <i>Thin Solid Films</i> , 2003 , 442, 102-106	2.2	86
43	Surface modification of a new flexible substrate based on hydroxypropylcellulose for optoelectronic applications. <i>Thin Solid Films</i> , 2003 , 442, 127-131	2.2	10
42	Polymorphous silicon deposited in large area reactor at 13 and 27 MHz. <i>Thin Solid Films</i> , 2003 , 427, 6-10	2.2	8
41	Growth of ZnO:Ga thin films at room temperature on polymeric substrates: thickness dependence. <i>Thin Solid Films</i> , 2003 , 442, 121-126	2.2	93
40	Large Area Deposition of Polymorphous Silicon by Plasma Enhanced Chemical Vapor Deposition at 27.12 MHz and 13.56 MHz. <i>Japanese Journal of Applied Physics</i> , 2003 , 42, 4935-4942	1.4	29
39	High quality a-Si:H films for MIS device applications. <i>Thin Solid Films</i> , 2002 , 403-404, 26-29	2.2	8
38	Influence of the Strain on the Electrical Resistance of Zinc Oxide Doped Thin Film Deposited on Polymer Substrates. <i>Advanced Engineering Materials</i> , 2002 , 4, 610-612	3.5	20
37	Dependence of the Strains and Residual Mechanical Stresses on the Performances Presented by a-Si:H Thin Film Position Sensors. <i>Advanced Engineering Materials</i> , 2002 , 4, 612-616	3.5	6
36	Role of the i layer surface properties on the performance of a-Si:H Schottky barrier photodiodes. <i>Sensors and Actuators A: Physical</i> , 2002 , 99, 220-223	3.9	1
35	Engineering of a-Si:H device stability by suitable design of interfaces. <i>Solar Energy Materials and Solar Cells</i> , 2002 , 73, 39-49	6.4	4
34	Transparent, conductive ZnO:Al thin film deposited on polymer substrates by RF magnetron sputtering. <i>Surface and Coatings Technology</i> , 2002 , 151-152, 247-251	4.4	59

33	Silicon nanostructure thin film materials. <i>Vacuum</i> , 2002 , 64, 219-226	3.7	1
32	Influence of a DC grid on silane r.f. plasma properties. <i>Vacuum</i> , 2002 , 64, 387-392	3.7	3
31	Influence of the Plasma Regime on the Structural, Optical and Transport Properties of a-Si:H Thin Films. <i>Key Engineering Materials</i> , 2002 , 230-232, 583-586	0.4	
30	Highly Conductive/Transparent ZnO:Al Thin Films Deposited at Room Temperature by rf Magnetron Sputtering. <i>Key Engineering Materials</i> , 2002 , 230-232, 571-574	0.4	1
29	Role of the i-Layer Thickness in the Performance of a-Si:H Schottky Barrier Photodiodes. <i>Key Engineering Materials</i> , 2002 , 230-232, 587-590	0.4	
28	New insights on large area flexible position sensitive detectors. <i>Journal of Non-Crystalline Solids</i> , 2002 , 299-302, 1272-1276	3.9	25
27	32 linear array position sensitive detector based on NIP and hetero a-Si:H microdevices. <i>Journal of Non-Crystalline Solids</i> , 2002 , 299-302, 1283-1288	3.9	10
26	a-Si:H interface optimisation for thin film position sensitive detectors produced on polymeric substrates. <i>Journal of Non-Crystalline Solids</i> , 2002 , 299-302, 1289-1294	3.9	14
25	Metal-ferroelectric thin film devices. <i>Journal of Non-Crystalline Solids</i> , 2002 , 299-302, 1311-1315	3.9	3
24	Correlation between the carbon and hydrogen contents with the gas species and the plasma impedance of silicon carbide films produced by PECVD technique. <i>Applied Surface Science</i> , 2001 , 184, 101-106	6.7	1
23	Role of ion bombardment and plasma impedance on the performances presented by undoped a-Si:H films. <i>Thin Solid Films</i> , 2001 , 383, 165-168	2.2	7
22	Correlation between a-Si:H surface oxidation process and the performance of MIS structures. <i>Thin Solid Films</i> , 2001 , 383, 185-188	2.2	7
21	Production and characterization of large area flexible thin film position sensitive detectors. <i>Thin Solid Films</i> , 2001 , 383, 310-313	2.2	12
20	Role of ion bombardment on the properties of a-Si:H films. <i>Vacuum</i> , 2001 , 60, 247-254	3.7	9
19	Fast and cheap method to qualitatively measure the thickness and uniformity of ZrO2 thin films. <i>Materials Science in Semiconductor Processing</i> , 2001 , 4, 319-321	4.3	2
18	Mass spectroscopy analysis during the deposition of a-SiC:H and a-C:H films produced by hot wire and hot wire plasma-assisted techniques. <i>Applied Surface Science</i> , 2001 , 184, 60-65	6.7	5
17	Thin film position sensitive detectors based on pin amorphous silicon carbide structures. <i>Applied Surface Science</i> , 2001 , 184, 443-447	6.7	11
16	New nanostructured silicon films grown by PECVD technique under controlled powder formation conditions. <i>Solar Energy</i> , 2001 , 69, 263-269	6.8	4

LIST OF PUBLICATIONS

15	Towards the improvement of the stability of a-Si:H pin devices. <i>Solar Energy</i> , 2001 , 69, 257-262	6.8	5
14	Silicon Films Produced by PECVD under Powder Formation Conditions. <i>Materials Science Forum</i> , 2001 , 382, 21-30	0.4	
13	Influence of the Plasma Regime on the Structural, Optical, Electrical and Morphological Properties of a-Si:H Thin Films. <i>Materials Science Forum</i> , 2001 , 382, 11-20	0.4	4
12	Thin Film Metal Oxide Semiconductors Deposited on Polymeric Substrates. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 666, 1131		
11	Characterization of Zinc Oxide Thin Films Deposited by rf Magnetron Sputtering on Mylar Substrates. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 666, 3211		
10	Zinc Oxide Thin Films Deposited by RF Magnetron Sputtering on Mylar Substrates at Room Temperature. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 685, 1		
9	Thin Film Metal Oxide Semiconductors Deposited on Polymeric Substrates. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 685, 1		
8	Study of the effect of different plasma-enhanced chemical vapour deposition reactor configurations on the properties of hydrogenated amorphous silicon thin films. <i>The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic</i>		8
7	Two Step Process for the Growth of a Thin Layer of Silicon Dioxide for Tunneling Effect Applications. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 619, 179		
6	Plasma diagnostics of a PECVD system using different R.F. electrode configurations. <i>Vacuum</i> , 2000 , 56, 31-37	3.7	8
5	Characteristics of a linear array of a-Si:H thin film position sensitive detector. <i>Thin Solid Films</i> , 1999 , 337, 222-225	2.2	7
4	Role of the hot wire filament temperature on the structure and morphology of the nanocrystalline silicon p-doped films. <i>Applied Surface Science</i> , 1999 , 144-145, 690-696	6.7	7
3			1
2	Characterisation of Archaeological High-tin Bronze Corrosion Structures. Studies in Conservation,1-15	0.6	О
1	Porous ZnO Nanostructures Synthesized by Microwave Hydrothermal Method for Energy Harvesting Applications		1