

Fiorenza Orlando

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1125616/publications.pdf>

Version: 2024-02-01

139
papers

4,022
citations

125106

35
h-index

190340

53
g-index

143
all docs

143
docs citations

143
times ranked

5408
citing authors

#	ARTICLE	IF	CITATIONS
1	Transfer of the longevity-associated variant of BPIFB4 gene rejuvenates immune system and vasculature by a reduction of CD38+ macrophages and NAD+ decline. <i>Cell Death and Disease</i> , 2022, 13, 86.	2.7	7
2	Potential application of berberine in the treatment of <i>Escherichia coli</i> sepsis. <i>Natural Product Research</i> , 2021, 35, 4779-4784.	1.0	20
3	Antimetastatic and Antitumor Activities of Orally Administered NAX014 Compound in a Murine Model of HER2-Positive Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2653.	1.8	6
4	Effects of Normoxia, Hyperoxia, and Mild Hypoxia on Macro-Hemodynamics and the Skeletal Muscle Microcirculation in Anesthetised Rats. <i>Frontiers in Medicine</i> , 2021, 8, 672257.	1.2	5
5	Efficacy of Cathelicidin LL-37 in an MRSA Wound Infection Mouse Model. <i>Antibiotics</i> , 2021, 10, 1210.	1.5	10
6	Targeting Multiple Mitochondrial Processes by a Metabolic Modulator Prevents Sarcopenia and Cognitive Decline in SAMP8 Mice. <i>Frontiers in Pharmacology</i> , 2020, 11, 1171.	1.6	31
7	A New Animal Model for Pathological Subcutaneous Fibrosis: Surgical Technique and in vitro Analysis. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 542.	1.8	5
8	New Evidence and Insights on Dalbavancin and Wound Healing in a Mouse Model of Skin Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	1.4	23
9	Anastomotic healing in a rat model of peritonitis after non-steroidal anti-inflammatory drug administration. <i>European Journal of Histochemistry</i> , 2020, 64, .	0.6	10
10	Skeletal muscle repair in a rat muscle injury model: the role of growth hormone (GH) injection. <i>European Review for Medical and Pharmacological Sciences</i> , 2020, 24, 8566-8572.	0.5	1
11	Preliminary ex vivo and in vivo evaluation of laser bonding in dura mater. , 2020, , .		0
12	Induction of Mouse Lung Injury by Endotracheal Injection of Bleomycin. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	6
13	Recovery from mild <i>Escherichia coli</i> O157:H7 infection in young and aged C57BL/6 mice with intact flora estimated by fecal shedding, locomotor activity and grip strength. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2019, 63, 1-9.	0.7	4
14	Aging-Related Expression of Twinfilin-1 Regulates Cholangiocyte Biological Response to Injury. <i>Hepatology</i> , 2019, 70, 883-898.	3.6	9
15	LAV-BPIFB4 associates with reduced frailty in humans and its transfer prevents frailty progression in old mice. <i>Aging</i> , 2019, 11, 6555-6568.	1.4	15
16	Efficacy of Pexiganan Combination with Tigecycline in a Mouse Model of <i>Pseudomonas aeruginosa</i> Sepsis. <i>Current Topics in Medicinal Chemistry</i> , 2019, 18, 2127-2132.	1.0	7
17	Combination of Coenzyme Q10 Intake and Moderate Physical Activity Counteracts Mitochondrial Dysfunctions in a SAMP8 Mouse Model. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-15.	1.9	22
18	Mesenchymal stromal cells from human umbilical cord prevent the development of lung fibrosis in immunocompetent mice. <i>PLoS ONE</i> , 2018, 13, e0196048.	1.1	34

#	ARTICLE	IF	CITATIONS
19	In vitro and in vivo activity of fosfomycin alone and in combination with rifampin and tigecycline against Gram-positive cocci isolated from surgical wound infections. <i>Journal of Medical Microbiology</i> , 2018, 67, 139-143.	0.7	21
20	Supplementation with tocotrienols from <i>Bixa orellana</i> improves the in vivo efficacy of daptomycin against methicillin-resistant <i>Staphylococcus aureus</i> in a mouse model of infected wound. <i>Phytomedicine</i> , 2017, 36, 50-53.	2.3	20
21	Increase of n-NOS and i-NOS in Rat Colon After Sacral Neuromodulation. <i>Neuromodulation</i> , 2017, 20, 761-766.	0.4	0
22	Combination of Ubiquinol intake and moderate physical activity efficiently counteracts myocytes mitochondrial dysfunctions and apoptosis in a mouse model of sarcopenia. <i>Free Radical Biology and Medicine</i> , 2017, 108, S98.	1.3	0
23	Booster immunizations with DNA plasmids encoding HER-2/neu prevent spontaneous mammary cancer in HER-2/neu transgenic mice over life span. <i>Scientific Reports</i> , 2017, 7, 3078.	1.6	3
24	Role of Daptomycin on Burn Wound Healing in an Animal Methicillin-Resistant <i>Staphylococcus aureus</i> Infection Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	32
25	Efficacy of the Quorum Sensing Inhibitor FS10 Alone and in Combination with Tigecycline in an Animal Model of Staphylococcal Infected Wound. <i>PLoS ONE</i> , 2016, 11, e0151956.	1.1	45
26	Enhanced Efficacy of Combinations of Pexiganan with Colistin Versus <i>Acinetobacter Baumannii</i> in Experimental Sepsis. <i>Shock</i> , 2016, 46, 219-225.	1.0	10
27	Irreversible inhibition of p16HER2 is necessary to suppress p16HER2-positive breast carcinomas resistant to Lapatinib. <i>Cancer Letters</i> , 2016, 381, 76-84.	3.2	23
28	Colistin enhances therapeutic efficacy of daptomycin or teicoplanin in a murine model of multiresistant <i>Acinetobacter baumannii</i> sepsis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 86, 392-398.	0.8	23
29	Effect of hyperglycemia on the number of CD117+ progenitor cells and their differentiation toward endothelial progenitor cells in young and old ages. <i>Mechanisms of Ageing and Development</i> , 2016, 159, 31-36.	2.2	4
30	Metallothioneins, longevity and cancer: Comment on "Deficiency of metallothionein-1 and -2 genes shortens the lifespan of the 129/Sv mouse strain". <i>Experimental Gerontology</i> , 2016, 73, 28-30.	1.2	11
31	Effects of the Infusion of 4% or 20% Human Serum Albumin on the Skeletal Muscle Microcirculation in Endotoxemic Rats. <i>PLoS ONE</i> , 2016, 11, e0151005.	1.1	17
32	Sidestream dark field videomicroscopy for in vivo evaluation of vascularization and perfusion of mammary tumours in HER2/neu transgenic mice. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015, 42, 225-229.	0.9	4
33	Identification and Characterization of Cancer Stem Cells from Head and Neck Squamous Cell Carcinoma Cell Lines. <i>Cellular Physiology and Biochemistry</i> , 2015, 36, 784-798.	1.1	71
34	Antiangiogenic and antitumor activities of berberine derivative NAX014 compound in a transgenic murine model of HER2/neu-positive mammary carcinoma. <i>Carcinogenesis</i> , 2015, 36, 1169-1179.	1.3	44
35	In vitro activity and in vivo animal model efficacy of IB-367 alone and in combination with imipenem and colistin against Gram-negative bacteria. <i>Peptides</i> , 2014, 55, 17-22.	1.2	21
36	Effect of annatto-tocotrienols supplementation on the development of mammary tumors in HER-2/neu transgenic mice. <i>Carcinogenesis</i> , 2013, 34, 1352-1360.	1.3	63

#	ARTICLE	IF	CITATIONS
37	Delayed wound healing in aged skin rat models after thermal injury is associated with an increased MMP-9, K6 and CD44 expression. <i>Burns</i> , 2013, 39, 776-787.	1.1	19
38	The Efficacy of the Quorum Sensing Inhibitor FS8 and Tigecycline in Preventing Prosthesis Biofilm in an Animal Model of Staphylococcal Infection. <i>International Journal of Molecular Sciences</i> , 2013, 14, 16321-16332.	1.8	37
39	IB-367 pre-treatment improves the in vivo efficacy of teicoplanin and daptomycin in an animal model of wounds infected with methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Medical Microbiology</i> , 2013, 62, 1552-1558.	0.7	12
40	RNA-Mediated Gene Silencing of Nicotinamide N-Methyltransferase Is Associated with Decreased Tumorigenicity in Human Oral Carcinoma Cells. <i>PLoS ONE</i> , 2013, 8, e71272.	1.1	42
41	In vitro and in vivo effects of sub-MICs of pexiganan and imipenem on <i>Pseudomonas aeruginosa</i> adhesion and biofilm development. <i>Infezioni in Medicina</i> , 2013, 21, 287-95.	0.7	8
42	Tigecycline accelerates staphylococcal-infected burn wound healing through matrix metalloproteinase-9 modulation. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 191-201.	1.3	30
43	Comparative Effects of Micafungin, Caspofungin, and Anidulafungin against a Difficult-To-Treat Fungal Opportunistic Pathogen, <i>Candida glabrata</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 1215-1222.	1.4	30
44	In vitro and in vivo effects of echinocandins against <i>Candida parapsilosis sensu stricto</i> , <i>Candida orthopsilosis</i> and <i>Candida metapsilosis</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 2195-2202.	1.3	27
45	Antimicrobial properties of distinctin in an experimental model of MRSA-infected wounds. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012, 31, 3047-3055.	1.3	18
46	Efficacy of Tigecycline and Rifampin Alone and in Combination against <i>Enterococcus faecalis</i> Biofilm Infection in a Rat Model of Ureteral Stent. <i>Journal of Surgical Research</i> , 2012, 176, 1-6.	0.8	36
47	Nitric Oxide Synthase Expression in Rat Anorectal Tissue after Sacral Neuromodulation. <i>Journal of Surgical Research</i> , 2012, 176, 29-33.	0.8	7
48	In vitro activity and in vivo efficacy of tigecycline alone and in combination with daptomycin and rifampin against Gram-positive cocci isolated from surgical wound infection. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012, 31, 1759-1764.	1.3	34
49	Why tocotrienols work better: insights into the in vitro anti-cancer mechanism of vitamin E. <i>Genes and Nutrition</i> , 2012, 7, 29-41.	1.2	41
50	In vivo electroporation restores the low effectiveness of DNA vaccination against HER-2/neu in aging. <i>Cancer Immunology, Immunotherapy</i> , 2012, 61, 363-371.	2.0	5
51	Protective Effect of Citropin 1.1 and Tazobactam-Piperacillin Against Oxidative Damage and Lethality in Mice Models of Gram-Negative Sepsis. <i>Journal of Surgical Research</i> , 2011, 171, 726-733.	0.8	7
52	S-thanatin in vitro prevents colistin resistance and improves its efficacy in an animal model of <i>Pseudomonas aeruginosa</i> sepsis. <i>Peptides</i> , 2011, 32, 697-701.	1.2	7
53	Effectiveness of antimicrobial photodynamic therapy with a single treatment of RLP068/Cl in an experimental model of <i>Staphylococcus aureus</i> wound infection. <i>British Journal of Dermatology</i> , 2011, 164, 987-995.	1.4	66
54	Vitamin E improves the in vivo efficacy of tigecycline and daptomycin in an animal model of wounds infected with methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Medical Microbiology</i> , 2011, 60, 1806-1812.	0.7	30

#	ARTICLE	IF	CITATIONS
55	Lipopeptide Laur-CKK-NH ₂ dimer preserves daptomycin susceptibility and enhances its activity against <i>Enterococcus faecalis</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 859-862.	1.3	11
56	Effect of the combination of clarithromycin and amikacin on <i>Pseudomonas aeruginosa</i> biofilm in an animal model of ureteral stent infection. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 1318-1323.	1.3	27
57	In vitro activity and in vivo efficacy of the saponin diosgenyl 2-amino-2-deoxy-β-D-glucopyranoside hydrochloride (HSM1) alone and in combination with daptomycin and vancomycin against Gram-positive cocci. <i>Journal of Medical Microbiology</i> , 2011, 60, 1337-1343.	0.7	12
58	Vitamin E supplementation in old mice induces antimicrobial activity and improves the efficacy of daptomycin in an animal model of wounds infected with methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 2184-2185.	1.3	25
59	Daptomycin and Rifampin Alone and in Combination Prevent Vascular Graft Biofilm Formation and Emergence of Antibiotic Resistance in a Subcutaneous Rat Pouch Model of Staphylococcal Infection. <i>European Journal of Vascular and Endovascular Surgery</i> , 2010, 40, 817-822.	0.8	66
60	In vitro and in vivo activities of posaconazole against zygomycetes with various degrees of susceptibility. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 2158-2163.	1.3	27
61	S-thanatin enhances the efficacy of tigecycline in an experimental rat model of polymicrobial peritonitis. <i>Peptides</i> , 2010, 31, 1231-1236.	1.2	8
62	Anidulafungin in Combination with Amphotericin B against <i>Aspergillus fumigatus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 4035-4039.	1.4	14
63	In Vivo Effect of β-Bisabolol, a Nontoxic Sesquiterpene Alcohol, on the Induction of Spontaneous Mammary Tumors in HER-2/neu Transgenic Mice. <i>Oncology Research</i> , 2009, 18, 409-418.	0.6	25
64	Therapeutic efficacy of buforin II and rifampin in a rat model of <i>Acinetobacter baumannii</i> sepsis. <i>Critical Care Medicine</i> , 2009, 37, 1403-1407.	0.4	30
65	Ketogenic Diets Cause Opposing Changes in Synaptic Morphology in CA1 Hippocampus and Dentate Gyrus of Late-Adult Rats. <i>Rejuvenation Research</i> , 2008, 11, 631-640.	0.9	33
66	Comparative Efficacy of Topical Versus Systemic Teicoplanin in Experimental Model of Wound Infections. <i>Journal of Surgical Research</i> , 2008, 144, 74-81.	0.8	10
67	Tachyplesin III and granulocyte-colony stimulating factor enhance the efficacy of tazobactam/piperacillin in a neutropenic mouse model of polymicrobial peritonitis. <i>Peptides</i> , 2008, 29, 31-38.	1.2	4
68	Temporin A is effective in MRSA-infected wounds through bactericidal activity and acceleration of wound repair in a murine model. <i>Peptides</i> , 2008, 29, 520-528.	1.2	33
69	BMAP-28 improves the efficacy of vancomycin in rat models of gram-positive cocci ureteral stent infection. <i>Peptides</i> , 2008, 29, 1118-1123.	1.2	28
70	EFFICACY OF LL-37 AND GRANULOCYTE COLONY-STIMULATING FACTOR IN A NEUTROPENIC MURINE SEPSIS DUE TO <i>PSEUDOMONAS AERUGINOSA</i> . <i>Shock</i> , 2008, 30, 443-448.	1.0	23
71	Discovery of a Quorum-Sensing Inhibitor of Drug-Resistant Staphylococcal Infections by Structure-Based Virtual Screening. <i>Molecular Pharmacology</i> , 2008, 73, 1578-1586.	1.0	177
72	Protective effects of the combination of β-helical antimicrobial peptides and rifampicin in three rat models of <i>Pseudomonas aeruginosa</i> infection. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 1332-1338.	1.3	59

#	ARTICLE	IF	CITATIONS
73	RNAIII-Inhibiting Peptide Enhances Healing of Wounds Infected with Methicillin-Resistant Staphylococcus aureus. Antimicrobial Agents and Chemotherapy, 2008, 52, 2205-2211.	1.4	66
74	Posaconazole against <i>Candida glabrata</i> Isolates with Various Susceptibilities to Fluconazole. Antimicrobial Agents and Chemotherapy, 2008, 52, 1929-1933.	1.4	14
75	Efficacy of the Combination of Tachyplesin III and Clarithromycin in Rat Models of Escherichia coli Sepsis. Antimicrobial Agents and Chemotherapy, 2008, 52, 4351-4355.	1.4	7
76	Efficacy of the bovine antimicrobial peptide indolicidin combined with piperacillin/tazobactam in experimental rat models of polymicrobial peritonitis. Critical Care Medicine, 2008, 36, 240-245.	0.4	11
77	Efficacy of the amphibian peptide distinctin in a neutropenic mouse model of staphylococcal sepsis. Critical Care Medicine, 2008, 36, 2629-2633.	0.4	14
78	Activity and Expression of Nitric Oxide Synthase in Rat Bladder after Sacral Neuromodulation. International Journal of Immunopathology and Pharmacology, 2008, 21, 129-135.	1.0	6
79	Intrinsic and Microenvironmental Defects Are Involved in the Age-Related Changes of Lin <sup>sup>â²</sup>c-kit<sup>sup>+< 10,="" 2007,="" 459-472.<="" cells.="" hematopoietic="" progenitor="" rejuvenation="" research,="" sup>="" td=""> <td>0.9</td> <td>26</td> </sup>sup>+<></sup>	0.9	26
80	Effect of the Silybin-Phosphatidylcholine Complex (IdB 1016) on the Development of Mammary Tumors in HER-2/neu Transgenic Mice. Cancer Research, 2007, 67, 2022-2029.	0.4	53
81	Efficacy of Tachyplesin III, Colistin, and Imipenem against a Multiresistant Pseudomonas aeruginosa Strain. Antimicrobial Agents and Chemotherapy, 2007, 51, 2005-2010.	1.4	47
82	Chitin Nanofibrils Linked to Chitosan Glycolate as Spray, Gel, and Gauze Preparations for Wound Repair. Journal of Bioactive and Compatible Polymers, 2007, 22, 525-538.	0.8	37
83	RNAIII-Inhibiting Peptide Affects Biofilm Formation in a Rat Model of Staphylococcal Ureteral Stent Infection. Antimicrobial Agents and Chemotherapy, 2007, 51, 4518-4520.	1.4	57
84	RNAIII-Inhibiting-Peptide-Loaded Polymethylmethacrylate Prevents In Vivo Staphylococcus aureus Biofilm Formation. Antimicrobial Agents and Chemotherapy, 2007, 51, 2594-2596.	1.4	61
85	Pretreatment With the Protegrin IB ³⁶⁷ Affects Gram ⁺ Positive Biofilm and Enhances the Therapeutic Efficacy of Linezolid in Animal Models of Central Venous Catheter Infection. Journal of Parenteral and Enteral Nutrition, 2007, 31, 463-468.	1.3	27
86	Efficacy of colistin/rifampin combination in experimental rat models of sepsis due to a multiresistant Pseudomonas aeruginosa strain*. Critical Care Medicine, 2007, 35, 1717-1723.	0.4	34
87	The lipopeptides Pal ¹ -Lys ¹ -NH ₂ and Pal ¹ -Lys ¹ soaking alone and in combination with intraperitoneal vancomycin prevent vascular graft biofilm in a subcutaneous rat pouch model of staphylococcal infection. Peptides, 2007, 28, 1299-1303.	1.2	22
88	The antimicrobial peptide Tachyplesin III coated alone and in combination with intraperitoneal piperacillin-tazobactam prevents ureteral stent Pseudomonas infection in a rat subcutaneous pouch model. Peptides, 2007, 28, 2293-2298.	1.2	50
89	Distinctin improves the efficacies of glycopeptides and betalactams against staphylococcal biofilm in an experimental model of central venous catheter infection. Journal of Biomedical Materials Research - Part A, 2007, 81A, 233-239.	2.1	11
90	Endogenous Opioids Modulate the Growth of the Biliary Tree in the Course of Cholestasis. Gastroenterology, 2006, 130, 1831-1847.	0.6	41

#	ARTICLE	IF	CITATIONS
91	Estrogens maintain bile duct mass and reduce apoptosis after biliodigestive anastomosis in bile duct ligated rats. <i>Journal of Hepatology</i> , 2006, 44, 1158-1166.	1.8	16
92	Citropin 1.1-treated central venous catheters improve the efficacy of hydrophobic antibiotics in the treatment of experimental staphylococcal catheter-related infection. <i>Peptides</i> , 2006, 27, 1210-1216.	1.2	46
93	Pre-treatment of central venous catheters with the cathelicidin BMAP-28 enhances the efficacy of antistaphylococcal agents in the treatment of experimental catheter-related infection. <i>Peptides</i> , 2006, 27, 2104-2110.	1.2	49
94	Experimental study on the efficacy of combination of β -helical antimicrobial peptides and vancomycin against <i>Staphylococcus aureus</i> with intermediate resistance to glycopeptides. <i>Peptides</i> , 2006, 27, 2600-2606.	1.2	24
95	Effects of the antimicrobial peptide BMAP-27 in a mouse model of obstructive jaundice stimulated by lipopolysaccharide. <i>Peptides</i> , 2006, 27, 2592-2599.	1.2	8
96	Evaluation of different plasmid DNA delivery systems for immunization against HER2/neu in a transgenic murine model of mammary carcinoma. <i>Vaccine</i> , 2006, 24, 1766-1775.	1.7	31
97	A New Material for the Standard Burn Model. <i>Plastic and Reconstructive Surgery</i> , 2006, 118, 1668-1669.	0.7	1
98	Amphibian peptides prevent endotoxemia and bacterial translocation in bile duct-ligated rats*. <i>Critical Care Medicine</i> , 2006, 34, 2415-2420.	0.4	27
99	RNAIII-INHIBITING PEPTIDE IN COMBINATION WITH THE CATHELICIDIN BMAP-28 REDUCES LETHALITY IN MOUSE MODELS OF STAPHYLOCOCCAL SEPSIS. <i>Shock</i> , 2006, 26, 296-301.	1.0	10
100	THE CATHELICIDIN-DERIVED TRITRPTICIN ENHANCES THE EFFICACY OF ERTAPENEM IN EXPERIMENTAL RAT MODELS OF SEPTIC SHOCK. <i>Shock</i> , 2006, 26, 195-200.	1.0	12
101	RNAIII-Inhibiting Peptide Significantly Reduces Bacterial Load and Enhances the Effect of Antibiotics in the Treatment of Central Venous Catheter-Associated <i>Staphylococcus aureus</i> Infections. <i>Journal of Infectious Diseases</i> , 2006, 193, 180-186.	1.9	88
102	LL-37 Protects Rats against Lethal Sepsis Caused by Gram-Negative Bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 1672-1679.	1.4	136
103	Interaction of Antimicrobial Peptide Temporin L with Lipopolysaccharide In Vitro and in Experimental Rat Models of Septic Shock Caused by Gram-Negative Bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 2478-2486.	1.4	65
104	Effect of resveratrol on the development of spontaneous mammary tumors in HER-2/neu transgenic mice. <i>International Journal of Cancer</i> , 2005, 115, 36-45.	2.3	112
105	Imiquimod and S-27609 as adjuvants of DNA vaccination in a transgenic murine model of HER2/neu-positive mammary carcinoma. <i>Gene Therapy</i> , 2005, 12, 1324-1332.	2.3	31
106	Temporin A Alone and in Combination with Imipenem Reduces Lethality in a Mouse Model of Staphylococcal Sepsis. <i>Journal of Infectious Diseases</i> , 2005, 192, 1613-1620.	1.9	15
107	Comparative Efficacies of Quinupristin-Dalfopristin, Linezolid, Vancomycin, and Ciprofloxacin in Treatment, Using the Antibiotic-Lock Technique, of Experimental Catheter-Related Infection Due to <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 4042-4045.	1.4	50
108	Mammary carcinoma provides highly tumorigenic and invasive reactive stromal cells. <i>Carcinogenesis</i> , 2005, 26, 1868-1878.	1.3	51

#	ARTICLE	IF	CITATIONS
109	Effects of pexiganan alone and combined with betalactams in experimental endotoxic shock. <i>Peptides</i> , 2005, 26, 207-216.	1.2	21
110	RNAIII-inhibiting peptide improves efficacy of clinically used antibiotics in a murine model of staphylococcal sepsis. <i>Peptides</i> , 2005, 26, 169-175.	1.2	42
111	Cathelicidin Peptide Sheep Myeloid Antimicrobial Peptide-29 Prevents Endotoxin-induced Mortality in Rat Models of Septic Shock. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004, 169, 187-194.	2.5	72
112	A Chimeric Peptide Composed of a Dermaseptin Derivative and an RNA III-Inhibiting Peptide Prevents Graft-Associated Infections by Antibiotic-Resistant Staphylococci. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 2544-2550.	1.4	60
113	Temporin A Soaking in Combination with Intraperitoneal Linezolid Prevents Vascular Graft Infection in a Subcutaneous Rat Pouch Model of Infection with <i>Staphylococcus epidermidis</i> with Intermediate Resistance to Glycopeptides. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 3162-3164.	1.4	9
114	Potential Therapeutic Role of Histatin Derivative Pâ€13 in Experimental Rat Models of <i>Pseudomonas aeruginosa</i> Sepsis. <i>Journal of Infectious Diseases</i> , 2004, 190, 356-364.	1.9	38
115	Therapeutic efficacy of the magainin analogue MSI-78 in different intra-abdominal sepsis rat models. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 654-660.	1.3	37
116	Local rh-VEGF administration enhances skin flap survival more than other types of rh-VEGF administration: a clinical, morphological and immunohistochemical study. <i>Experimental Dermatology</i> , 2004, 13, 682-690.	1.4	33
117	RNAIII-inhibiting Peptide and/or Nisin Inhibit Experimental Vascular Graft Infection with Methicillin-susceptible and Methicillin-resistant <i>Staphylococcus epidermidis</i> . <i>European Journal of Vascular and Endovascular Surgery</i> , 2004, 27, 603-607.	0.8	17
118	BisEDT and RIP act in synergy to prevent graft infections by resistant staphylococci. <i>Peptides</i> , 2004, 25, 2047-2053.	1.2	29
119	Cecropin B Enhances Betalactams Activities in Experimental Rat Models of Gram-Negative Septic Shock. <i>Annals of Surgery</i> , 2004, 239, 251-256.	2.1	26
120	The antimicrobial peptide BMAP-28 reduces lethality in mouse models of staphylococcal sepsis*. <i>Critical Care Medicine</i> , 2004, 32, 2485-2490.	0.4	54
121	Interrelationships among brain, endocrine and immune response in ageing and successful ageing: role of metallothionein III isoform. <i>Mechanisms of Ageing and Development</i> , 2003, 124, 371-378.	2.2	21
122	Metallothionein (I+II) confers, via c-myc, immune plasticity in oldest mice: model of partial hepatectomy/liver regeneration. <i>Mechanisms of Ageing and Development</i> , 2003, 124, 877-886.	2.2	24
123	Antiendotoxin activity of protegrin analog IB-367 alone or in combination with piperacillin in different animal models of septic shock. <i>Peptides</i> , 2003, 24, 1747-1752.	1.2	33
124	Administration of protegrin peptide IB-367 to prevent endotoxin induced mortality in bile duct ligated rats. <i>Gut</i> , 2003, 52, 874-878.	6.1	33
125	RNA III Inhibiting Peptide Inhibits In Vivo Biofilm Formation by Drug-Resistant <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 1979-1983.	1.4	120
126	Prophylactic efficacy of linezolid alone or combined with levofloxacin and vancomycin in a rat subcutaneous pouch model of graft infection caused by <i>Staphylococcus epidermidis</i> with intermediate resistance to glycopeptides. <i>Journal of Antimicrobial Chemotherapy</i> , 2003, 52, 724-726.	1.3	11

#	ARTICLE	IF	CITATIONS
127	Prophylactic Efficacy of Topical Temporin A and RNAIII-Inhibiting Peptide in a Subcutaneous Rat Pouch Model of Graft Infection Attributable to Staphylococci With Intermediate Resistance to Glycopeptides. <i>Circulation</i> , 2003, 108, 767-771.	1.6	78
128	Antiendotoxin Activity of Antimicrobial Peptides and Glycopeptides. <i>Journal of Chemotherapy</i> , 2003, 15, 129-133.	0.7	10
129	Morpho-Structural Investigations of Biomaterials for Biocidal Activity. <i>Journal of Bioactive and Compatible Polymers</i> , 2002, 17, 451-462.	0.8	1
130	Therapeutic efficacy of intraperitoneal polymyxin B and polymyxin-like peptides alone or combined with levofloxacin in rat models of septic shock. <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 49, 193-196.	1.3	7
131	Efficacy of Quinupristin-Dalfopristin in Preventing Vascular Graft Infection Due to <i>Staphylococcus epidermidis</i> with Intermediate Resistance to Glycopeptides. <i>Antimicrobial Agents and Chemotherapy</i> , 2002, 46, 2885-2888.	1.4	10
132	Temporin A as a prophylactic agent against methicillin sodium-susceptible and methicillin sodium-resistant <i>Staphylococcus epidermidis</i> vascular graft infection. <i>Journal of Vascular Surgery</i> , 2002, 36, 1027-1030.	0.6	30
133	Single-Dose Intraperitoneal Magainins Improve Survival in a Gram-Negative-Pathogen Septic Shock Rat Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2002, 46, 101-104.	1.4	37
134	Metallothioneins (I+II) and thyroid-thymus axis efficiency in old mice: role of corticosterone and zinc supply. <i>Mechanisms of Ageing and Development</i> , 2002, 123, 675-694.	2.2	34
135	Quinupristin/dalfopristin Bonding in Combination with Intraperitoneal Antibiotics Prevent Infection of Knitted Polyester Graft Material in a Subcutaneous Rat Pouch Model Infected with Resistant <i>Staphylococcus epidermidis</i> . <i>European Journal of Vascular and Endovascular Surgery</i> , 2002, 24, 230-234.	0.8	12
136	Prophylaxis against <i>Staphylococcus aureus</i> Vascular Graft Infection with Mupirocin-Soaked, Collagen-Sealed Dacron. <i>Journal of Surgical Research</i> , 2001, 99, 316-320.	0.8	20
137	Therapeutic Efficacy of the Polymyxin-like Peptide Ranalexin in an Experimental Model of Endotoxemia. <i>Journal of Surgical Research</i> , 2001, 100, 183-188.	0.8	10
138	Chitosan and Gelatin as Engineered Dressing for Wound Repair. <i>Journal of Bioactive and Compatible Polymers</i> , 2001, 16, 145-157.	0.8	27
139	Mupirocin Prophylaxis against Methicillin-Susceptible, Methicillin-Resistant, or Vancomycin-Intermediate <i>Staphylococcus epidermidis</i> Vascular-Graft Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 2842-2844.	1.4	11