Andrew A Nierenberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11256873/publications.pdf

Version: 2024-02-01

226 papers

31,188 citations

80 h-index 172 g-index

229 all docs 229 docs citations

times ranked

229

19456 citing authors

#	Article	IF	CITATIONS
1	Development of a model to predict psychotherapy response for depression among Veterans. Psychological Medicine, 2023, 53, 3591-3600.	2.7	4
2	Association of Lithium Treatment With the Risk of Osteoporosis in Patients With Bipolar Disorder. JAMA Psychiatry, 2022, 79, 454.	6.0	20
3	Strategies and foundations for scientific discovery in longitudinal studies of bipolar disorder. Bipolar Disorders, 2022, 24, 499-508.	1.1	15
4	Convergence between behavioral, neural, and self-report measures of cognitive control: The Frontal Systems Behavior Scale in bipolar disorder. Journal of Psychiatric Research, 2022, 150, 317-323.	1.5	1
5	The relationship between suicidal thoughts and well-being among individuals with a history of depression and cardiovascular risk. Psychiatry Research Communications, 2022, 2, 100059.	0.2	1
6	Adjunctive antidepressant treatment among 763 outpatients with bipolar disorder: Findings from the Bipolar CHOICE and LiTMUS trials. Depression and Anxiety, 2021, 38, 114-123.	2.0	5
7	A surrogate measure for patient reported symptom remission in administrative data. BMC Psychiatry, 2021, 21, 121.	1.1	4
8	Psychotic symptoms during bipolar depressive episodes and suicidal ideation. Journal of Affective Disorders, 2021, 282, 1241-1246.	2.0	4
9	Response and remission rates during 24 weeks of mood-stabilizing treatment for bipolar depression depending on early non-response. Psychiatry Research, 2021, 305, 114194.	1.7	1
10	Dimensional Neural Markers of Affective Processing in Bipolar Disorder. Psychiatry Research, 2021, 307, 114304.	1.7	0
11	Bipolar disorders. Lancet, The, 2020, 396, 1841-1856.	6.3	419
12	20-Year Trends in the Pharmacologic Treatment of Bipolar Disorder by Psychiatrists in Outpatient Care Settings. American Journal of Psychiatry, 2020, 177, 706-715.	4.0	133
13	Clinical Correlates of False Positive Assignment in Bipolar Screening Measures Across Psychiatric Diagnoses among Patients without Bipolar Disorder. Psychiatry Investigation, 2020, 17, 1118-1125.	0.7	2
14	Trajectories of Psychiatric Disorders and the Challenge of Relapse and Recurrence: A Network Perspective. Psychiatric Annals, 2020, 50, 134-135.	0.1	0
15	Beyond evidenceâ€based treatment of bipolar disorder: Rational pragmatic approaches to management. Bipolar Disorders, 2019, 21, 650-659.	1.1	19
16	Complex polypharmacy in bipolar disorder: Side effect burden, adherence, and response predictors. Journal of Affective Disorders, 2019, 257, 17-22.	2.0	26
17	Bipolar depression and suicidal ideation: Moderators and mediators of a complex relationship. Journal of Affective Disorders, 2019, 259, 164-172.	2.0	13
18	Predictive modeling for response to lithium and quetiapine in bipolar disorder. Bipolar Disorders, 2019, 21, 428-436.	1.1	15

#	Article	IF	CITATIONS
19	Objective smartphone data as a potential diagnostic marker of bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2019, 53, 171-172.	1.3	1
20	Comorbid anxiety in bipolar CHOICE: Insights from the bipolar inventory of symptoms scale. Journal of Affective Disorders, 2019, 246, 126-131.	2.0	11
21	Statin treatment and the risk of depression. Journal of Affective Disorders, 2019, 246, 706-715.	2.0	31
22	Tachyphylaxis in major depressive disorder: A review of the current state of research. Journal of Affective Disorders, 2019, 245, 488-497.	2.0	23
23	Adjunctive Nutrition Therapy for Depression. Psychiatric Annals, 2019, 49, 21-25.	0.1	6
24	Substance use comorbidity in bipolar disorder: A qualitative review of treatment strategies and outcomes. American Journal on Addictions, 2018, 27, 188-201.	1.3	28
25	Treatment outcomes of acute bipolar depressive episode with psychosis. Depression and Anxiety, 2018, 35, 402-410.	2.0	9
26	Decreased activation and subsyndromal manic symptoms predict lower remission rates in bipolar depression. Australian and New Zealand Journal of Psychiatry, 2018, 52, 994-1002.	1.3	3
27	Forecasting depressive relapse in Bipolar Disorder from clinical data. , 2018, , .		5
28	MoodNetwork. Medical Care, 2018, 56, S48-S52.	1.1	13
29	Applying Association Rules to Study Bipolar Disorder and Premenstrual Dysphoric Disorder Comorbidity. , 2018, , .		3
30	The impact of substance use disorders on recovery from bipolar depression: Results from the Systematic Treatment Enhancement Program for Bipolar Disorder psychosocial treatment trial. Australian and New Zealand Journal of Psychiatry, 2018, 52, 847-855.	1.3	9
31	Intrinsic functional neurocircuitry associated with treatment response to transdiagnostic CBT in bipolar disorder with anxiety. Journal of Affective Disorders, 2018, 238, 383-391.	2.0	13
32	Innovating Innovation. Psychiatric Annals, 2018, 48, 262-262.	0.1	0
33	Dialectical Behavior Therapy Group Skills Training for Bipolar Disorder. Behavior Therapy, 2017, 48, 557-566.	1.3	46
34	Bipolar mixed features – Results from the comparative effectiveness for bipolar disorder (Bipolar) Tj ETQq0 0 C) rgBT /Ov	erlock 10 Tf 5
35	Do Sleep Disturbances Predict or Moderate the Response to Psychotherapy in Bipolar Disorder?. Journal of Nervous and Mental Disease, 2017, 205, 196-202.	0.5	5
36	Transdiagnostic treatment of bipolar disorder and comorbid anxiety using the Unified Protocol for Emotional Disorders: A pilot feasibility and acceptability trial. Journal of Affective Disorders, 2017, 219, 209-221.	2.0	44

#	Article	IF	CITATIONS
37	Poor quality of life and functioning in bipolar disorder. International Journal of Bipolar Disorders, 2017, 5, 10.	0.8	63
38	Speed of Improvement in Symptoms of Depression With Desvenlafaxine 50 mg and 100 mg Compared With Placebo in Patients With Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2017, 37, 555-561.	0.7	9
39	L-Methylfolate For Bipolar I depressive episodes: An open trial proof-of-concept registry. Journal of Affective Disorders, 2017, 207, 429-433.	2.0	18
40	Testing for clinical inertia in medication treatment of bipolar disorder. Journal of Affective Disorders, 2016, 205, 13-19.	2.0	4
41	SPECIFIC MOOD SYMPTOMS CONFER RISK FOR SUBSEQUENT SUICIDAL IDEATION IN BIPOLAR DISORDER WITH AND WITHOUT SUICIDE ATTEMPT HISTORY: MULTI-WAVE DATA FROM STEP-BD. Depression and Anxiety, 2016, 33, 464-472.	2.0	27
42	Affective instability and the course of bipolar depression: Results from the STEP-BD randomised controlled trial of psychosocial treatment. British Journal of Psychiatry, 2016, 208, 352-358.	1.7	21
43	The Effect of Concomitant Treatment With SSRIs and Statins: A Population-Based Study. American Journal of Psychiatry, 2016, 173, 807-815.	4.0	63
44	Tracking medication changes to assess outcomes in comparative effectiveness research: A bipolar CHOICE study. Journal of Affective Disorders, 2016, 205, 159-164.	2.0	7
45	A cluster analytic approach to identifying predictors and moderators of psychosocial treatment for bipolar depression: Results from STEP-BD. Journal of Affective Disorders, 2016, 203, 152-157.	2.0	9
46	Medical burden, body mass index and the outcome of psychosocial interventions for bipolar depression. Australian and New Zealand Journal of Psychiatry, 2016, 50, 667-677.	1.3	16
47	Patient perceptions of physical health and bipolar symptoms: The intersection of mental and physical health. Journal of Affective Disorders, 2016, 189, 203-206.	2.0	18
48	A latent class analysis of parental bipolar disorder: Examining associations with offspring psychopathology. Psychiatry Research, 2015, 230, 314-322.	1.7	5
49	Getting to wellness: The potential of the athletic model of marginal gains for the treatment of bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2015, 49, 1207-1214.	1.3	21
50	Medical burden in bipolar disorder: findings from the Clinical and Health Outcomes Initiative in Comparative Effectiveness for Bipolar Disorder study (Bipolar <scp>CHOICE </scp>). Bipolar Disorders, 2015, 17, 212-223.	1.1	77
51	Effectiveness Trials in Bipolar Disorders. , 2015, , 23-28.		O
52	Family functioning in the context of parental bipolar disorder: Associations with offspring age, sex, and psychopathology Journal of Family Psychology, 2015, 29, 108-118.	1.0	17
53	Complexity of Illness and Adjunctive Benzodiazepine Use in Outpatients With Bipolar I or II Disorder. Journal of Clinical Psychopharmacology, 2015, 35, 68-74.	0.7	18
54	A clinical measure of suicidal ideation, suicidal behavior, and associated symptoms in bipolar disorder: Psychometric properties of the Concise Health Risk Tracking Self-Report (CHRT-SR). Journal of Psychiatric Research, 2015, 71, 126-133.	1.5	32

#	Article	IF	CITATIONS
55	The effect of personalized guideline-concordant treatment on quality of life and functional impairment in bipolar disorder. Journal of Affective Disorders, 2014, 169, 144-148.	2.0	15
56	EARLY RISK FACTORS FOR PSYCHOPATHOLOGY IN OFFSPRING OF PARENTS WITH BIPOLAR DISORDER: THE ROLE OF OBSTETRIC COMPLICATIONS AND MATERNAL COMORBID ANXIETY. Depression and Anxiety, 2014, 31, 583-590.	2.0	12
57	EPIDEMIOLOGY AND COURSE OF UNIPOLAR MANIA: RESULTS FROM THE NATIONAL EPIDEMIOLOGIC SURVEY ON ALCOHOL AND RELATED CONDITIONS (NESARC). Depression and Anxiety, 2014, 31, 746-755.	2.0	18
58	Clinical applications of herbal medicines for anxiety and insomnia; targeting patients with bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2014, 48, 705-715.	1.3	22
59	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. American Journal of Psychiatry, 2013, 170, 1249-1262.	4.0	579
60	SMOKING AND SUICIDALITY IN SUBJECTS WITH BIPOLAR DISORDER: RESULTS FROM THE NATIONAL EPIDEMIOLOGIC SURVEY ON ALCOHOL AND RELATED CONDITIONS (NESARC). Depression and Anxiety, 2013, 30, n/a-n/a.	2.0	14
61	Nutrient-Based Therapies for Bipolar Disorder: A Systematic Review. Psychotherapy and Psychosomatics, 2013, 82, 10-19.	4.0	46
62	Extreme attributions predict transition from depression to mania orÂhypomania in bipolar disorder. Journal of Psychiatric Research, 2013, 47, 1329-1336.	1.5	22
63	Association Between Therapeutic Alliance, Care Satisfaction, and Pharmacological Adherence in Bipolar Disorder. Journal of Clinical Psychopharmacology, 2013, 33, 343-350.	0.7	37
64	One-carbon metabolism and bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2013, 47, 1013-1018.	1.3	31
65	Increase in Work Productivity of Depressed Individuals With Improvement in Depressive Symptom Severity. American Journal of Psychiatry, 2013, 170, 633-641.	4.0	104
66	Mitochondrial modulators for bipolar disorder: A pathophysiologically informed paradigm for new drug development. Australian and New Zealand Journal of Psychiatry, 2013, 47, 26-42.	1.3	61
67	Clinical and Sociodemographic Characteristics Associated with Suicidal Ideation in Depressed Outpatients. Canadian Journal of Psychiatry, 2013, 58, 113-122.	0.9	35
68	Conditional Probability of Response or Nonresponse of Placebo Compared With Antidepressants or St John's Wort in Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2013, 33, 827-830.	0.7	3
69	Extreme Attributions Predict the Course of Bipolar Depression. Journal of Clinical Psychiatry, 2013, 74, 249-255.	1.1	21
70	Sleep disturbance in euthymic bipolar patients. Journal of Psychopharmacology, 2012, 26, 1108-1112.	2.0	104
71	Transdiagnostic Treatment of Bipolar Disorder and Comorbid Anxiety With the Unified Protocol: A Clinical Replication Series. Behavior Modification, 2012, 36, 482-508.	1.1	56
72	Correlates and outcomes of depressed out-patients with greater and fewer anxious symptoms: a CO-MED report. International Journal of Neuropsychopharmacology, 2012, 15, 1387-1399.	1.0	21

#	Article	IF	CITATIONS
73	Prevalence of MTHFR C677T and MS A2756G polymorphisms in major depressive disorder, and their impact on response to fluoxetine treatment. CNS Spectrums, 2012, 17, 76-86.	0.7	15
74	Combining Medications to Enhance Depression Outcomes (CO-MED): Acute and Long-Term Outcomes of a Single-Blind Randomized Study. Focus (American Psychiatric Publishing), 2012, 10, 492-505.	0.4	1
75	Mindfulnessâ€Based Cognitive Therapy for Nonremitted Patients with Bipolar Disorder. CNS Neuroscience and Therapeutics, 2012, 18, 133-141.	1.9	99
76	An exploratory study of combination buspirone and melatonin SR in Major Depressive Disorder (MDD): A possible role for neurogenesis in drug discovery. Journal of Psychiatric Research, 2012, 46, 1553-1563.	1.5	52
77	Cumulative morbidity and prognostic staging of illness in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). Australian and New Zealand Journal of Psychiatry, 2012, 46, 1058-1067.	1.3	82
78	Customization in prescribing for bipolar disorder. Health Economics (United Kingdom), 2012, 21, 653-668.	0.8	8
79	A critical review of pharmacotherapy for major depressive disorder. International Journal of Neuropsychopharmacology, 2011, 14, 1417-1431.	1.0	54
80	Residual Symptoms in Depressed Outpatients Who Respond by 50% But Do Not Remit to Antidepressant Medication. Journal of Clinical Psychopharmacology, 2011, 31, 180-186.	0.7	166
81	The treatment of minor depression with St. John's Wort or citalopram: Failure to show benefit over placebo. Journal of Psychiatric Research, 2011, 45, 931-941.	1.5	48
82	Randomized comparison of selective serotonin reuptake inhibitor (escitalopram) monotherapy and antidepressant combination pharmacotherapy for major depressive disorder with melancholic features: A CO-MED report. Journal of Affective Disorders, 2011, 133, 467-476.	2.0	45
83	Residual symptoms after remission of major depressive disorder with fluoxetine and risk of relapse. Depression and Anxiety, 2011, 28, 137-144.	2.0	73
84	Combining Medications to Enhance Depression Outcomes (CO-MED): Acute and Long-Term Outcomes of a Single-Blind Randomized Study. American Journal of Psychiatry, 2011, 168, 689-701.	4.0	329
85	Mindfulness-Based Cognitive Therapy for Bipolar Disorder. Journal of Psychiatric Practice, 2011, 17, 410-419.	0.3	65
86	Longitudinal Follow-Up of Bipolar Disorder in Women With Premenstrual Exacerbation: Findings From STEP-BD. American Journal of Psychiatry, 2011, 168, 386-394.	4.0	53
87	A 32-Year-Old Male with Mania, Leg Pain, Migraines. Psychiatric Annals, 2011, 41, 363-366.	0.1	0
88	Linkage disequilibrium mapping of the chromosome 6q21–22.31 bipolar I disorder susceptibility locus. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 29-37.	1.1	9
89	Do atypical features affect outcome in depressed outpatients treated with citalopram?. International Journal of Neuropsychopharmacology, 2010, 13, 15.	1.0	50
90	Comparisons of the Efficacy and Tolerability of Extended-Release Venlafaxine, Mirtazapine, and Paroxetine in Treatment-Resistant Depression. Journal of Clinical Psychopharmacology, 2010, 30, 357-364.	0.7	48

#	Article	IF	Citations
91	The influence of menopause status and postmenopausal use of hormone therapy on presentation of major depression in women. Menopause, 2010, 17, 828-839.	0.8	47
92	Something Borrowed, Something Blue: Why is Bipolar Disorder an Orphan?. CNS Spectrums, 2010, 15, 15-16.	0.7	0
93	Impact of Substance Use Disorders on Recovery From Episodes of Depression in Bipolar Disorder Patients: Prospective Data From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). American Journal of Psychiatry, 2010, 167, 289-297.	4.0	103
94	RESEARCH: Cognitive Rehabilitation for Bipolar Disorder: An Open Trial for Employed Patients with Residual Depressive Symptoms. CNS Neuroscience and Therapeutics, 2010, 16, 298-307.	1.9	171
95	A Critical Appraisal of Treatments for Bipolar Disorder. Primary Care Companion To the Journal of Clinical Psychiatry, 2010, 12, 23-29.	0.6	10
96	Uncertainty and Practical Reasoning in Clinical Psychiatry and Neuropsychiatry. CNS Spectrums, 2009, 14, 284-285.	0.7	7
97	Tachyphylaxis after Repeated Antidepressant Drug Exposure in Patients with Recurrent Major Depressive Disorder. Neuropsychobiology, 2009, 59, 227-233.	0.9	34
98	Effectiveness Study of Venlafaxine-XR Combined with Aripiprazole for Chronic or Recurrent Major Depressive Disorder. Australian and New Zealand Journal of Psychiatry, 2009, 43, 956-967.	1.3	9
99	Low-Dose Buspirone, Melatonin and Low-Dose Bupropion Added to Mood Stabilizers for Severe Treatment-Resistant Bipolar Depression. Psychotherapy and Psychosomatics, 2009, 78, 391-393.	4.0	15
100	Can Phase III Trial Results of Antidepressant Medications Be Generalized to Clinical Practice? A STAR*D Report. American Journal of Psychiatry, 2009, 166, 599-607.	4.0	209
101	Manic Symptoms During Depressive Episodes in 1,380 Patients With Bipolar Disorder: Findings From the STEP-BD. American Journal of Psychiatry, 2009, 166, 173-181.	4.0	263
102	What predicts attrition in second step medication treatments for depression?: a STAR*D Report. International Journal of Neuropsychopharmacology, 2009, 12, 459.	1.0	69
103	Income and attrition in the treatment of depression: a STAR*D report. Depression and Anxiety, 2009, 26, 622-633.	2.0	44
104	Lessons from STEP-BD for the treatment of bipolar depression. Depression and Anxiety, 2009, 26, 106-109.	2.0	16
105	Sociodemographic, clinical, and treatment characteristics associated with worsened depression during treatment with citalopram: results of the NIMH STAR [*] D trial. Depression and Anxiety, 2009, 26, 612-621.	2.0	28
106	Retrospective age at onset of bipolar disorder and outcome during twoâ€year followâ€up: results from the STEPâ€BD study. Bipolar Disorders, 2009, 11, 391-400.	1.1	229
107	Cigarette smoking is associated with suicidality in bipolar disorder. Bipolar Disorders, 2009, 11, 766-771.	1,1	50
108	Association study of 21 circadian genes with bipolar I disorder, schizoaffective disorder, and schizophrenia. Bipolar Disorders, 2009, 11, 701-710.	1,1	133

#	Article	IF	CITATIONS
109	Stability of symptoms across major depressive episodes in bipolar disorder. Bipolar Disorders, 2009, 11, 867-875.	1.1	17
110	GABAB Receptors, Schizophrenia and Sleep Dysfunction. CNS Drugs, 2009, PAP, 627-47.	2.7	220
111	Galantamineâ€ER For Cognitive Dysfunction In Bipolar Disorder and Correlation with Hippocampal Neuronal Viability: A Proofâ€ofâ€Concept Study. CNS Neuroscience and Therapeutics, 2009, 15, 309-319.	1.9	41
112	Measuring Outcomes Makes Good Sense. Psychiatric Services, 2009, 60, 112-112.	1.1	7
113	Primary Versus Specialty Care Outcomes for Depressed Outpatients Managed with Measurement-Based Care: Results from STAR*D. Journal of General Internal Medicine, 2008, 23, 551-560.	1.3	92
114	Family history of completed suicide and characteristics of major depressive disorder: A STARâŽD (sequenced treatment alternatives to relieve depression) study. Journal of Affective Disorders, 2008, 108, 129-134.	2.0	16
115	Antidepressant-associated chronic irritable dysphoria (ACID) in STEP-BD patients. Journal of Affective Disorders, 2008, 111, 372-377.	2.0	64
116	Brain Bioenergetics and Response to Triiodothyronine Augmentation in Major Depressive Disorder. Biological Psychiatry, 2008, 63, 1127-1134.	0.7	152
117	Vagus Nerve Stimulation: 2-Year Outcomes for Bipolar Versus Unipolar Treatment-Resistant Depression. Biological Psychiatry, 2008, 64, 455-460.	0.7	83
118	Anxiety is associated with impulsivity in bipolar disorder. Journal of Anxiety Disorders, 2008, 22, 868-876.	1.5	66
119	Antecedentes familiares de suicidio consumado y caracterÃsticas del trastorno depresivo mayor: estudio STAR*D (sequenced treatment alternatives to relieve depression). Psiquiatria Biologica, 2008, 15, 195-201.	0.0	0
120	Selecting Among Second-Step Antidepressant Medication Monotherapies. Archives of General Psychiatry, 2008, 65, 870.	13.8	152
121	Acute and Longer-Term Outcomes in Depressed Outpatients Requiring One or Several Treatment Steps: A STAR*D Report. Focus (American Psychiatric Publishing), 2008, 6, 128-142.	0.4	17
122	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. Focus (American Psychiatric Publishing), 2008, 6, 104-119.	0.4	2
123	Major Depressive Disorder: <i>Epidemiology, Course of Illness, and Treatment</i> . CNS Spectrums, 2008, 13, 4-7.	0.7	4
124	A Brief Review of Antidepressant Efficacy, Effectiveness, Indications, and Usage for Major Depressive Disorder. Journal of Occupational and Environmental Medicine, 2008, 50, 428-436.	0.9	54
125	Clinically Relevant Findings from STAR*D. Psychiatric Annals, 2008, 38, .	0.1	12
126	Pharmacological Approaches to Treatment-Resistant Depression. , 2008, , 621-634.		0

#	Article	IF	Citations
127	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. American Journal of Psychiatry, 2007, 164, 739-752.	4.0	297
128	Predictors of Attrition During Initial (Citalopram) Treatment for Depression: A STAR*D Report. American Journal of Psychiatry, 2007, 164, 1189-1197.	4.0	129
129	Effect of Age at Onset on the Course of Major Depressive Disorder. American Journal of Psychiatry, 2007, 164, 1539-1546.	4.0	393
130	Cognitive Behavioral Therapy for Rapid-Cycling Bipolar Disorder: A Pilot Study. Journal of Psychiatric Practice, 2007, 13, 291-297.	0.3	20
131	Dr. McGrath and Colleagues Reply. American Journal of Psychiatry, 2007, 164, 524-524.	4.0	3
132	Why Do Clinical Trials Fail?. Journal of Clinical Psychopharmacology, 2007, 27, 1-5.	0.7	108
133	Psychosocial Treatments for Bipolar Depression. Archives of General Psychiatry, 2007, 64, 419.	13.8	485
134	Timing of clinical improvement and symptom resolution in the treatment of major depressive disorder. Psychiatry Research, 2007, 149, 195-200.	1.7	27
135	Duloxetine versus escitalopram and placebo in the treatment of patients with major depressive disorder: onset of antidepressant action, a non-inferiority study. Current Medical Research and Opinion, 2007, 23, 401-416.	0.9	127
136	A Critical Overview of the Pharmacologic Management of Treatment-Resistant Depression. Psychiatric Clinics of North America, 2007, 30, 13-29.	0.7	39
137	Effectiveness of Adjunctive Antidepressant Treatment for Bipolar Depression. New England Journal of Medicine, 2007, 356, 1711-1722.	13.9	822
138	Is Psychosocial Management Effective?â€"Reply. Archives of General Psychiatry, 2007, 64, 1452.	13.8	0
139	Understanding the link between anxiety symptoms and suicidal ideation and behaviors in outpatients with bipolar disorder. Journal of Affective Disorders, 2007, 97, 91-99.	2.0	56
140	Childhood antecedent disorders to bipolar disorder in adults: A controlled study. Journal of Affective Disorders, 2007, 99, 51-57.	2.0	67
141	Family history of mood disorder and characteristics of major depressive disorder: A STARâ^—D (sequenced treatment alternatives to relieve depression) study. Journal of Psychiatric Research, 2007, 41, 214-221.	1.5	67
142	The association of comorbid anxiety disorders with suicide attempts and suicidal ideation in outpatients with bipolar disorder. Journal of Psychiatric Research, 2007, 41, 255-264.	1.5	155
143	Bupropion-SR, Sertraline, or Venlafaxine-XR after Failure of SSRIs for Depression. New England Journal of Medicine, 2006, 354, 1231-1242.	13.9	934
144	An Evaluation of the Quick Inventory of Depressive Symptomatology and the Hamilton Rating Scale for Depression: A Sequenced Treatment Alternatives to Relieve Depression Trial Report. Biological Psychiatry, 2006, 59, 493-501.	0.7	344

#	Article	IF	CITATIONS
145	Self-Rated Global Measure of the Frequency, Intensity, and Burden of Side Effects. Journal of Psychiatric Practice, 2006, 12, 71-79.	0.3	227
146	Tranylcypromine Versus Venlafaxine Plus Mirtazapine Following Three Failed Antidepressant Medication Trials for Depression: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1531-1541.	4.0	300
147	Prospective 12-month course of bipolar disorder in out-patients with and without comorbid anxiety disorders. British Journal of Psychiatry, 2006, 189, 20-25.	1.7	188
148	Presenting characteristics of depressed outpatients as a function of recurrence: Preliminary findings from the STAR*D clinical trial. Journal of Psychiatric Research, 2006, 40, 59-69.	1.5	95
149	Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). Focus (American Psychiatric Publishing), 2006, 4, 553-561.	0.4	7
150	Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). American Journal of Psychiatry, 2006, 163, 217-224.	4.0	563
151	Clinical Features of Bipolar Depression Versus Major Depressive Disorder in Large Multicenter Trials. American Journal of Psychiatry, 2006, 163, 225-231.	4.0	189
152	A Comparison of Mirtazapine and Nortriptyline Following Two Consecutive Failed Medication Treatments for Depressed Outpatients: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1161-1172.	4.0	233
153	Pharmacological Treatment Patterns at Study Entry for the First 500 STEP-BD Participants. Psychiatric Services, 2006, 57, 660-665.	1.1	110
154	Clinical and Demographic Factors Associated With DSM-IV Melancholic Depression. Annals of Clinical Psychiatry, 2006, 18, 91-98.	0.6	105
155	A Comparison of Lithium and T ₃ Augmentation Following Two Failed Medication Treatments for Depression: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1519-1530.	4.0	526
156	Treatment-Resistant Bipolar Depression: A STEP-BD Equipoise Randomized Effectiveness Trial of Antidepressant Augmentation With Lamotrigine, Inositol, or Risperidone. American Journal of Psychiatry, 2006, 163, 210-216.	4.0	218
157	Evaluation of Outcomes With Citalopram for Depression Using Measurement-Based Care in STAR*D: Implications for Clinical Practice. American Journal of Psychiatry, 2006, 163, 28-40.	4.0	3,206
158	Medication Augmentation after the Failure of SSRIs for Depression. New England Journal of Medicine, 2006, 354, 1243-1252.	13.9	897
159	Acute and Longer-Term Outcomes in Depressed Outpatients Requiring One or Several Treatment Steps: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1905-1917.	4.0	4,241
160	A comparison of mirtazapine and nortriptyline following two consecutive failed medication treatments for depressed outpatients: a STAR*D report. American Journal of Psychiatry, 2006, 163, 1161-72.	4.0	167
161	Factors Associated With Health-Related Quality of Life Among Outpatients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2006, 67, 185-195.	1.1	139
162	The relationship between serum folate, vitamin B12, and homocysteine levels in major depressive disorder and the timing of improvement with fluoxetine. International Journal of Neuropsychopharmacology, 2005, 8, 523.	1.0	81

#	Article	IF	Citations
163	A Double-blind, Randomized Trial of St John's Wort, Fluoxetine, and Placebo in Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2005, 25, 441-447.	0.7	116
164	Empirical Testing of Two Models for Staging Antidepressant Treatment Resistance. Journal of Clinical Psychopharmacology, 2005, 25, 336-341.	0.7	96
165	Panic disorder and bipolar disorder: Anxiety sensitivity as a potential mediator of panic during manic states. Journal of Affective Disorders, 2005, 87, 101-105.	2.0	31
166	Brain MRI white matter hyperintensities and one-carbon cycle metabolism in non-geriatric outpatients with major depressive disorder (Part II). Psychiatry Research - Neuroimaging, 2005, 140, 301-307.	0.9	35
167	A Description of Next-Step Switching Versus Augmentation Practices for Outpatients with Treatment-Resistant Major Depressive Disorder Enrolled in an Academic Specialty Clinic. Annals of Clinical Psychiatry, 2005, 17, 161-165.	0.6	12
168	Serotonin gene polymorphisms and bipolar I disorder: Focus on the serotonin transporter. Annals of Medicine, 2005, 37, 590-602.	1.5	39
169	Industry Sponsorship and Financial Conflict of Interest in the Reporting of Clinical Trials in Psychiatry. American Journal of Psychiatry, 2005, 162, 1957-1960.	4.0	288
170	Clinical and Diagnostic Implications of Lifetime Attention-Deficit/Hyperactivity Disorder Comorbidity in Adults with Bipolar Disorder: Data from the First 1000 STEP-BD Participants. Biological Psychiatry, 2005, 57, 1467-1473.	0.7	247
171	Vagus Nerve Stimulation for Treatment-Resistant Depression: A Randomized, Controlled Acute Phase Trial. Biological Psychiatry, 2005, 58, 347-354.	0.7	542
172	Psychopathology in the Offspring of Parents with Bipolar Disorder: A Controlled Study. Biological Psychiatry, 2005, 58, 554-561.	0.7	175
173	Revisiting Depressive-Prone Bipolar Disorder: Polarity of Initial Mood Episode and Disease Course Among Bipolar I Systematic Treatment Enhancement Program for Bipolar Disorder Participants. Biological Psychiatry, 2005, 58, 549-553.	0.7	82
174	Does Recovery From Substance Use Disorder Matter in Patients With Bipolar Disorder?. Journal of Clinical Psychiatry, 2005, 66, 730-735.	1.1	111
175	Clinical and Demographic Features of Atypical Depression in Outpatients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2005, 66, 1002-1011.	1.1	165
176	An Open Study of Triiodothyronine Augmentation of Selective Serotonin Reuptake Inhibitors in Treatment-Resistant Major Depressive Disorder. Journal of Clinical Psychiatry, 2005, 66, 1038-1042.	1.1	53
177	Anxiety Disorder Comorbidity in Bipolar Disorder Patients: Data From the First 500 Participants in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). American Journal of Psychiatry, 2004, 161, 2222-2229.	4.0	501
178	Suicide risk management for the sequenced treatment alternatives to relieve depression study: applied NIMH guidelines. Journal of Psychiatric Research, 2004, 38, 583-589.	1.5	25
179	The prevalence and clinical correlates of anger attacks during depressive episodes in bipolar disorder. Journal of Affective Disorders, 2004, 79, 291-295.	2.0	82
180	Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design. Contemporary Clinical Trials, 2004, 25, 119-142.	2.0	898

#	Article	IF	CITATIONS
181	Quality of life assessments in major depressive disorder: a review of the literature. General Hospital Psychiatry, 2004, 26, 13-17.	1.2	245
182	Long-Term implications of early onset in bipolar disorder: data from the first 1000 participants in the systematic treatment enhancement program for bipolar disorder (STEP-BD). Biological Psychiatry, 2004, 55, 875-881.	0.7	746
183	Effect of Medical Comorbidity on Response to Fluoxetine Augmentation or Dose Increase in Outpatients With Treatment-Resistant Depression. Psychosomatics, 2004, 45, 224-229.	2.5	25
184	Psychosocial Functioning During the Treatment of Major Depressive Disorder With Fluoxetine. Journal of Clinical Psychopharmacology, 2004, 24, 507-511.	0.7	57
185	Pharmacotherapy for Bipolar Disorder and Comorbid Conditions. Journal of Clinical Psychopharmacology, 2004, 24, 512-520.	0.7	97
186	S-Adenosyl-L-Methionine (SAMe) as an Adjunct for Resistant Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2004, 24, 661-664.	0.7	97
187	Illness Beliefs of Depressed Chinese American Patients in Primary Care. Journal of Nervous and Mental Disease, 2004, 192, 324-327.	0.5	87
188	Presence of Irritability During Depressive Episodes in Bipolar Disorder. CNS Spectrums, 2004, 9, 227-231.	0.7	33
189	Background and rationale for the Sequenced Treatment Alternatives to Relieve Depression (STARâ^—D) study. Psychiatric Clinics of North America, 2003, 26, 457-494.	0.7	456
190	Predictors of response to antidepressants. Psychiatric Clinics of North America, 2003, 26, 345-352.	0.7	78
191	Rationale, design, and methods of the systematic treatment enhancement program for bipolar disorder (STEP-BD). Biological Psychiatry, 2003, 53, 1028-1042.	0.7	493
192	Axis III disorders in treatment-resistant major depressive disorder. Psychiatry Research, 2003, 118, 183-188.	1.7	26
193	Serum Cholesterol in Treatment-Resistant Depression. Neuropsychobiology, 2003, 47, 146-151.	0.9	41
194	Behavioral and Emotional Disturbances in the Offspring of Depressed Parents with Anger Attacks. Psychotherapy and Psychosomatics, 2003, 72, 102-106.	4.0	20
195	Cerebral metabolic correlates as potential predictors of response to anterior cingulotomy for treatment of major depression. Journal of Neurosurgery, 2003, 99, 1010-1017.	0.9	181
196	The Impact of Medical Comorbidity on Acute Treatment in Major Depressive Disorder. American Journal of Psychiatry, 2003, 160, 2122-2127.	4.0	109
197	Assay Sensitivity, Failed Clinical Trials, and the Conduct of Science. Psychotherapy and Psychosomatics, 2002, 71, 241-243.	4.0	46
198	Effects of Adding Cognitive Therapy to Fluoxetine Dose Increase on Risk of Relapse and Residual Depressive Symptoms in Continuation Treatment of Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2002, 22, 474-480.	0.7	63

#	Article	IF	CITATIONS
199	USE OF THE CHINESE VERSION OF THE BECK DEPRESSION INVENTORY FOR SCREENING DEPRESSION IN PRIMARY CARE. Journal of Nervous and Mental Disease, 2002, 190, 94-99.	0.5	72
200	Magnetic Resonance Imaging-guided Stereotactic Limbic Leukotomy for Treatment of Intractable Psychiatric Disease. Neurosurgery, 2002, 50, 1043-1052.	0.6	74
201	Prospective Long-Term Follow-Up of 44 Patients Who Received Cingulotomy for Treatment-Refractory Obsessive-Compulsive Disorder. American Journal of Psychiatry, 2002, 159, 269-275.	4.0	310
202	Magnetic Resonance Imaging-guided Stereotactic Limbic Leukotomy for Treatment of Intractable Psychiatric Disease. Neurosurgery, 2002, 50, 1043-1052.	0.6	64
203	A survey of prescribing practices in the treatment of depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 177-187.	2.5	62
204	Strategies for Treatment of SSRI-Associated Sexual Dysfunction: A Survey of an Academic Psychopharmacology Practice. Harvard Review of Psychiatry, 2002, 10, 109-114.	0.9	15
205	Folinic acid (Leucovorin) as an adjunctive treatment for SSRI-refractory depression. Annals of Clinical Psychiatry, 2002, 14, 33-8.	0.6	44
206	Cerebral metabolic correlates as potential predictors of response to anterior cingulotomy for obsessive compulsive disorder. Biological Psychiatry, 2001, 50, 659-667.	0.7	133
207	Psychiatric comorbidity in treatment-resistant depression. , 2001, , 430-478.		2
208	T3 Blood Levels and Treatment Outcome in Depression. International Journal of Psychiatry in Medicine, 2001, 31, 367-373.	0.8	12
209	Timing of Onset of Antidepressant Response With Fluoxetine Treatment. American Journal of Psychiatry, 2000, 157, 1423-1428.	4.0	207
210	Volumetric reduction in caudate nucleus following stereotactic lesions of anterior cingulate cortex in humans: a morphometric magnetic resonance imaging study. Journal of Neurosurgery, 2000, 93, 1019-1025.	0.9	98
211	Partial Response, Nonresponse, and Relapse With Selective Serotonin Reuptake Inhibitors in Major Depression. Journal of Clinical Psychiatry, 2000, 61, 403-408.	1.1	117
212	Patterns of axis I comorbidity in early-onset versus late-onset major depressive disorder. Biological Psychiatry, 1999, 46, 202-211.	0.7	62
213	Mania associated with St. John's wort. Biological Psychiatry, 1999, 46, 1707-1708.	0.7	88
214	Compounds Containing Cytosolic Choline in the Basal Ganglia: A Potential Biological Marker of True Drug Response to Fluoxetine. American Journal of Psychiatry, 1999, 156, 1638-1640.	4.0	61
215	Open Study of the Catechol-O-Methyltransferase Inhibitor Tolcapone in Major Depressive Disorder. Journal of Clinical Psychopharmacology, 1999, 19, 329-335.	0.7	51
216	The Texas Medication Algorithm Project. Journal of Clinical Psychiatry, 1999, 60, 142-156.	1.1	174

#	Article	IF	CITATIONS
217	Residual Symptoms in Depressed Patients Who Respond Acutely to Fluoxetine. Journal of Clinical Psychiatry, 1999, 60, 221-225.	1.1	395
218	An Open Trial of Oral Sildenafilin Antidepressant-Induced Sexual Dysfunction. Psychotherapy and Psychosomatics, 1998, 67, 328-331.	4.0	117
219	Outcome Definitions and Predictors in Depression. Psychotherapy and Psychosomatics, 1998, 67, 266-270.	4.0	75
220	Emergence of Adverse Events Following Discontinuation of Treatment With Extended-Release Venlafaxine. American Journal of Psychiatry, 1997, 154, 1760-1762.	4.0	167
221	Basal ganglia choline levels in depression and response to fluoxetine treatment: An in vivo proton magnetic resonance spectroscopy study. Biological Psychiatry, 1997, 41, 837-843.	0.7	107
222	Major depressive subtypes and treatment response. Biological Psychiatry, 1997, 42, 568-576.	0.7	222
223	Attention deficit hyperactivity disorder in childhood among adults with major depression. Psychiatry Research, 1996, 62, 213-219.	1.7	107
224	Discontinuation reactions following sertraline. Biological Psychiatry, 1995, 38, 694-695.	0.7	25
225	Venlafaxine for Treatment-Resistant Unipolar Depression. Journal of Clinical Psychopharmacology, 1994, 14, 419???423.	0.7	160
226	Evidence-based pharmacotherapy of major depressive disorder., 0,, 53-72.		0