

Pradeep Kumar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11277802/pradeep-kumar-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

4,985
citations

41
h-index

64
g-index

141
ext. papers

5,860
ext. citations

3.2
avg. IF

6.35
L-index

#	Paper	IF	Citations
140	Risk analysis in green supply chain using fuzzy AHP approach: A case study. <i>Resources, Conservation and Recycling</i> , 2015 , 104, 375-390	11.9	257
139	A goal programming model for paper recycling system. <i>Omega</i> , 2008 , 36, 405-417	7.2	219
138	Systematic failure mode effect analysis (FMEA) using fuzzy linguistic modelling. <i>International Journal of Quality and Reliability Management</i> , 2005 , 22, 986-1004	2	191
137	Flexible Decision Approach for Analysing Performance of Sustainable Supply Chains Under Risks/Uncertainty. <i>Global Journal of Flexible Systems Management</i> , 2014 , 15, 113-130	5.9	129
136	Some studies on P91 steel and their weldments. <i>Journal of Alloys and Compounds</i> , 2018 , 743, 332-364	5.7	116
135	A new approach to joining of bulk copper using microwave energy. <i>Materials & Design</i> , 2011 , 32, 2685-2694		109
134	Effect of welding parameters on microstructure and mechanical properties of friction stir welded joints of AA7039 aluminum alloy. <i>Materials & Design</i> , 2012 , 36, 379-390		107
133	A combined approach using AHP and DEMATEL for evaluating success factors in implementation of green supply chain management in Indian manufacturing industries. <i>International Journal of Logistics Research and Applications</i> , 2016 , 19, 537-561	3.8	105
132	Optimization of multiple quality characteristics for CNC turning under cryogenic cutting environment using desirability function. <i>Journal of Materials Processing Technology</i> , 2008 , 205, 42-50	5.3	104
131	Quality optimization (multi-characteristics) through Taguchi's technique and utility concept. <i>Quality and Reliability Engineering International</i> , 2000 , 16, 475-485	2.6	104
130	Study of the fracture surface morphology of impact and tensile tested cast and forged (C&F) Grade 91 steel at room temperature for different heat treatment regimes. <i>Engineering Failure Analysis</i> , 2017 , 71, 131-147	3.2	99
129	An integrated model to identify and classify the key criteria and their role in the assessment of 3PL services providers. <i>Asia Pacific Journal of Marketing and Logistics</i> , 2008 , 20, 227-249	3.2	97
128	Evaluating factors in implementation of successful green supply chain management using DEMATEL: A case study. <i>International Strategic Management Review</i> , 2015 , 3, 96-109		96
127	FLM to select suitable maintenance strategy in process industries using MISO model. <i>Journal of Quality in Maintenance Engineering</i> , 2005 , 11, 359-374	1.1	96
126	Modeling the logistics outsourcing relationship variables to enhance shippers' productivity and competitiveness in logistical supply chain. <i>International Journal of Productivity and Performance Management</i> , 2007 , 56, 689-714	2.3	94
125	Effect of post weld heat treatments on microstructure and mechanical properties of friction stir welded joints of AlZnMg alloy AA7039. <i>Materials & Design</i> , 2013 , 43, 134-143		90
124	Investigation on microstructural and mechanical properties of microwave processed dissimilar joints. <i>Journal of Manufacturing Processes</i> , 2011 , 13, 141-146	5	81

123	Effect of evaporative pattern casting process parameters on the surface roughness of Al7% Si alloy castings. <i>Journal of Materials Processing Technology</i> , 2007 , 182, 615-623	5.3	68
122	Influence of in-process cooling on tensile behaviour of friction stir welded joints of AA7039. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 556, 479-487	5.3	66
121	Microstructure and mechanical property relationship for different heat treatment and hydrogen level in multi-pass welded P91 steel joint. <i>Journal of Manufacturing Processes</i> , 2017 , 28, 220-234	5	65
120	On Electro Discharge Machining of Inconel 718 with Hollow Tool. <i>Journal of Materials Engineering and Performance</i> , 2012 , 21, 882-891	1.6	63
119	Prioritizing the responses to manage risks in green supply chain: An Indian plastic manufacturer perspective. <i>Sustainable Production and Consumption</i> , 2015 , 1, 67-86	8.2	60
118	Manufacturing excellence through TPM implementation: a practical analysis. <i>Industrial Management and Data Systems</i> , 2006 , 106, 256-280	3.6	60
117	Flexible Decision Modeling for Evaluating the Risks in Green Supply Chain Using Fuzzy AHP and IRP Methodologies. <i>Global Journal of Flexible Systems Management</i> , 2015 , 16, 19-35	5.9	59
116	Effect of Pulse Duration on Quality Characteristics of Blind Hole Drilled in Glass by ECDM. <i>Materials and Manufacturing Processes</i> , 2016 , 31, 1740-1748	4.1	59
115	A Flexible Decision Framework for Building Risk Mitigation Strategies in Green Supply Chain Using SAPMAP and IRP Approaches. <i>Global Journal of Flexible Systems Management</i> , 2014 , 15, 203-218	5.9	59
114	Fuzzy modeling of system behavior for risk and reliability analysis. <i>International Journal of Systems Science</i> , 2008 , 39, 563-581	2.3	59
113	Hydrogen induced cold cracking of creep resistant ferritic P91 steel for different diffusible hydrogen levels in deposited metal. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 17695-17712	6.7	58
112	Role of evolving microstructure on the mechanical behaviour of P92 steel welded joint in as-welded and post weld heat treated state. <i>Journal of Materials Processing Technology</i> , 2019 , 263, 241-255	5.3	58
111	Optimization of tensile properties of evaporative pattern casting process through Taguchi's method. <i>Journal of Materials Processing Technology</i> , 2008 , 204, 59-69	5.3	56
110	Effect of normalization and tempering on microstructure and mechanical properties of V-groove and narrow-groove P91 pipe weldments. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 685, 39-49	5.3	54
109	On ultrasonic assisted abrasive flow finishing of bevel gears. <i>International Journal of Machine Tools and Manufacture</i> , 2015 , 89, 29-38	9.4	51
108	Parametric Optimization of Centrifugal Force-Assisted Abrasive Flow Machining (CFAAFM) by the Taguchi Method. <i>Materials and Manufacturing Processes</i> , 2006 , 21, 375-382	4.1	51
107	Characterization of bulk stainless steel joints developed through microwave hybrid heating. <i>Materials Characterization</i> , 2014 , 91, 34-41	3.9	50
106	Comparative study of autogenous tungsten inert gas welding and tungsten arc welding with filler wire for dissimilar P91 and P92 steel weld joint. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 720-737	5.3	48

105	Microstructure-based assessment of creep rupture behaviour of cast-forged P91 steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 695, 291-301	5.3	47
104	An integrated methodology of FTA and fuzzy AHP for risk assessment in green supply chain. <i>International Journal of Operational Research</i> , 2016 , 25, 77	0.9	46
103	Effect of tool rotation in near-dry EDM process on machining characteristics of HSS. <i>Materials and Manufacturing Processes</i> , 2019 , 34, 779-790	4.1	45
102	Softening mechanism of P91 steel weldments using heat treatments. <i>Archives of Civil and Mechanical Engineering</i> , 2019 , 19, 297-310	3.4	44
101	Effect of post weld heat treatments on microstructure evolution and type IV cracking behavior of the P91 steel welds joint. <i>Journal of Materials Processing Technology</i> , 2019 , 266, 140-154	5.3	42
100	Microstructure characterization and charpy toughness of P91 weldment for as-welded, post-weld heat treatment and normalizing & tempering heat treatment. <i>Metals and Materials International</i> , 2017 , 23, 900-914	2.4	41
99	A brief study on Ferrite evolution in dissimilar P91 and P92 steel weld joint and their effect on mechanical properties. <i>Archives of Civil and Mechanical Engineering</i> , 2018 , 18, 713-722	3.4	41
98	Predicting uncertain behavior of industrial system using FMA practical case. <i>Applied Soft Computing Journal</i> , 2008 , 8, 96-109	7.5	41
97	Mitigate risks in perishable food supply chains: Learning from COVID-19. <i>Technological Forecasting and Social Change</i> , 2021 , 166, 120643	9.5	41
96	Dissimilar joining of CSEF steels using autogenous tungsten-inert gas welding and gas tungsten arc welding and their effect on Ferrite evolution and mechanical properties. <i>Journal of Manufacturing Processes</i> , 2018 , 31, 247-259	5	41
95	Effect of Weld Consumable Conditioning on the Diffusible Hydrogen and Subsequent Residual Stress and Flexural Strength of Multipass Welded P91 Steels. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2018 , 49, 2881-2895	2.5	38
94	Optimizing multi-machining characteristics through Taguchi's approach and utility concept. <i>Journal of Manufacturing Technology Management</i> , 2006 , 17, 255-274	7.1	38
93	Effect of strain rate and notch geometry on tensile properties and fracture mechanism of creep strength enhanced ferritic P91 steel. <i>Journal of Nuclear Materials</i> , 2018 , 498, 176-186	3.3	35
92	Challenges in perishable food supply chains for sustainability management: A developing economy perspective. <i>Business Strategy and the Environment</i> , 2020 , 29, 1809-1831	8.6	34
91	Assessment of Critical Enablers for Flexible Supply Chain Performance Measurement System Using Fuzzy DEMATEL Approach. <i>Global Journal of Flexible Systems Management</i> , 2015 , 16, 115-132	5.9	34
90	Analytical modeling of third party service provider selection in lead logistics provider environments. <i>Journal of Modelling in Management</i> , 2010 , 5, 275-286	2.2	34
89	Study on effect of double austenitization treatment on fracture morphology tensile tested nuclear grade P92 steel. <i>Engineering Failure Analysis</i> , 2019 , 96, 158-167	3.2	34
88	Analysis of interactions among the drivers of green supply chain management. <i>International Journal of Business Performance and Supply Chain Modelling</i> , 2015 , 7, 92	0.6	33

87	Experimental Studies on Mechanism of Material Removal in Abrasive Flow Machining Process. <i>Materials and Manufacturing Processes</i> , 2008 , 23, 714-718	4.1	33
86	Assessment of CSR based supply chain performance system using an integrated fuzzy AHP-TOPSIS approach. <i>International Journal of Logistics Research and Applications</i> , 2018 , 21, 378-406	3.8	31
85	Experimental investigation and optimisation in EDM of Al 6063 SiCp metal matrix composite. <i>International Journal of Machining and Machinability of Materials</i> , 2008 , 3, 293	0.7	31
84	Parametric optimization of magnetic-field-assisted abrasive flow machining by the Taguchi method. <i>Quality and Reliability Engineering International</i> , 2002 , 18, 273-283	2.6	30
83	Effect of post weld heat treatments on fracture frontier and type IV cracking nature of the crept P91 welded sample. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 731, 249-265	5.3	29
82	Diffusible Hydrogen Level in Deposited Metal and Their Effect on Tensile Properties and Flexural Strength of P91 Steel. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2017 , 139,	1.8	28
81	Modeling system behavior for risk and reliability analysis using KBARM. <i>Quality and Reliability Engineering International</i> , 2007 , 23, 973-998	2.6	28
80	Performance enhancement of rotary tool near-dry EDM of HSS by supplying oxygen gas in the dielectric medium. <i>Materials and Manufacturing Processes</i> , 2019 , 34, 1832-1846	4.1	27
79	Fatigue behavior of friction stir weld joints of AlZnMg alloy AA7039 developed using base metal in different temper condition. <i>Materials & Design</i> , 2014 , 64, 334-344		27
78	Taguchi optimization of process parameters for production accuracy in ultrasonic drilling of engineering ceramics. <i>Production Engineering</i> , 2009 , 3, 243-253	1.9	27
77	Optimization of process parameters for ultrasonic drilling of advanced engineering ceramics using the Taguchi approach. <i>Engineering Optimization</i> , 2006 , 38, 771-787	2	27
76	A comparative study of ductile-brittle transition behavior and fractography of P91 and P92 steel. <i>Engineering Failure Analysis</i> , 2017 , 81, 245-253	3.2	26
75	EDM of high aspect ratio micro-holes on Ti-6Al-4V alloy by synchronizing energy interactions. <i>Materials and Manufacturing Processes</i> , 2020 , 35, 1188-1203	4.1	25
74	Quality of v-process moulds through the taguchi technique. <i>Quality and Reliability Engineering International</i> , 1996 , 12, 421-427	2.6	25
73	Influence of pre-weld temper conditions of base metal on microstructure and mechanical properties of friction stir weld joints of AlZnMg alloy AA7039. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 620, 107-119	5.3	24
72	Decision and information interoperability for improving performance of product recovery systems. <i>Decision Support Systems</i> , 2012 , 53, 448-457	5.6	24
71	Effect of Slurry Composition on Plate Weight in Ceramic Shell Investment Casting. <i>Journal of Materials Engineering and Performance</i> , 2008 , 17, 489-498	1.6	24
70	An experimental study of the machining parameters in powder mixed electric discharge machining of Al 10%SiCP metal matrix composites. <i>International Journal of Machining and Machinability of Materials</i> , 2006 , 1, 396	0.7	23

69	Effect of creep phenomena on room-temperature tensile properties of cast & forged P91 steel. <i>Engineering Failure Analysis</i> , 2017 , 79, 385-396	3.2	22
68	Joining of Mild Steel Plates Using Microwave Energy. <i>Advanced Materials Research</i> , 2012 , 585, 465-469	0.5	21
67	Manufacturing process optimisation for tool wear rate in ultrasonic drilling of engineering ceramics using the Taguchi method. <i>International Journal of Machining and Machinability of Materials</i> , 2006 , 1, 94	0.7	21
66	Selection of 3PL service providers: a combined approach of AHP and Graph theory. <i>International Journal of Services, Technology and Management</i> , 2009 , 12, 35	0.2	20
65	Effect of Process Parameters on the Solidification Time of Al-7%Si Alloy Castings Produced by VAEPC Process. <i>Materials and Manufacturing Processes</i> , 2007 , 22, 879-886	4.1	20
64	A photoelasticity approach for characterization of defects in microwave drilling of soda lime glass. <i>Journal of Materials Processing Technology</i> , 2015 , 225, 151-161	5.3	19
63	A comparative study of transverse shrinkage stresses and residual stresses in P91 welded pipe including plasticity error. <i>Archives of Civil and Mechanical Engineering</i> , 2018 , 18, 1000-1011	3.4	19
62	Monte Carlo Simulation Based Approach to Manage Risks in Operational Networks in Green Supply Chain. <i>Procedia Engineering</i> , 2014 , 97, 2186-2194		19
61	A framework to implement QCS through process cost modeling. <i>The TQM Journal</i> , 2007 , 19, 18-36		19
60	Quality costing in process industries through QCAS: a practical case. <i>International Journal of Production Research</i> , 2007 , 45, 3381-3403	7.8	19
59	On near-dry wire ECDM of Al6063/SiC/10p MMC. <i>Materials and Manufacturing Processes</i> , 2021 , 36, 122-134	3.4	19
58	Parametric optimization of surface roughness castings produced by Evaporative Pattern Casting process. <i>Materials Letters</i> , 2006 , 60, 3048-3053	3.3	18
57	Modeling and analysing system failure behaviour using RCA, FMEA and NHPPP models. <i>International Journal of Quality and Reliability Management</i> , 2007 , 24, 525-546	2	18
56	Experimental investigations into ultrasonic-assisted abrasive flow machining (UAAF) process. <i>International Journal of Advanced Manufacturing Technology</i> , 2015 , 80, 477-493	3.2	17
55	Framework for benchmarking logistics performance using fuzzy AHP. <i>International Journal of Business Performance and Supply Chain Modelling</i> , 2009 , 1, 82	0.6	16
54	FM is a pragmatic tool to model, analyse and predict complex behaviour of industrial systems. <i>Engineering Computations</i> , 2007 , 24, 319-346	1.4	16
53	Fracture behaviour of crept P91 welded sample for different post weld heat treatments condition. <i>Engineering Failure Analysis</i> , 2019 , 95, 18-29	3.2	16
52	Autogenous Tungsten Inert Gas and Gas Tungsten Arc With Filler Welding of Dissimilar P91 and P92 Steels. <i>Journal of Pressure Vessel Technology, Transactions of the ASME</i> , 2018 , 140,	1.2	14

51	On Crack Control Strategy in Near-Field Microwave Drilling of Soda Lime Glass Using Precursors. <i>Journal of Thermal Science and Engineering Applications</i> , 2015 , 7,	1.9	14
50	Recent Developments and Research Issues in Microultrasonic Machining. <i>ISRN Mechanical Engineering</i> , 2011 , 2011, 1-15		14
49	Behaviour analysis and resource optimisation for an industrial system. <i>International Journal of Industrial and Systems Engineering</i> , 2007 , 2, 413	0.4	14
48	Research trends in abrasive flow machining: A systematic review. <i>Journal of Manufacturing Processes</i> , 2021 , 64, 1434-1461	5	14
47	Mechanical Behavior of Nettle/Wool Fabric Reinforced Polyethylene Composites. <i>Journal of Natural Fibers</i> , 2016 , 13, 610-618	1.8	13
46	Selection of Logistics Services Provider (LSP) under fuzzy environment: a graph-theoretic and matrix approach. <i>International Journal of Logistics Systems and Management</i> , 2009 , 5, 551	0.7	13
45	Effect on crystalline structure of AISI M2 steel using tungsten thorium electrode through MRR, EWR, and surface finish. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016 , 90, 74-84	4.6	12
44	Investigations on Rotary Tool Near-Dry Electric Discharge Machining. <i>Minerals, Metals and Materials Series</i> , 2017 , 327-334	0.3	11
43	Microstructure and transverse shrinkage stress analysis in GTA welds of P91 steel pipe. <i>International Journal of Steel Structures</i> , 2017 , 17, 763-774	1.3	11
42	Analyzing CSR issues for supply chain performance system using preference rating approach. <i>Journal of Manufacturing Technology Management</i> , 2015 , 26, 830-852	7.1	11
41	Behavioral and performance analysis of feeding system using stochastic reward nets. <i>International Journal of Advanced Manufacturing Technology</i> , 2009 , 45, 156-169	3.2	11
40	Response of natural fiber reinforced polymer composites when subjected to various environments. <i>International Journal of Plastics Technology</i> , 2018 , 22, 56-72	2.7	11
39	Galvanic Corrosion Behavior of Microwave Welded and Post-weld Heat-Treated Inconel-718 Joints. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 2322-2330	1.6	9
38	A fuzzy DEMATEL-based approach for evaluation of risks in green initiatives in supply chain. <i>International Journal of Logistics Systems and Management</i> , 2016 , 24, 226	0.7	9
37	Selecting alternatives for improvement in IT enabled supply chain performance. <i>International Journal of Procurement Management</i> , 2014 , 7, 168	0.6	9
36	Heterogeneity of Microstructure and Mechanical Properties of Friction Stir Welded Joints of Al-Zn-Mg Alloy AA7039. <i>Procedia Engineering</i> , 2013 , 64, 1384-1394		8
35	Assessing CSR practices for supply chain performance system using fuzzy DEMATEL approach. <i>International Journal of Logistics Systems and Management</i> , 2015 , 22, 77	0.7	8
34	Integrated model for selection of third party service providers by global lead logistics providers. <i>International Journal of Business Performance and Supply Chain Modelling</i> , 2009 , 1, 187	0.6	8

33	On Improvement in Surface Integrity of μ -EDMed Ti6Al4V Alloy by μ -ECM Process. <i>Minerals, Metals and Materials Series</i> , 2019 , 745-753	0.3	7
32	Density Optimization of Slurry of Coating Material Used in the EPC Process Through Taguchi's Parameter Design Approach. <i>Materials and Manufacturing Processes</i> , 2008 , 23, 719-725	4.1	7
31	Experimental investigations to optimise step drill geometry for burr minimisation in drilling using regression model. <i>International Journal of Manufacturing Technology and Management</i> , 2010 , 21, 122	0.4	6
30	Quality optimisation of surface finishing by magnetic field assisted abrasive flow machining through Taguchi technique. <i>International Journal of Computer Applications in Technology</i> , 2006 , 27, 31	0.7	6
29	Experimental Investigation on Surface Morphology of Micro-EDMed Ti-6Al-4 V Alloy. <i>Lecture Notes in Intelligent Transportation and Infrastructure</i> , 2020 , 69-74	0.3	6
28	Performance enhancement of rotary tool near-dry EDM process through tool modification. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2021 , 43, 1	2	6
27	Modelling and analysis of barriers for supply chain performance measurement system. <i>International Journal of Operational Research</i> , 2017 , 28, 392	0.9	5
26	Effect of EDM process parameters on surface quality of Al 6063 SiCp metal matrix composite. <i>International Journal of Materials and Product Technology</i> , 2010 , 39, 357	1	5
25	Optimisation of MRR in ultrasonic drilling (USD) based on Taguchi's robust design methodology. <i>International Journal of Machining and Machinability of Materials</i> , 2006 , 1, 445	0.7	5
24	A Feasibility Study On Drilling Of Metals Through Microwave Heating. <i>I-manager's Journal on Mechanical Engineering</i> , 2012 , 2, 1-6	0.3	5
23	Investigations on the fabrication of a patterned tool by chemical etching. <i>Materials and Manufacturing Processes</i> , 1-13	4.1	5
22	Development and characterization of xanthan gum-based abrasive media and performance analysis using abrasive flow machining. <i>Journal of Manufacturing Processes</i> , 2021 , 67, 101-115	5	5
21	Characterisation of dissimilar P91 and P92 steel welds joint. <i>Materials at High Temperatures</i> , 2019 , 36, 275-284	1.1	5
20	Quantitative assessment of mutual relationship of issues experienced in greening supply chain using ISM-fuzzy MICMAC approach. <i>International Journal of Logistics Systems and Management</i> , 2018 , 30, 162	0.7	5
19	Some Studies on Performance of a Natural Polymer Media for Abrasive Flow Machining 2011 , 333-340		4
18	Investigation on the Effect of Input Parameters on Surface Quality During Rotary Tool Near-Dry EDM. <i>Lecture Notes in Intelligent Transportation and Infrastructure</i> , 2020 , 41-47	0.3	4
17	Barriers in adoption of additive manufacturing in medical sector supply chain. <i>Journal of Advances in Management Research</i> , 2021 , ahead-of-print,	2.2	4
16	Parametric Study while Microchanneling on Optical Glass Using Microcontroller Driven ECDM Process. <i>Advanced Materials Research</i> , 2012 , 585, 417-421	0.5	3

15	System dynamics investigation of information technology in small and medium enterprise supply chain. <i>Journal of Advances in Management Research</i> , 2012 , 9, 199-207	2.2	3
14	Assessing the performance of STED process for fabricating high aspect ratio holes on Inconel 718 alloy. <i>Materials and Manufacturing Processes</i> , 2021 , 36, 677-692	4.1	3
13	Experimental investigations into abrasive flow machining (AFM) of 3D printed ABS and PLA parts. <i>Rapid Prototyping Journal</i> , 2021 , ahead-of-print,	3.8	3
12	Role of Heat Treatment on Grain Refinement and Microhardness of 9CrMoNb Steel. <i>Metallography, Microstructure, and Analysis</i> , 2019 , 8, 472-478	1.1	2
11	Analysing the importance rating of CSR challenges in order to improve the supply chain performance. <i>International Journal of Intercultural Information Management</i> , 2014 , 4, 34		2
10	An integrated literature review on sustainable food supply chains: Exploring research themes and future directions.. <i>Science of the Total Environment</i> , 2022 , 153411	10.2	2
9	Fabrication and characterization of Al6063/SiC composites using electromagnetic stir casting process. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 095440892110457	1.5	2
8	Innovations in electro chemical discharge machining process through electrolyte stirring and tool rotations. <i>International Journal of Machining and Machinability of Materials</i> , 2020 , 22, 487	0.7	2
7	Investigation of hole roundness-error using different electrolytes in STED process. <i>Materials and Manufacturing Processes</i> , 1-17	4.1	2
6	Effect of welding process and PWHT on Ferrite evolution in dissimilar P91 and P92 steel joint. <i>Materials Today: Proceedings</i> , 2018 , 5, 17080-17088	1.4	1
5	Investigating the Performance of the Rotary Tool Near-Dry Electrical Discharge Machining Process through Debris Analysis. <i>Journal of Materials Engineering and Performance</i> , 1	1.6	1
4	Investigating Enablers to Improve Transparency in Sustainable Food Supply Chain Using F-BWM. <i>Advances in Intelligent Systems and Computing</i> , 2021 , 567-575	0.4	
3	Application of Taguchi Method in the Optimization of Process Parameters for Conicity of Holes in Ultrasonic Drilling of Engineering Ceramics 167-178		
2	Burr Minimization in Drilling of Al6061/SiCp Metal Matrix Composite. <i>Applied Mechanics and Materials</i> , 2019 , 895, 206-211	0.3	
1	Evaluation of the Surface Integrity of Titanium Nitride Coating Deposited on the NiTi Substrate Through the Near-Dry Electrical Discharge Surface Coating Process. <i>Minerals, Metals and Materials Series</i> , 2021 , 421-429	0.3	