

Andrew J Wilson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11278674/andrew-j-wilson-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

4,456
citations

36
h-index

64
g-index

121
ext. papers

4,942
ext. citations

7.5
avg, IF

5.93
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 110 | Targeting the transmembrane domain 5 of latent membrane protein 1 using small molecule modulators. <i>European Journal of Medicinal Chemistry</i> , 2021 , 214, 113210 | 6.8 | 1 |
| 109 | Enhanced Suppression of a Protein-Protein Interaction in Cells Using Small-Molecule Covalent Inhibitors Based on an -Acyl--alkyl Sulfonamide Warhead. <i>Journal of the American Chemical Society</i> , 2021 , 143, 4766-4774 | 16.4 | 13 |
| 108 | Structural optimization of reversible dibromomaleimide peptide stapling.. <i>Peptide Science</i> , 2021 , 113, e24157 | 3 | 2 |
| 107 | Visualizing and trapping transient oligomers in amyloid assembly pathways. <i>Biophysical Chemistry</i> , 2021 , 268, 106505 | 3.5 | 42 |
| 106 | Structural insights into peptide self-assembly using photo-induced crosslinking experiments and discontinuous molecular dynamics. <i>AICHE Journal</i> , 2021 , 67, e17101 | 3.6 | 2 |
| 105 | Selective Affimers Recognise the BCL-2 Family Proteins BCL-x and MCL-1 through Noncanonical Structural Motifs*. <i>ChemBioChem</i> , 2021 , 22, 232-240 | 3.8 | 4 |
| 104 | Query-guided protein-protein interaction inhibitor discovery. <i>Chemical Science</i> , 2021 , 12, 4753-4762 | 9.4 | 1 |
| 103 | Peptide-based inhibitors of protein-protein interactions: biophysical, structural and cellular consequences of introducing a constraint. <i>Chemical Science</i> , 2021 , 12, 5977-5993 | 9.4 | 11 |
| 102 | Towards optimizing peptide-based inhibitors of protein-protein interactions: predictive saturation variation scanning (PreSaVS). <i>RSC Chemical Biology</i> , 2021 , 2, 1474-1478 | 3 | 1 |
| 101 | Identification of β strand mediated protein-protein interaction inhibitors using ligand-directed fragment ligation. <i>Chemical Science</i> , 2021 , 12, 2286-2293 | 9.4 | 2 |
| 100 | Assembly of miscible supramolecular network blends using DDA π AD hydrogen-bonding interactions of pendent side-chains. <i>Polymer Chemistry</i> , 2020 , 11, 3593-3604 | 4.9 | 1 |
| 99 | Activity-Directed Synthesis of Inhibitors of the p53/hDM2 Protein-Protein Interaction. <i>Chemistry - A European Journal</i> , 2020 , 26, 10682-10689 | 4.8 | 6 |
| 98 | BAlaS: fast, interactive and accessible computational alanine-scanning using BudeAlaScan. <i>Bioinformatics</i> , 2020 , 36, 2917-2919 | 7.2 | 17 |
| 97 | Inter-domain dynamics in the chaperone SurA and multi-site binding to its outer membrane protein clients. <i>Nature Communications</i> , 2020 , 11, 2155 | 17.4 | 28 |
| 96 | Modulation of Amyloidogenic Protein Self-Assembly Using Tethered Small Molecules. <i>Journal of the American Chemical Society</i> , 2020 , 142, 20845-20854 | 16.4 | 7 |
| 95 | Stapled Peptides as HIF-1 α /p300 Inhibitors: Helicity Enhancement in the Bound State Increases Inhibitory Potency. <i>Chemistry - A European Journal</i> , 2020 , 26, 7638-7646 | 4.8 | 6 |
| 94 | A pH-Switchable Triple Hydrogen-Bonding Motif. <i>ChemistryOpen</i> , 2020 , 9, 40-44 | 2.3 | 2 |

| | | | |
|----|---|------|-----|
| 93 | Predicting and Experimentally Validating Hot-Spot Residues at Protein-Protein Interfaces. <i>ACS Chemical Biology</i> , 2019 , 14, 2252-2263 | 4.9 | 33 |
| 92 | Thermodynamic phase diagram of amyloid- β (16-22) peptide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 2091-2096 | 11.5 | 40 |
| 91 | Molecular insights into the surface-catalyzed secondary nucleation of amyloid- β (A β) by the peptide fragment A β . <i>Science Advances</i> , 2019 , 5, eaav8216 | 14.3 | 34 |
| 90 | Design and synthesis of cysteine-specific labels for photo-crosslinking studies.. <i>RSC Advances</i> , 2019 , 9, 7610-7614 | 3.7 | 4 |
| 89 | Control of conformation in β helix mimicking aromatic oligoamide foldamers through interactions between adjacent side-chains. <i>Organic and Biomolecular Chemistry</i> , 2019 , 17, 3861-3867 | 3.9 | 8 |
| 88 | Targeting trimeric transmembrane domain 5 of oncogenic latent membrane protein 1 using a computationally designed peptide. <i>Chemical Science</i> , 2019 , 10, 7584-7590 | 9.4 | 5 |
| 87 | A catalytic protein-proteomimetic complex: using aromatic oligoamide foldamers as activators of RNase S. <i>Chemical Science</i> , 2019 , 10, 3956-3962 | 9.4 | 10 |
| 86 | Photocatalytic proximity labelling of MCL-1 by a BH3 ligand. <i>Communications Chemistry</i> , 2019 , 2, 133 | 6.3 | 6 |
| 85 | Recognition of ASF1 by Using Hydrocarbon-Constrained Peptides. <i>ChemBioChem</i> , 2019 , 20, 891-895 | 3.8 | 6 |
| 84 | Supramolecular Self-Sorting Networks using Hydrogen-Bonding Motifs. <i>Chemistry - A European Journal</i> , 2019 , 25, 785-795 | 4.8 | 13 |
| 83 | Generation of Dynamic Combinatorial Libraries Using Hydrazone-Functionalized Surface Mimetics. <i>European Journal of Organic Chemistry</i> , 2018 , 2018, 1872-1879 | 3.2 | 2 |
| 82 | Modulators of 14-3-3 Protein-Protein Interactions. <i>Journal of Medicinal Chemistry</i> , 2018 , 61, 3755-3778 | 8.3 | 121 |
| 81 | coiled-coil peptides as scaffolds for disrupting protein-protein interactions. <i>Chemical Science</i> , 2018 , 9, 7656-7665 | 9.4 | 24 |
| 80 | Linear shear and nonlinear extensional rheology of unentangled supramolecular side-chain polymers. <i>Journal of Rheology</i> , 2018 , 62, 1155-1174 | 4.1 | 22 |
| 79 | Rapid Mapping of Protein Interactions Using Tag-Transfer Photocrosslinkers. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 16688-16692 | 16.4 | 36 |
| 78 | Rapid Mapping of Protein Interactions Using Tag-Transfer Photocrosslinkers. <i>Angewandte Chemie</i> , 2018 , 130, 16930-16934 | 3.6 | 6 |
| 77 | Interfacing native and non-native peptides: using Affimers to recognise β helix mimicking foldamers. <i>Chemical Communications</i> , 2017 , 53, 2834-2837 | 5.8 | 11 |
| 76 | Hypoxia inducible factor (HIF) as a model for studying inhibition of protein-protein interactions. <i>Chemical Science</i> , 2017 , 8, 4188-4202 | 9.4 | 18 |

| | | | |
|----|---|------|----|
| 75 | Double quick, double click reversible peptide "stapling". <i>Chemical Science</i> , 2017 , 8, 5166-5171 | 9.4 | 53 |
| 74 | Protein sensing and discrimination using highly functionalised ruthenium(ii) tris(bipyridyl) protein surface mimetics in an array format. <i>Chemical Communications</i> , 2017 , 53, 12278-12281 | 5.8 | 13 |
| 73 | Protein Surface Mimetics: Understanding How Ruthenium Tris(Bipyridines) Interact with Proteins. <i>ChemBioChem</i> , 2017 , 18, 223-231 | 3.8 | 13 |
| 72 | Metal complexes as "protein surface mimetics". <i>Chemical Communications</i> , 2016 , 52, 9745-56 | 5.8 | 23 |
| 71 | Towards "bionic" proteins: replacement of continuous sequences from HIF-1 α with proteomimetics to create functional p300 binding HIF-1 α mimics. <i>Chemical Communications</i> , 2016 , 52, 5421-4 | 5.8 | 16 |
| 70 | Hydrocarbon constrained peptides - understanding preorganisation and binding affinity. <i>Chemical Science</i> , 2016 , 7, 3694-3702 | 9.4 | 53 |
| 69 | Inhibition of the p53/hDM2 protein-protein interaction by cyclometallated iridium(III) compounds. <i>Oncotarget</i> , 2016 , 7, 13965-75 | 3.3 | 22 |
| 68 | Probing Protein Surfaces: QSAR Analysis with Helix Mimetics. <i>ChemBioChem</i> , 2016 , 17, 768-73 | 3.8 | 3 |
| 67 | Synthesis of highly functionalized oligobenzamide proteomimetic foldamers by late stage introduction of sensitive groups. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 3782-6 | 3.9 | 13 |
| 66 | An α -Helix-Mimicking 12,13-Helix: Designed α -Helix Foldamers as Selective Inhibitors of Protein-Protein Interactions. <i>Angewandte Chemie</i> , 2016 , 128, 11262-11266 | 3.6 | 13 |
| 65 | An α -Helix-Mimicking 12,13-Helix: Designed α -Helix Foldamers as Selective Inhibitors of Protein-Protein Interactions. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 11096-100 | 16.4 | 45 |
| 64 | Helix mimetics: Recent developments. <i>Progress in Biophysics and Molecular Biology</i> , 2015 , 119, 33-40 | 4.7 | 20 |
| 63 | Exploration of the HIF-1 α /p300 interface using peptide and Adhiron phage display technologies. <i>Molecular BioSystems</i> , 2015 , 11, 2738-49 | | 27 |
| 62 | Development of solvent-free synthesis of hydrogen-bonded supramolecular polyurethanes. <i>Chemical Science</i> , 2015 , 6, 2382-2388 | 9.4 | 23 |
| 61 | Hydrogen-bonded supramolecular polyurethanes. <i>Polymer International</i> , 2015 , 64, 165-173 | 3.3 | 32 |
| 60 | Multivalent helix mimetics for PPI-inhibition. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 258-64 | 3.9 | 14 |
| 59 | Selective and Potent Proteomimetic Inhibitors of Intracellular Protein-Protein Interactions. <i>Angewandte Chemie</i> , 2015 , 127, 3003-3008 | 3.6 | 23 |
| 58 | Design, synthesis and conformational analyses of bifacial benzamide based foldamers. <i>RSC Advances</i> , 2015 , 5, 104187-104192 | 3.7 | 5 |

| | | | |
|----|---|------|-----|
| 57 | Selective and potent proteomimetic inhibitors of intracellular protein-protein interactions. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 2960-5 | 16.4 | 70 |
| 56 | Stereocontrolled protein surface recognition using chiral oligoamide proteomimetic foldamers. <i>Chemical Science</i> , 2015 , 6, 2434-2443 | 9.4 | 52 |
| 55 | Orthogonal functionalisation of α -helix mimetics. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 6794-9 | 3.9 | 22 |
| 54 | Analysis of amyloid nanostructures using photo-cross-linking: in situ comparison of three widely used photo-cross-linkers. <i>ACS Chemical Biology</i> , 2014 , 9, 761-8 | 4.9 | 23 |
| 53 | Synthesis of Oligobenzamide α -Helix Mimetics. <i>Synlett</i> , 2014 , 25, 324-335 | 2.2 | 7 |
| 52 | Small-molecule proteomimetic inhibitors of the HIF-1 α /p300 protein-protein interaction. <i>ChemBioChem</i> , 2014 , 15, 1083-7 | 3.8 | 52 |
| 51 | Monosubstituted alkenyl amino acids for peptide "stapling". <i>Chemical Communications</i> , 2013 , 49, 9131-35.8 | 3.8 | 43 |
| 50 | Electronic substituent effects on hydrogen-bonding motifs modulate supramolecular polymerisation. <i>RSC Advances</i> , 2013 , 3, 3103 | 3.7 | 6 |
| 49 | Sequential and phototriggered supramolecular self-sorting cascades using hydrogen-bonded motifs. <i>Chemical Science</i> , 2013 , 4, 1825 | 9.4 | 41 |
| 48 | Microwave assisted solid phase synthesis of highly functionalized N-alkylated oligobenzamide α -helix mimetics. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 4034-40 | 3.4 | 37 |
| 47 | Protein destabilisation by ruthenium(II) tris-bipyridine based protein-surface mimetics. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 2206-12 | 3.9 | 14 |
| 46 | Inhibition of α -helix-mediated protein-protein interactions using designed molecules. <i>Nature Chemistry</i> , 2013 , 5, 161-73 | 17.6 | 563 |
| 45 | Photo-induced covalent cross-linking for the analysis of biomolecular interactions. <i>Chemical Society Reviews</i> , 2013 , 42, 3289-301 | 58.5 | 128 |
| 44 | Solid-phase methodology for synthesis of O-alkylated aromatic oligoamide inhibitors of α -helix-mediated protein-protein interactions. <i>Chemistry - A European Journal</i> , 2013 , 19, 5546-50 | 4.8 | 34 |
| 43 | Aromatic Oligoamide Foldamers with a Wet Edge as Inhibitors of the α -Helix-Mediated p53 β DM2 Protein-Protein Interaction. <i>European Journal of Organic Chemistry</i> , 2013 , 2013, 3504-3512 | 3.2 | 23 |
| 42 | Side-Chain Supramolecular Polymers Employing Conformer Independent Triple Hydrogen Bonding Arrays. <i>Macromolecules</i> , 2013 , 46, 9634-9641 | 5.5 | 24 |
| 41 | Synthesis of peptidomimetic scaffolds 2013 , 74-89 | | |
| 40 | Cellular uptake of highly-functionalized ruthenium(II) tris-bipyridine protein-surface mimetics. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 985-8 | 2.9 | 6 |

| | | | |
|----|--|-----|----|
| 39 | Conformational properties of O-alkylated benzamides. <i>Tetrahedron</i> , 2012 , 68, 4485-4491 | 2.4 | 20 |
| 38 | 2-O-alkylated para-benzamide β -helix mimetics: the role of scaffold curvature. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 6469-72 | 3.9 | 42 |
| 37 | Covalent cross-linking within supramolecular peptide structures. <i>Analytical Chemistry</i> , 2012 , 84, 6790-7 | 7.8 | 19 |
| 36 | Tunable Self-Assembled Elastomers Using Triply Hydrogen-Bonded Arrays. <i>Macromolecules</i> , 2012 , 45, 4723-4729 | 5.5 | 44 |
| 35 | The use of electrospray mass spectrometry to determine speciation in a dynamic combinatorial library for anion recognition. <i>Chemistry - A European Journal</i> , 2012 , 18, 13733-42 | 4.8 | 13 |
| 34 | Design, synthesis and binding studies of a novel quadruple ADDA hydrogen-bond array. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 4899-906 | 3.9 | 19 |
| 33 | Modeling of arylamide helix mimetics in the p53 peptide binding site of hDM2 suggests parallel and anti-parallel conformations are both stable. <i>PLoS ONE</i> , 2012 , 7, e43253 | 3.7 | 13 |
| 32 | Substituent control over dimerization affinity of triply hydrogen bonded heterodimers. <i>Organic Letters</i> , 2011 , 13, 240-3 | 6.2 | 30 |
| 31 | Solid-state structures of ureidoimidazoles. <i>Supramolecular Chemistry</i> , 2011 , 23, 470-479 | 1.8 | 4 |
| 30 | Ditopic triply hydrogen-bonded heterodimers. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 5938-40 | 3.9 | 6 |
| 29 | Helix-mediated protein-protein interactions as targets for intervention using foldamers. <i>Amino Acids</i> , 2011 , 41, 743-54 | 3.5 | 62 |
| 28 | Conformer-independent ureidoimidazole motifs--tools to probe conformational and tautomeric effects on the molecular recognition of triply hydrogen-bonded heterodimers. <i>Chemistry - A European Journal</i> , 2011 , 17, 14508-17 | 4.8 | 24 |
| 27 | Protein surface recognition using geometrically pure Ru(II) tris(bipyridine) derivatives. <i>Chemical Communications</i> , 2011 , 47, 559-61 | 5.8 | 40 |
| 26 | N-alkylated oligoamide alpha-helical proteomimetics. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 2344-51 | 3.5 | 74 |
| 25 | Selective protein-surface sensing using ruthenium(II) tris(bipyridine) complexes. <i>Chemistry - A European Journal</i> , 2010 , 16, 100-3 | 4.8 | 33 |
| 24 | Expedient synthesis of benzene tricarboxamide macrocycles derived from p-aminobenzoic acid. <i>Tetrahedron Letters</i> , 2010 , 51, 1361-1363 | 2 | 5 |
| 23 | Design, synthesis and binding properties of conformer-independent linear ADA hydrogen-bonding arrays. <i>Supramolecular Chemistry</i> , 2009 , 21, 12-17 | 1.8 | 16 |
| 22 | An Impossible macrocyclisation using conformation directing protecting groups. <i>Tetrahedron Letters</i> , 2009 , 50, 2236-2238 | 2 | 20 |

| | | | |
|----|---|------|-----|
| 21 | Inhibition of protein-protein interactions using designed molecules. <i>Chemical Society Reviews</i> , 2009 , 38, 3289-300 | 58.5 | 206 |
| 20 | Oligobenzamide proteomimetic inhibitors of the p53-hDM2 protein-protein interaction. <i>Chemical Communications</i> , 2009 , 5091-3 | 5.8 | 113 |
| 19 | Synthesis of functionalised aromatic oligamide rods. <i>Organic and Biomolecular Chemistry</i> , 2008 , 6, 138-46 | 5.9 | 53 |
| 18 | Trifluoromethyldiazirine: an effective photo-induced cross-linking probe for exploring amyloid formation. <i>Chemical Communications</i> , 2008 , 5728-30 | 5.8 | 16 |
| 17 | Conformer independent heterodimerisation of linear arrays using three hydrogen bonds. <i>Chemical Communications</i> , 2008 , 344-6 | 5.8 | 26 |
| 16 | Macrocyclic scaffolds derived from p-aminobenzoic acid. <i>Chemical Communications</i> , 2007 , 2240-2 | 5.8 | 40 |
| 15 | Supramolecular chemistry. <i>Annual Reports on the Progress of Chemistry Section B</i> , 2007 , 103, 174 | | 5 |
| 14 | Recognition of solvent exposed protein surfaces using anthracene derived receptors. <i>Organic and Biomolecular Chemistry</i> , 2007 , 5, 276-85 | 3.9 | 32 |
| 13 | Non-covalent polymer assembly using arrays of hydrogen-bonds. <i>Soft Matter</i> , 2007 , 3, 409-425 | 3.6 | 194 |
| 12 | Amplification of chirality in benzene tricarboxamide helical supramolecular polymers. <i>Chemical Communications</i> , 2006 , 4404-6 | 5.8 | 64 |
| 11 | Pattern recognition of proteins based on an array of functionalized porphyrins. <i>Journal of the American Chemical Society</i> , 2006 , 128, 2421-5 | 16.4 | 199 |
| 10 | Chiral amplification in the transcription of supramolecular helicity into a polymer backbone. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 2275-9 | 16.4 | 130 |
| 9 | The mechanism of formation of amide-based interlocked compounds: prediction of a new rotaxane-forming motif. <i>Chemistry - A European Journal</i> , 2004 , 10, 4960-9 | 4.8 | 49 |
| 8 | Pattern-based detection of different proteins using an array of fluorescent protein surface receptors. <i>Journal of the American Chemical Society</i> , 2004 , 126, 5656-7 | 16.4 | 146 |
| 7 | Catalytic unfolding and proteolysis of cytochrome C induced by synthetic binding agents. <i>Journal of the American Chemical Society</i> , 2004 , 126, 12833-42 | 16.4 | 50 |
| 6 | "Magic rod" rotaxanes: the hydrogen bond-directed synthesis of molecular shuttles under thermodynamic control. <i>Organic Letters</i> , 2003 , 5, 1907-10 | 6.2 | 67 |
| 5 | Directed denaturation: room temperature and stoichiometric unfolding of cytochrome C by a metalloporphyrin dimer. <i>Journal of the American Chemical Society</i> , 2003 , 125, 4420-1 | 16.4 | 48 |
| 4 | Benzylic Imine Catenates: Readily Accessible Octahedral Analogues of the Sauvage Catenates. <i>Angewandte Chemie</i> , 2001 , 113, 1586-1591 | 3.6 | 76 |

| | | | |
|---|--|------|-----|
| 3 | Benzylic Imine Catenates: Readily Accessible Octahedral Analogues of the Sauvage Catenates. <i>Angewandte Chemie - International Edition</i> , 2001 , 40, 1538-1543 | 16.4 | 177 |
| 2 | Organic Magic Rings – The Hydrogen Bond-Directed Assembly of Catenanes under Thermodynamic Control. <i>Journal of the American Chemical Society</i> , 1999 , 121, 1599-1600 | 16.4 | 164 |
| 1 | Towards identification of protein-protein interaction stabilizers via inhibitory peptide-fragment hybrids using templated fragment ligation. <i>RSC Chemical Biology</i> , | 3 | 0 |