

# Marair Gracio Ferreira Sartori

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11280451/publications.pdf>

Version: 2024-02-01

48  
papers

807  
citations

516710

16  
h-index

580821

25  
g-index

52  
all docs

52  
docs citations

52  
times ranked

816  
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment for vaginal agenesis: A prospective and comparative study between vaginal dilation and surgical neovaginoplasty. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 157, 574-581.	2.3	7
2	Fecal incontinence: incidence and risk factors from the SABE (Health, Wellbeing and Aging) study. <i>International Urogynecology Journal</i> , 2022, 33, 2993-3004.	1.4	3
3	Urinary incontinence, overactive bladder, and quality of life in women submitted to total hip replacement. <i>Neurourology and Urodynamics</i> , 2022, , .	1.5	3
4	BRAZILIAN OLYMPIC FEMALE ATHLETES™ MULTIDISCIPLINARY CARE: AN OBSERVATIONAL STUDY. <i>Revista Brasileira De Medicina Do Esporte</i> , 2022, 28, 281-285.	0.2	0
5	Prevalence of Urinary Incontinence in CrossFit Practitioners before and during the COVID-19 Quarantine and its Relationship with Training Level: An Observational Study. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2021, 43, 847-852.	0.8	2
6	No mesh versus mesh in the treatment of anterior vaginal wall prolapse: prospective, randomised, controlled trial, long-term follow-up. <i>International Urology and Nephrology</i> , 2020, 52, 1839-1844.	1.4	3
7	Comparaçãõ entre oxibutinina, eletroestimulaçãõ do nervo tibial posterior e exercÃcios perineais no tratamento da sÃndrome da bexiga hiperativa. <i>Fisioterapia E Pesquisa</i> , 2019, 26, 127-136.	0.1	5
8	A populationalâ”based survey on the prevalence, incidence, and risk factors of urinary incontinence in older adultsâ”results from the âœSABE STUDYâœ. <i>Neurourology and Urodynamics</i> , 2018, 37, 466-477.	1.5	19
9	A Decline at Inpatient Benign Hysterectomy is Perceived in Brazil: What are the Strategies to Improve Surgical Resident Training?. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2018, 40, 239-241.	0.8	2
10	Athletic Incontinence: Proposal of a New Term for a New Woman. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2017, 39, 441-442.	0.8	15
11	Incidence of Bacteriuria after Urodynamic Study with or without Antibiotic Prophylaxis in Women with Urinary Incontinence. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2017, 39, 534-540.	0.8	10
12	Correlation between maximum voluntary contraction and endurance measured by digital palpation and manometry: An observational study. <i>Revista Da Associaçãõ MÃ©dica Brasileira</i> , 2016, 62, 635-640.	0.7	12
13	Can Abdominal Hypopressive Technique Change Levator Hiatus Area?. <i>Ultrasound Quarterly</i> , 2016, 32, 175-179.	0.8	12
14	Effectiveness of adding voluntary pelvic floor muscle contraction to a Pilates exercise program: an assessor-masked randomized controlled trial. <i>International Urogynecology Journal</i> , 2016, 27, 1743-1752.	1.4	17
15	The prevalence of fecal incontinence and associated risk factors in older adults participating in the SABE study. <i>Neurourology and Urodynamics</i> , 2016, 35, 959-964.	1.5	9
16	AVALIAÃfO DO ASSOALHO PÃ%oLVICO DE ATLETAS: EXISTE RELAÃfO COM A INCONTINÃŠNCIA URINÃRIA?. <i>Revista Brasileira De Medicina Do Esporte</i> , 2015, 21, 442-446.	0.2	26
17	Oestrogen receptor alpha expression in neovaginal tissue of women following modified AbbÃ©-McIndoe technique and in premenopausal women. <i>Gynecological Endocrinology</i> , 2015, 31, 327-331.	1.7	1
18	A Prospective, Randomized, Controlled Trial of the Treatment of Anterior Vaginal Wall Prolapse: Medium Term Followup. <i>Journal of Urology</i> , 2015, 193, 1298-1304.	0.4	20

#	ARTICLE	IF	CITATIONS
19	Pre-participation gynecological evaluation of female athletes: a new proposal. Einstein (Sao Paulo,) Tj ETQq1 1 0.784314 rgBT /Overlock	0.7	18
20	The Morphological Aspects of Neovaginoplasty Using Oxidized Cellulose Membrane (Interceed <sup>®</sup> ). Journal of Gynecologic Surgery, 2013, 29, 169-173.	0.1	2
21	Treatment of anterior vaginal wall prolapse with and without polypropylene mesh: a prospective, randomized and controlled trial - Part II. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2013, 39, 531-541.	1.5	10
22	Treatment of anterior vaginal wall prolapse with and without polypropylene mesh: a prospective, randomized and controlled trial - Part I. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2013, 39, 519-530.	1.5	12
23	Efficacy of pelvic floor muscle training and hypopressive exercises for treating pelvic organ prolapse in women: randomized controlled trial. Sao Paulo Medical Journal, 2012, 130, 5-9.	0.9	48
24	Sexual function after anterior vaginal wall prolapse surgery. Clinics, 2012, 67, 871-875.	1.5	9
25	Biofeedback for the treatment of female pelvic floor muscle dysfunction: a systematic review and meta-analysis. International Urogynecology Journal, 2012, 23, 1495-1516.	1.4	41
26	Impact of pelvic floor muscle training on the quality of life in women with urinary incontinence. Revista Da Associação Médica Brasileira (English Edition), 2012, 58, 155-159.	0.1	14
27	Prevalence of and quality of life related to anal incontinence in women with urinary incontinence and pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2012, 160, 228-231.	1.1	22
28	Role of estrogen receptor alpha on vaginal epithelialization of patients with Mayer-Rokitansky-Kuster-Hauser syndrome submitted to neovaginoplasty using oxidized regenerated cellulose. International Urogynecology Journal, 2012, 23, 467-472.	1.4	9
29	Can hypopressive exercises provide additional benefits to pelvic floor muscle training in women with pelvic organ prolapse?. Neurourology and Urodynamics, 2012, 31, 121-125.	1.5	45
30	Impact of pelvic floor muscle training on the quality of life in women with urinary incontinence. Revista Da Associação Médica Brasileira, 2012, 58, 155-159.	0.7	18
31	Validation, reliability, and responsiveness of Prolapse Quality of Life Questionnaire (P-QOL) in a Brazilian population. International Urogynecology Journal, 2011, 22, 751-755.	1.4	13
32	Impact of birth in the presence and absence of simulated birth injury on vaginal glycosaminoglycan content. International Urogynecology Journal, 2011, 22, 1513-1519.	1.4	1
33	Evaluation of demographic, clinical characteristics, and genetic polymorphism as risk factors for pelvic organ prolapse in Brazilian women. Neurourology and Urodynamics, 2011, 30, 1325-1328.	1.5	22
34	Metabolic profile of glycosaminoglycans in bladder and urethra of female rats during and after pregnancy. International Urogynecology Journal, 2010, 21, 241-246.	1.4	4
35	Long-term and short-term effects of simulated birth trauma, cesarean and vaginal delivery on sulfated glycosaminoglycans in the urethra of female rats. International Urogynecology Journal, 2010, 21, 705-710.	1.4	4
36	Anterior vaginal wall prolapse: a randomized controlled trial of SIS graft versus traditional colporrhaphy. International Urogynecology Journal, 2010, 21, 1057-1063.	1.4	48

#	ARTICLE	IF	CITATIONS
37	Analysis of Glycosaminoglycans in the Parametrium and Vaginal Apex of Women with and without Uterine Prolapse. <i>Journal of Women's Health</i> , 2010, 19, 1341-1344.	3.3	11
38	The role of MSP I CYP1A1 gene polymorphism in the development of uterine fibroids. <i>Fertility and Sterility</i> , 2010, 94, 2783-2785.	1.0	7
39	Portuguese validation of the Urinary Incontinence-Specific Quality-of-Life Instrument: I-QOL. <i>International Urogynecology Journal</i> , 2009, 20, 1183-1189.	1.4	18
40	Impact of HTLV-I in quality of life and urogynecologic parameters of women with urinary incontinence. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 147, 230-233.	1.1	16
41	Role of glutathione S-transferase (GSTM1) gene polymorphism in development of uterine fibroids. <i>Fertility and Sterility</i> , 2009, 91, 1496-1498.	1.0	7
42	COL1A1 Sp1-binding site polymorphism as a risk factor for genital prolapse. <i>International Urogynecology Journal</i> , 2008, 19, 1471-1475.	1.4	36
43	The catechol-O-methyltransferase (COMT) gene polymorphism and prevalence of uterine fibroids. <i>Maturitas</i> , 2008, 60, 235-238.	2.4	18
44	Sulfated glycosaminoglycans of periurethral tissue in pre- and postmenopausal women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 139, 252-255.	1.1	9
45	Sulfated glycosaminoglycans of the periurethral tissue in women with and without stress urinary incontinence, according to genital prolapse stage. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 126, 250-254.	1.1	10
46	Diagnóstico clínico e subsidiário da incontinência urinária. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2006, 28, 54-62.	0.8	24
47	Validação do questionário de qualidade de vida (King's Health Questionnaire) em mulheres brasileiras com incontinência urinária. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2005, 27, 235-242.	0.8	63
48	Analysis of type I collagen in the parametrium of women with and without uterine prolapse, according to hormonal status. <i>International Urogynecology Journal</i> , 2003, 14, 331-334.	1.4	24