

Jose R Alonso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/112826/publications.pdf>

Version: 2024-02-01

143
papers

3,051
citations

159525

30
h-index

243529

44
g-index

143
all docs

143
docs citations

143
times ranked

2090
citing authors

#	ARTICLE	IF	CITATIONS
1	Gamma knife stereotactic radiosurgery as an effective tool in primary CNS lymphoma: Evaluation of stereotactic radiosurgery and methotrexate treatment in a prospective and observational clinical research study. <i>Clinical Neurology and Neurosurgery</i> , 2021, 201, 106457.	0.6	8
2	Oleoylethanolamide Delays the Dysfunction and Death of Purkinje Cells and Ameliorates Behavioral Defects in a Mouse Model of Cerebellar Neurodegeneration. <i>Neurotherapeutics</i> , 2021, 18, 1748-1767.	2.1	3
3	The Selective Loss of Purkinje Cells Induces Specific Peripheral Immune Alterations. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 773696.	1.8	4
4	Secretagogin expression in the mouse olfactory bulb under sensory impairments. <i>Scientific Reports</i> , 2020, 10, 21533.	1.6	8
5	Letter to the Editor Regarding Effects of the COVID-19 Outbreak in Northern Italy: Perspectives from the Bergamo Neurosurgery Department, and the Role of Radiosurgery as a Minimally Invasive Procedure for Primary Central Nervous System Lymphoma in the Pandemic Outbreak. <i>World Neurosurgery</i> , 2020, 139, 264-265.	0.7	2
6	Daily bone marrow cell transplantations for the management of fast neurodegenerative processes. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2019, 13, 1702-1711.	1.3	11
7	Highly Active Antiretroviral Therapy and Gamma Knife Radiosurgery for the Treatment of AIDS-Related Primary Central Nervous System Lymphoma. <i>World Neurosurgery</i> , 2019, 124, 310-312.	0.7	2
8	Cytoskeleton stability is essential for the integrity of the cerebellum and its motor- and affective-related behaviors. <i>Scientific Reports</i> , 2018, 8, 3072.	1.6	23
9	Bone marrow transplantation improves motor activity in a mouse model of ataxia. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, e1950-e1961.	1.3	10
10	Olfactory bulb plasticity ensures proper olfaction after severe impairment in postnatal neurogenesis. <i>Scientific Reports</i> , 2017, 7, 5654.	1.6	22
11	Bone Marrowâ€Derived Stem Cells and Strategies for Treatment of Nervous System Disorders. <i>Neuroscientist</i> , 2015, 21, 637-652.	2.6	11
12	Striatal NOS1 has dimorphic expression and activity under stress and nicotine sensitization. <i>European Neuropsychopharmacology</i> , 2015, 25, 1683-1694.	0.3	4
13	Bone Marrow Transplantation Transplantation for Research and Regenerative Therapies in the Central Nervous System. <i>Methods in Molecular Biology</i> , 2015, 1254, 317-325.	0.4	1
14	Nuclear Signs of Pre-neurodegeneration. <i>Methods in Molecular Biology</i> , 2015, 1254, 43-54.	0.4	2
15	Sex-influence of nicotine and nitric oxide on motor coordination and anxiety-related neurophysiological responses. <i>Psychopharmacology</i> , 2014, 231, 695-706.	1.5	12
16	Pax6 Is Essential for the Maintenance and Multi-Lineage Differentiation of Neural Stem Cells, and for Neuronal Incorporation into the Adult Olfactory Bulb. <i>Stem Cells and Development</i> , 2014, 23, 2813-2830.	1.1	45
17	The Olfactory System as a Puzzle: Playing With Its Pieces. <i>Anatomical Record</i> , 2013, 296, 1383-1400.	0.8	20
18	Differential glial activation during the degeneration of Purkinje cells and mitral cells in the PCD mutant mice. <i>Glia</i> , 2013, 61, 254-272.	2.5	21

#	ARTICLE	IF	CITATIONS
19	Bone Marrow Cell Transplantation Restores Olfaction in the Degenerated Olfactory Bulb. <i>Journal of Neuroscience</i> , 2012, 32, 9053-9058.	1.7	23
20	Mild Cerebellar Neurodegeneration of Aged Heterozygous PCD Mice Increases Cell Fusion of Purkinje and Bone Marrow-Derived Cells. <i>Cell Transplantation</i> , 2012, 21, 1595-1602.	1.2	22
21	Changes in the serotonergic system and in brain-derived neurotrophic factor distribution in the main olfactory bulb of pcd mice before and after mitral cell loss. <i>Neuroscience</i> , 2012, 201, 20-33.	1.1	6
22	Long-lasting changes in the anatomy of the olfactory bulb after ionizing irradiation and bone marrow transplantation. <i>Neuroscience</i> , 2011, 173, 190-205.	1.1	26
23	Bone Marrow Contributes Simultaneously to Different Neural Types in the Central Nervous System through Different Mechanisms of Plasticity. <i>Cell Transplantation</i> , 2011, 20, 1179-1192.	1.2	21
24	Nucleolar Disruption and Cajal Body Disassembly are Nuclear Hallmarks of DNA Damage-Induced Neurodegeneration in Purkinje Cells. <i>Brain Pathology</i> , 2011, 21, 374-388.	2.1	55
25	Types of cholecystokinin-containing periglomerular cells in the mouse olfactory bulb. <i>Journal of Neuroscience Research</i> , 2011, 89, 35-43.	1.3	9
26	Purkinje Cell Degeneration in pcd Mice Reveals Large Scale Chromatin Reorganization and Gene Silencing Linked to Defective DNA Repair. <i>Journal of Biological Chemistry</i> , 2011, 286, 28287-28302.	1.6	43
27	Chemical Characterization of Pax6-Immunoreactive Periglomerular Neurons in the Mouse Olfactory Bulb. <i>Cellular and Molecular Neurobiology</i> , 2009, 29, 1081-1085.	1.7	10
28	Sexual dimorphic stages affect both proliferation and serotonergic innervation in the adult rostral migratory stream. <i>Experimental Neurology</i> , 2009, 216, 357-364.	2.0	23
29	Albumin attenuates DNA damage in primary-cultured neurons. <i>Neuroscience Letters</i> , 2009, 450, 23-26.	1.0	21
30	Zincergic innervation from the anterior olfactory nucleus to the olfactory bulb displays plastic responses after mitral cell loss. <i>Journal of Chemical Neuroanatomy</i> , 2008, 36, 197-208.	1.0	4
31	Distribution of Neurocalcin-Containing Neurons Reveals Sexual Dimorphism in the Mouse Olfactory Bulb. <i>Chemical Senses</i> , 2007, 32, 673-680.	1.1	9
32	Changes in cell migration and survival in the olfactory bulb of the pcd/pcd mouse. <i>Developmental Neurobiology</i> , 2007, 67, 839-859.	1.5	20
33	Chemical organization of the macaque monkey olfactory bulb: III. Distribution of cholinergic markers. <i>Journal of Comparative Neurology</i> , 2007, 501, 854-865.	0.9	8
34	Changes in the connections of the main olfactory bulb after mitral cell selective neurodegeneration. <i>Journal of Neuroscience Research</i> , 2007, 85, 2407-2421.	1.3	12
35	Sex differences in catechol contents in the olfactory bulb of control and unilaterally deprived rats. <i>European Journal of Neuroscience</i> , 2007, 25, 1517-1528.	1.2	14
36	Changes in the serotonergic system in the main olfactory bulb of rats unilaterally deprived from birth to adulthood. <i>Journal of Neurochemistry</i> , 2007, 100, 924-938.	2.1	15

#	ARTICLE	IF	CITATIONS
37	Pre-neurodegeneration of mitral cells in the pcd mutant mouse is associated with DNA damage, transcriptional repression, and reorganization of nuclear speckles and Cajal bodies. <i>Molecular and Cellular Neurosciences</i> , 2006, 33, 283-295.	1.0	31
38	Differential effects of unilateral olfactory deprivation on noradrenergic and cholinergic systems in the main olfactory bulb of the rat. <i>Neuroscience</i> , 2006, 141, 2117-2128.	1.1	15
39	Heterogeneous targeting of centrifugal inputs to the glomerular layer of the main olfactory bulb. <i>Journal of Chemical Neuroanatomy</i> , 2005, 29, 238-254.	1.0	42
40	Proliferation markers in the adult rodent brain: Bromodeoxyuridine and proliferating cell nuclear antigen. <i>Brain Research Protocols</i> , 2005, 15, 127-134.	1.7	32
41	CD45 expression on rat acinar cells: Involvement in pro-inflammatory cytokine production. <i>FEBS Letters</i> , 2005, 579, 6355-6360.	1.3	23
42	Cholinergic elements in the zebrafish central nervous system: Histochemical and immunohistochemical analysis. <i>Journal of Comparative Neurology</i> , 2004, 474, 75-107.	0.9	135
43	Dopaminergic modulation of nNOS expression in the pituitary gland of male rat. <i>Anatomy and Embryology</i> , 2003, 207, 381-388.	1.5	12
44	Changes in Immunoreactivity to Calcium-Binding Proteins in the Anterior Olfactory Nucleus of the Rat after Neonatal Olfactory Deprivation. <i>Experimental Neurology</i> , 2002, 177, 133-150.	2.0	21
45	Vasoactive intestinal polypeptide-containing elements in the olfactory bulb of the hedgehog (<i>Erinaceus europaeus</i>). <i>Journal of Chemical Neuroanatomy</i> , 2002, 24, 49-63.	1.0	16
46	Effects of axotomy on the expression of NADPH-diaphorase in the visual pathway of the tench. <i>Brain Research</i> , 2002, 925, 183-194.	1.1	5
47	Effects of chronic nicotine administration on nitric oxide synthase expression and activity in rat brain. <i>Journal of Neuroscience Research</i> , 2002, 67, 689-697.	1.3	18
48	Volumetric Changes in the Anterior Olfactory Nucleus of the Rat after Neonatal Olfactory Deprivation. <i>Experimental Neurology</i> , 2001, 171, 379-390.	2.0	11
49	Bilateral olfactory deprivation reveals a selective noradrenergic regulatory input to the olfactory bulb. <i>Neuroscience</i> , 2001, 102, 1-10.	1.1	22
50	Renal ischemia in the rat stimulates glomerular nitric oxide synthesis. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001, 280, R771-R779.	0.9	30
51	Calretinin-, neurocalcin-, and parvalbumin-immunoreactive elements in the olfactory bulb of the hedgehog (<i>Erinaceus europaeus</i>). <i>Journal of Comparative Neurology</i> , 2001, 429, 554-570.	0.9	26
52	Chemical organization of the macaque monkey olfactory bulb: II. Calretinin, calbindin D-28k, parvalbumin, and neurocalcin immunoreactivity. <i>Journal of Comparative Neurology</i> , 2001, 432, 389-407.	0.9	33
53	A Sexually Dimorphic Group of Atypical Glomeruli in the Mouse Olfactory Bulb. <i>Chemical Senses</i> , 2001, 26, 7-15.	1.1	28
54	Calretinin-, neurocalcin-, and parvalbumin-immunoreactive elements in the olfactory bulb of the hedgehog (<i>Erinaceus europaeus</i>). <i>Journal of Comparative Neurology</i> , 2001, 429, 554-70.	0.9	4

#	ARTICLE	IF	CITATIONS
55	Expression of neuronal nitric oxide synthase/NADPH-diaphorase during olfactory deafferentation and regeneration. <i>European Journal of Neuroscience</i> , 2000, 12, 1177-1193.	1.2	32
56	Subcellular localization of m2 muscarinic receptors in GABAergic interneurons of the olfactory bulb. <i>European Journal of Neuroscience</i> , 2000, 12, 3963-3974.	1.2	40
57	Co-localization of cart peptide immunoreactivity and nitric oxide synthase activity in rat hypothalamus. <i>Brain Research</i> , 2000, 868, 352-357.	1.1	20
58	Distribution of the calcium-binding proteins parvalbumin, calbindin D-28k and calretinin in the retina of two teleosts. <i>Journal of Chemical Neuroanatomy</i> , 2000, 19, 1-15.	1.0	42
59	Distribution of acetylcholinesterase and choline acetyltransferase in the main and accessory olfactory bulbs of the hedgehog(<i>Erinaceus europaeus</i>). , 1999, 403, 53-67.		15
60	Coexpression of neurocalcin with other calcium-binding proteins in the rat main olfactory bulb. , 1999, 407, 404-414.		40
61	Distribution of parvalbumin immunoreactivity in the brain of the tench (<i>Tinca tinca</i> L., 1758). , 1999, 413, 549-571.		31
62	Calretinin immunoreactivity in the anterior olfactory nucleus of the rat. <i>Brain Research</i> , 1998, 789, 101-110.	1.1	10
63	Neurocalcin immunoreactivity in the rat main olfactory bulb. <i>Brain Research</i> , 1998, 795, 204-214.	1.1	13
64	Parvalbumin immunoreactivity during the development of the cerebellum of the rainbow trout. <i>Developmental Brain Research</i> , 1998, 109, 221-227.	2.1	22
65	NADPH-diaphorase histochemistry reveals heterogeneity in the distribution of nitric oxide synthase-expressing interneurons between olfactory glomeruli in two mouse strains. <i>Journal of Neuroscience Research</i> , 1998, 53, 239-250.	1.3	11
66	Chemical anatomy of the Macaque monkey olfactory bulb: NADPH-diaphorase/nitric oxide synthase activity. <i>Journal of Comparative Neurology</i> , 1998, 402, 419-434.	0.9	32
67	Neurocalcin-immunoreactive cells in the rat hippocampus are GABAergic interneurons. , 1998, 8, 2-23.		11
68	Co-localization of calretinin and parvalbumin with nicotinamide adenine dinucleotide phosphate-diaphorase in tench Mauthner cells. <i>Neuroscience Letters</i> , 1998, 250, 107-110.	1.0	11
69	Transient expression of calretinin in the trout habenulo-interpeduncular system during development. <i>Neuroscience Letters</i> , 1998, 254, 9-12.	1.0	10
70	Partial co-existence of NADPH-diaphorase and acetylcholinesterase in the hypothalamic magnocellular secretory nuclei of the rat. <i>Journal of Chemical Neuroanatomy</i> , 1998, 14, 71-78.	1.0	15
71	Nonspecific Labeling of Myelin with Secondary Antisera and High Concentrations of Triton X-100. <i>Journal of Histochemistry and Cytochemistry</i> , 1998, 46, 109-117.	1.3	17
72	NADPH-diaphorase/nitric oxide synthase-positive elements in the human olfactory bulb. <i>NeuroReport</i> , 1998, 9, 3141-3146.	0.6	10

#	ARTICLE	IF	CITATIONS
73	Neurocalcin-immunoreactive cells in the rat hippocampus are GABAergic interneurons. <i>Hippocampus</i> , 1998, 8, 2-23.	0.9	1
74	Tyrosine hydroxylase-like immunoreactivity in the brain of the teleost fish <i>Tinca tinca</i> . <i>Archives Italiennes De Biologie</i> , 1998, 136, 17-44.	0.1	18
75	McAB 300 antibody against calbindin D-28K is a glial marker in the teleost brain. <i>Archives Italiennes De Biologie</i> , 1998, 136, 77-81.	0.1	3
76	Chemical anatomy of the macaque monkey olfactory bulb: NADPH-diaphorase/nitric oxide synthase activity. <i>Journal of Comparative Neurology</i> , 1998, 402, 419-34.	0.9	12
77	Segregated distribution of TH-immunoreactivity in olfactory glomeruli. <i>NeuroReport</i> , 1997, 8, 2311-2316.	0.6	7
78	Calretinin- and parvalbumin-immunoreactive neurons in the rat main olfactory bulb do not express NADPH-diaphorase activity. <i>Journal of Chemical Neuroanatomy</i> , 1997, 13, 253-264.	1.0	26
79	Calcium-binding proteins in the periglomerular region of typical and atypical olfactory glomeruli. <i>Brain Research</i> , 1997, 745, 293-302.	1.1	35
80	Calretinin immunoreactivity in the developing olfactory system of the rainbow trout. <i>Developmental Brain Research</i> , 1997, 100, 101-109.	2.1	35
81	Transient expression of NADPH-diaphorase/nitric oxide synthase in the paratenial nucleus of the rat thalamus. <i>Developmental Brain Research</i> , 1997, 101, 177-186.	2.1	4
82	Distribution of NADPH-diaphorase and nitric oxide synthase in relation to catecholaminergic neuronal structures in the brain of the lizard <i>Gekko gekko</i> . <i>Journal of Comparative Neurology</i> , 1997, 377, 121-41.	0.9	15
83	Segregated distribution of nitric oxide synthase-positive cells in the periglomerular region of typical and atypical olfactory glomeruli. <i>Neuroscience Letters</i> , 1996, 205, 149-152.	1.0	12
84	Nitric oxide synthase activity in the olfactory bulb of anuran and urodele amphibians. <i>Brain Research</i> , 1996, 724, 67-72.	1.1	24
85	Nitric oxide synthase in the brain of a urodele amphibian (<i>Pleurodeles waltl</i>) and its relation to catecholaminergic neuronal structures. <i>Brain Research</i> , 1996, 727, 49-64.	1.1	61
86	Neurocalcin immunoreactivity in the rat accessory olfactory bulb. <i>Brain Research</i> , 1996, 729, 82-89.	1.1	12
87	Topographical distribution of NADPH-diaphorase activity in the central nervous system of the frog, <i>Rana perezi</i> . <i>Journal of Comparative Neurology</i> , 1996, 367, 54-69.	0.9	88
88	Cholinergic innervation of the primate hippocampal formation: II. Effects of fimbria/fornix transection. , 1996, 375, 527-551.		41
89	NADPH-DIAPHORASE AND GnRH: ANATOMICAL RELATIONSHIP IN THE RAT HYPOTHALAMUS . <i>Biomedical Research</i> , 1996, 17, 359-364.	0.3	0
90	Neurocalcin immunoreactivity in the rat accessory olfactory bulb. <i>Brain Research</i> , 1996, 729, 82-9.	1.1	0

#	ARTICLE	IF	CITATIONS
91	Absence of coexistence between NADPH-diaphorase and antidiuretic hormone in the hypothalamus of two galliforms: Japanese quail (<i>Coturnix japonica</i>) and chicken (<i>Gallus domesticus</i>). <i>Neuroscience Letters</i> , 1996, 216, 155-8.	1.0	3
92	Calbindin D-28k and parvalbumin expression in mitotic cells of rat primary cortical cultures. <i>NeuroReport</i> , 1995, 6, 1137-1140.	0.6	1
93	NADPH-diaphorase active and calbindin D-28k-immunoreactive neurons and fibers in the olfactory bulb of the hedgehog (<i>Erinaceus europaeus</i>). <i>Journal of Comparative Neurology</i> , 1995, 351, 307-327.	0.9	45
94	NADPH-Diaphorase in the central nervous system of the tench (<i>tinca tinca</i> L., 1758). <i>Journal of Comparative Neurology</i> , 1995, 352, 398-420.	0.9	66
95	Cholinergic innervation of the primate hippocampal formation. I. Distribution of choline acetyltransferase immunoreactivity in the <i>Macaca fascicularis</i> and <i>Macaca mulatta</i> monkeys. <i>Journal of Comparative Neurology</i> , 1995, 355, 135-170.	0.9	59
96	Calretinin-like immunoreactivity in the optic tectum of the tench (<i>Tinca tinca</i> L.). <i>Brain Research</i> , 1995, 671, 112-118.	1.1	23
97	Calbindin D-28k immunoreactivity in the rat accessory olfactory bulb. <i>Brain Research</i> , 1995, 689, 93-100.	1.1	12
98	Colocalization of NADPH-diaphorase and acetylcholinesterase in the rat olfactory bulb. <i>Journal of Chemical Neuroanatomy</i> , 1995, 9, 207-216.	1.0	11
99	Histochemical localization of NADPH-diaphorase in the rat accessory olfactory bulb. <i>Chemical Senses</i> , 1994, 19, 413-424.	1.1	19
100	Topographical distribution of reduced nicotinamide adenine dinucleotide phosphate-diaphorase in the brain of the Japanese quail. <i>Journal of Comparative Neurology</i> , 1994, 342, 97-114.	0.9	80
101	Coexistence of NADPH-diaphorase with vasopressin and oxytocin in the hypothalamic magnocellular neurosecretory nuclei of the rat. <i>Cell and Tissue Research</i> , 1994, 276, 31-34.	1.5	117
102	Parvalbumin immunoreactivity in the telencephalic hemispheres of the tench, <i>Tinca tinca</i> . <i>Archives Italiennes De Biologie</i> , 1994, 132, 1-12.	0.1	5
103	Nicotinamide-adenine-dinucleotide-phosphate diaphorase-positive neurons and fibers in the nucleus olfactorius anterior of the rat. <i>Archives Italiennes De Biologie</i> , 1994, 132, 13-24.	0.1	5
104	Calretinin immunoreactivity in the magnocellular neurosecretory nuclei of the rat hypothalamus. <i>Acta Histochemica</i> , 1993, 95, 177-184.	0.9	5
105	Calbindin D-28K and NADPH-diaphorase activity are localized in different populations of periglomerular cells in the rat olfactory bulb. <i>Journal of Chemical Neuroanatomy</i> , 1993, 6, 1-6.	1.0	51
106	Volumetric Analysis of the Telencephalon and Tectum During Metamorphosis in a Flatfish, the Turbot & <i>Scophthalmus maximus</i> . <i>Brain, Behavior and Evolution</i> , 1993, 41, 1-5.	0.9	15
107	Infrequent cellular coexistence of NADPH-diaphorase and calretinin in the neurosecretory nuclei and adjacent areas of the rat hypothalamus. <i>Journal of Chemical Neuroanatomy</i> , 1993, 6, 335-341.	1.0	30
108	CaBP D-28k and NADPH-diaphorase coexistence in the magnocellular neurosecretory nuclei. <i>NeuroReport</i> , 1992, 3, 249-252.	0.6	38

#	ARTICLE	IF	CITATIONS
109	Partial coexistence of NADPH-diaphorase and somatostatin in the rat hypothalamic paraventricular nucleus. <i>Neuroscience Letters</i> , 1992, 148, 101-104.	1.0	44
110	NADPH-diaphorase activity in the hypothalamic magnocellular neurosecretory nuclei of the rat. <i>Brain Research Bulletin</i> , 1992, 28, 599-603.	1.4	111
111	Distribution of calbindin D-28K and parvalbumin immunoreactivities in the nucleus olfactorius anterior of the rat. <i>Brain Research Bulletin</i> , 1992, 29, 783-793.	1.4	9
112	Calbindin D-28K- and parvalbumin-reacting neurons in the hypothalamic magnocellular neurosecretory nuclei of the rat. <i>Brain Research Bulletin</i> , 1992, 28, 39-46.	1.4	21
113	Parvalbumin immunoreactive neurons and fibres in the teleost cerebellum. <i>Anatomy and Embryology</i> , 1992, 185, 355-61.	1.5	32
114	Calbindin D-28k-positive neurons in the rat olfactory bulb. <i>Cell and Tissue Research</i> , 1992, 269, 289-297.	1.5	62
115	An atlas of the brain of the tench (<i>Tinca tinca</i> L., 1758; Cyprinidae, Teleostei). <i>Journal für Hirnforschung</i> , 1992, 33, 487-97.	0.0	4
116	Staining with Ziehl's fuchsin of semithin sections mounted on slides. <i>Anatomischer Anzeiger</i> , 1991, 173, 117-20.	0.1	0
117	Distribution of parvalbumin-immunoreactivity in the rat thalamus using a monoclonal antibody. <i>Archives Italiennes De Biologie</i> , 1991, 129, 199-210.	0.1	20
118	Interspecies differences in the substance P- and vasoactive intestinal polypeptide-like immunoreactivities in the olfactory bulb of <i>Salmo gairdneri</i> and <i>Barbus meridionalis</i> . <i>Journal of Neuroscience Research</i> , 1990, 25, 103-111.	1.3	6
119	Distribution of neuropeptide Y-like immunoreactive cell bodies and fibers in the brain stem of the cat. <i>Brain Research Bulletin</i> , 1990, 25, 675-683.	1.4	33
120	Distribution of parvalbumin immunoreactivity in the rat septal area. <i>Brain Research Bulletin</i> , 1990, 24, 41-48.	1.4	28
121	Distribution of neuropeptide Y-like immunoreactive fibers in the cat thalamus. <i>Peptides</i> , 1990, 11, 45-50.	1.2	16
122	Tyrosine Hydroxylase Immunoreactivity in a Subpopulation of Granule Cells in the Olfactory Bulb of Teleost Fish. <i>Brain, Behavior and Evolution</i> , 1989, 34, 318-324.	0.9	21
123	Hippocampo-septal fibers terminate on identified spiny neurons in the lateral septum: A combined Golgi/electron-microscopic and degeneration study in the rat. <i>Cell and Tissue Research</i> , 1989, 258, 243-6.	1.5	25
124	Organization of the septal region in the rat brain: A Golgi/EM study of lateral septal neurons. <i>Journal of Comparative Neurology</i> , 1989, 286, 472-487.	0.9	59
125	Immunocytochemical study of enkephalin-like cell bodies in the thalamus of the rat. <i>Brain Research Bulletin</i> , 1989, 23, 277-281.	1.4	9
126	Neuropeptide Y-like immunoreactivity in the brain stem respiratory nuclei of the cat. <i>Brain Research Bulletin</i> , 1989, 23, 201-207.	1.4	14

#	ARTICLE	IF	CITATIONS
127	Substance P-like immunoreactivity in the ganglion cells of the tench terminal nerve. <i>Neuroscience Letters</i> , 1989, 106, 253-257.	1.0	9
128	Distribution of vasoactive intestinal polypeptide-like immunoreactivity in the olfactory bulb of the rainbow trout (<i>Salmo gairdneri</i>). <i>Brain Research</i> , 1989, 490, 385-389.	1.1	13
129	Immunocytochemical study of angiotensin II cell bodies in the rat thalamus. <i>Brain Research</i> , 1989, 481, 185-189.	1.1	6
130	Immunocytochemical study of angiotensin-II fibres and cell bodies in the brainstem respiratory areas of the cat. <i>Brain Research</i> , 1989, 489, 311-317.	1.1	21
131	The Cavum Septi Pellucidi: A Fifth Ventricle?. <i>Cells Tissues Organs</i> , 1989, 134, 286-290.	1.3	4
132	Cell proliferation in the olfactory bulb of adult freshwater teleosts. <i>Journal of Anatomy</i> , 1989, 163, 155-63.	0.9	18
133	Immunocytochemical study of substance P-like cell bodies and fibres in the brain of the rainbow trout, <i>Salmo gairdneri</i> . <i>Journal of Anatomy</i> , 1989, 165, 191-200.	0.9	24
134	Immunocytochemical study of parvalbumin fibers and cell bodies in the rat hypothalamus. <i>Archives Italiennes De Biologie</i> , 1989, 127, 265-73.	0.1	4
135	Comparative study of the anatomy and laminar organization in the olfactory bulb of three orders of freshwater teleosts. <i>Gegenbaurs Morphologisches Jahrbuch</i> , 1989, 135, 241-54.	0.0	0
136	Afferent projections from the brainstem to the area hypothalamica dorsalis: a horseradish peroxidase study in the cat. <i>Archives Italiennes De Biologie</i> , 1989, 127, 165-72.	0.1	0
137	Scanning Electron Microscopy Study of Starch Granule Degradation in Chick-pea Cotyledons. <i>Starch/Staerke</i> , 1988, 40, 211-214.	1.1	2
138	Immunocytochemical study of substance P-like fibres and cell bodies in the cat diencephalon. <i>Journal FÅ¼r Hirnforschung</i> , 1988, 29, 651-7.	0.0	3
139	A modified watchmaker's forceps for optimal transfer of thin and semithin sections. <i>Biotechnic & Histochemistry</i> , 1988, 63, 376-7.	0.4	0
140	Ruffed cells in the olfactory bulb of freshwater teleosts. I. Golgi impregnation. <i>Journal of Anatomy</i> , 1987, 155, 101-7.	0.9	14
141	Dense osmiophilic material in the surface of the olfactory bulb in the teleost <i>Cyprinus carpio</i> L. <i>Journal FÅ¼r Hirnforschung</i> , 1987, 28, 233-5.	0.0	1
142	Structural organization of the optic tectum of <i>Barbus meridionalis</i> Risso. I. Inner strata (SPV, SAC and Tj). <i>ETQq0 0 0.784314 rgBT /Overlock 10 T</i>	0.9	2
143	Structural organization of the optic tectum of <i>Barbus meridionalis</i> Risso. II. Outer strata (SFGS, SO). <i>ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	0.0	1