

# Francesco Chierigo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1128364/francesco-chierigo-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50  
papers

270  
citations

9  
h-index

14  
g-index

82  
ext. papers

443  
ext. citations

2.9  
avg, IF

3.31  
L-index

#	Paper	IF	Citations
50	Up- and downgrading in single intermediate-risk positive biopsy core prostate cancer.. <i>Prostate International</i> , <b>2022</b> , 10, 21-27	3.4	
49	Plasmacytoid variant urothelial carcinoma of the bladder: effect of radical cystectomy and chemotherapy in non-metastatic and metastatic patients.. <i>World Journal of Urology</i> , <b>2022</b> , 1	4	2
48	The effect of neoadjuvant chemotherapy among patients undergoing radical cystectomy for variant histology bladder cancer: A systematic review.. <i>Arab Journal of Urology Arab Association of Urology</i> , <b>2022</b> , 20, 1-13	1.7	3
47	Cancer-specific survival after radical prostatectomy versus external beam radiotherapy in high-risk and very high-risk African American prostate cancer patients. <i>Prostate</i> , <b>2022</b> , 82, 120-131	4.2	1
46	Survival after radical prostatectomy versus radiation therapy in clinical node-positive prostate cancer.. <i>Prostate</i> , <b>2022</b> ,	4.2	1
45	Effect of Neoadjuvant Chemotherapy on Complications, in-Hospital Mortality, Length of Stay and Total Hospital Costs in Bladder Cancer Patients Undergoing Radical Cystectomy.. <i>Cancers</i> , <b>2022</b> , 14,	6.6	2
44	Radiation therapy after radical prostatectomy is associated with higher other-cause mortality.. <i>Cancer Causes and Control</i> , <b>2022</b> , 33, 769	2.8	
43	Survival after Radical Prostatectomy versus Radiation Therapy in High-Risk and Very High-Risk Prostate Cancer. Reply.. <i>Journal of Urology</i> , <b>2022</b> , 101097JU00000000000002681	2.5	
42	Life expectancy in metastatic urothelial bladder cancer patients according to race/ethnicity.. <i>International Urology and Nephrology</i> , <b>2022</b> , 1	2.3	1
41	Response to Re: External beam radiotherapy and radical prostatectomy are associated with better survival in Asian prostate cancer patients. <i>International Journal of Urology</i> , <b>2021</b> ,	2.3	2
40	Immuno-oncology therapy in metastatic bladder cancer: A systematic review and network meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , <b>2021</b> , 169, 103534	7	0
39	Survival after radical prostatectomy vs. radiation therapy in ductal carcinoma of the prostate. <i>International Urology and Nephrology</i> , <b>2021</b> , 1	2.3	0
38	Effect of Chemotherapy on Overall Survival in Contemporary Metastatic Prostate Cancer Patients. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 778858	5.3	1
37	Cancer-specific mortality after radical prostatectomy vs external beam radiotherapy in high-risk Hispanic/Latino prostate cancer patients. <i>International Urology and Nephrology</i> , <b>2021</b> , 54, 81	2.3	1
36	Survival benefit of chemotherapy in a contemporary cohort of metastatic urachal carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> ,	2.8	3
35	Pattern of Biopsy Gleason Grade Group 5 (4 + 5 vs 5 + 4 vs 5 + 5) Predicts Survival After Radical Prostatectomy or External Beam Radiation Therapy. <i>European Urology Focus</i> , <b>2021</b> ,	5.1	6
34	Non-cancer mortality in elderly prostate cancer patients treated with combination of radical prostatectomy and external beam radiation therapy. <i>Prostate</i> , <b>2021</b> , 81, 728-735	4.2	9

33	Presence of biopsy Gleason pattern 5 + 3 is associated with higher mortality after radical prostatectomy but not after external beam radiotherapy compared to other Gleason Grade Group IV patterns. <i>Prostate</i> , <b>2021</b> , 81, 778-784	4.2	1
32	Nomogram Predicting Downgrading in National Comprehensive Cancer Network High-risk Prostate Cancer Patients Treated with Radical Prostatectomy. <i>European Urology Focus</i> , <b>2021</b> ,	5.1	4
31	Assessment of the optimal number of positive biopsy cores to discriminate between cancer-specific mortality in high-risk versus very high-risk prostate cancer patients. <i>Prostate</i> , <b>2021</b> , 81, 1055-1063	4.2	2
30	External beam radiotherapy and radical prostatectomy are associated with better survival in Asian prostate cancer patients. <i>International Journal of Urology</i> , <b>2021</b> ,	2.3	4
29	Improvement in overall and cancer-specific survival in contemporary, metastatic prostate cancer chemotherapy exposed patients. <i>Prostate</i> , <b>2021</b> , 81, 1374-1381	4.2	2
28	Increased risk of postoperative in-hospital complications after radical prostatectomy in patients with prior organ transplant. <i>Prostate</i> , <b>2021</b> , 81, 1294-1302	4.2	
27	Survival after Radical Prostatectomy versus Radiation Therapy in High-Risk and Very High-Risk Prostate Cancer. <i>Journal of Urology</i> , <b>2021</b> , 101097JU00000000000002250	2.5	3
26	Sexuality during COVID lockdown: a cross-sectional Italian study among hospital workers and their relatives. <i>International Journal of Impotence Research</i> , <b>2021</b> , 33, 131-136	2.3	13
25	Minimally invasive strategies for the treatment of prostate cancer recurrence after radiation therapy: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 563-578	4.4	4
24	Leukocytospermia is not an informative predictor of positive semen culture in infertile men: results from a validation study of available guidelines. <i>Human Reproduction Open</i> , <b>2020</b> , 2020, hoaa039	6.1	7
23	Clinical Profile of Young Patients with Erectile Dysfunction: Preliminary Findings of a Real-life Cross-sectional Study. <i>European Urology Focus</i> , <b>2020</b> , 6, 184-189	5.1	8
22	Lower urinary tract symptoms and depressive symptoms among patients presenting for distressing early ejaculation. <i>International Journal of Impotence Research</i> , <b>2020</b> , 32, 207-212	2.3	6
21	Undiagnosed prediabetes status is associated with a reduced effectiveness of phosphodiesterase type 5 inhibitors in men with erectile dysfunction. <i>International Journal of Impotence Research</i> , <b>2020</b> , 32, 393-400	2.3	2
20	Clinical Comparison of Holmium Laser Enucleation of the Prostate and Bipolar Transurethral Enucleation of the Prostate in Patients Under Either Anticoagulation or Antiplatelet Therapy. <i>European Urology Focus</i> , <b>2020</b> , 6, 720-728	5.1	19
19	Should We Tailor the Clinical Management of Erectile Dysfunction According to Different Ages?. <i>Journal of Sexual Medicine</i> , <b>2019</b> , 16, 999-1004	1.1	5
18	Testicular pain as an atypical presentation of sarcoidosis. <i>Annals of the Royal College of Surgeons of England</i> , <b>2019</b> , 101, e99-e101	1.4	3
17	Long-Term Follow-Up After Penile Prosthesis Implantation-Survival and Quality of Life Outcomes. <i>Journal of Sexual Medicine</i> , <b>2019</b> , 16, 1827-1833	1.1	15
16	Heavy cigarette smoking and alcohol consumption are associated with impaired sperm parameters in primary infertile men. <i>Asian Journal of Andrology</i> , <b>2019</b> , 21, 478-485	2.8	34

15	PO-01-016 Premature ejaculation is not associated with prediabetes in men seeking medical help for sexual dysfunction: Findings from a cross-sectional study. <i>Journal of Sexual Medicine</i> , <b>2019</b> , 16, S53	1.1	
14	Undiagnosed prediabetes is highly prevalent in primary infertile men - results from a cross-sectional study. <i>BJU International</i> , <b>2019</b> , 123, 1070-1077	5.6	10
13	High-risk human papillomavirus in semen is associated with poor sperm progressive motility and a high sperm DNA fragmentation index in infertile men. <i>Human Reproduction</i> , <b>2019</b> , 34, 209-217	5.7	36
12	Age at First Presentation for Erectile Dysfunction: Analysis of Changes over a 12-yr Period. <i>European Urology Focus</i> , <b>2019</b> , 5, 899-905	5.1	11
11	The role of neutrophil-to-lymphocyte ratio in men with erectile dysfunction-preliminary findings of a real-life cross-sectional study. <i>Andrology</i> , <b>2018</b> , 6, 559-563	4.2	9
10	Male infertility as a proxy of the overall male health status. <i>Minerva Urology and Nephrology</i> , <b>2018</b> , 70, 286-299	2.3	6
9	Unrecognized Prediabetes Is Highly Prevalent in Men With Erectile Dysfunction-Results From a Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , <b>2018</b> , 15, 1117-1124	1.1	6
8	220 Temporal trend in patients' age at first assessment for erectile dysfunction. <i>Journal of Sexual Medicine</i> , <b>2018</b> , 15, S209	1.1	
7	228 Lower urinary tract symptoms among patients presenting for premature ejaculation. <i>Journal of Sexual Medicine</i> , <b>2018</b> , 15, S212	1.1	
6	098 Sexual life satisfaction related to erectile function across different ages. <i>Journal of Sexual Medicine</i> , <b>2018</b> , 15, S169	1.1	
5	443 Risk factors for erectile dysfunction among young men [findings of a real-life cross-sectional study. <i>Journal of Sexual Medicine</i> , <b>2018</b> , 15, S282-S283	1.1	
4	664 Prevalence of self-reported erectile dysfunction at first medical assessment in men with Peyronie's disease [Preliminary findings of a real-life cross-sectional study. <i>Journal of Sexual Medicine</i> , <b>2018</b> , 15, S382-S383	1.1	
3	Temporal Trend in Incidental Prostate Cancer Detection at Surgery for Benign Prostatic Hyperplasia. <i>Urology</i> , <b>2018</b> , 122, 152-157	1.6	17
2	Multiple PDE5Is use as a marker of decreased overall men's health: A real-life study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0201601	3.7	1
1	Attitude towards active surveillance: a cross-sectional survey among patients with uroandrological disorders. <i>BMJ Open</i> , <b>2018</b> , 8, e022495	3	1