

Seung Hwan Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1129215/seung-hwan-lee-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

852

citations

17

h-index

24

g-index

86

ext. papers

969

ext. citations

3

avg, IF

3.89

L-index

#	Paper	IF	Citations
86	Association between visceral adiposity and DDX11 as a predictor of aggressiveness of small clear-cell renal-cell carcinoma: a prospective clinical trial. <i>Cancer & Metabolism</i> , 2021 , 9, 15	5.4	0
85	The DEAD/DEAH Box Helicase, DDX11, Is Essential for the Survival of Advanced Clear Cell Renal Cell Carcinoma and Is a Determinant of PARP Inhibitor Sensitivity. <i>Cancers</i> , 2021 , 13,	6.6	2
84	Predicting Insignificant Prostate Cancer: Analysis of the Pathological Outcomes of Candidates for Active Surveillance according to the Pre-International Society of Urological Pathology (Pre-ISUP) 2014 Era the Post-ISUP2014 Era. <i>World Journal of Men's Health</i> , 2021 , 39, 550-558	6.8	1
83	Prediction of High-Grade Clear Cell Renal Cell Carcinoma Based on Plasma mRNA Profiles in Patients with Localized Pathologic T1N0M0 Stage Disease. <i>Cancers</i> , 2020 , 12,	6.6	3
82	Gene Expression Analysis of Aggressive Clinical T1 Stage Clear Cell Renal Cell Carcinoma for Identifying Potential Diagnostic and Prognostic Biomarkers. <i>Cancers</i> , 2020 , 12,	6.6	11
81	Enzalutamide in chemotherapy-naive patients with metastatic castration-resistant prostate cancer: A retrospective Korean multicenter study in a real-world setting. <i>Investigative and Clinical Urology</i> , 2020 , 61, 19-27	1.9	3
80	Development of substitute of R-spondin 1 for production of prostate organoid. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
79	Management of Patients With Advanced Prostate Cancer: Establishment of Treatment Guidelines Through Prostate Cancer Summit (PCAS) 2016 Composed of Korean Prostate Cancer Experts. <i>The Korean Journal of Urological Oncology</i> , 2020 , 18, 124-139	0.1	
78	Association between the neutrophil-to-lymphocyte ratio and intravesical prostatic protrusion in men with benign prostatic hyperplasia. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2020 , 12, 62-67	1.9	2
77	Trajectory of smoking and early bladder cancer risk among Korean young adult men. <i>Cancer Causes and Control</i> , 2020 , 31, 943-949	2.8	1
76	Effects of poloxamer-based thermo-sensitive sol-gel agent on urethral stricture after transurethral resection of the prostate for benign prostatic hyperplasia: a multicentre, single-blinded, randomised controlled trial. <i>BJU International</i> , 2020 , 125, 160-167	5.6	1
75	Report of the third Asian Prostate Cancer Study meeting. <i>Prostate International</i> , 2019 , 7, 60-67	3.4	4
74	Is Primary Androgen Deprivation Therapy a Suitable Option for Asian Patients With Prostate Cancer Compared With Radical Prostatectomy?. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019 , 17, 441-449	7.3	1
73	Pathological Characteristics of Prostate Cancer in Men Aged Journal of Korean Medical Science, 2019 , 34, e78	4.7	4
72	Efficacy and safety of HT080 for lower urinary tract symptoms associated with benign prostatic hyperplasia: A study protocol for a randomized, double-blind, placebo-controlled trial. <i>Medicine (United States)</i> , 2019 , 98, e17848	1.8	1
71	The Association of A Number of Predictive Factors for The Recurrence of Papillary Urothelial Neoplasm of Low Malignant Potential: Prognostic Analysis From Multiple Academic Centers. <i>Urology Journal</i> , 2019 , 16, 558-562	0.9	1
70	Effect of Climatic Parameters on Acute Urinary Retention Incidence. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018 , 10, 297-302	1.9	2

69	Cancer-Specific Mortality Among Korean Men with Localized or Locally Advanced Prostate Cancer Treated with Radical Prostatectomy Versus Radiotherapy: A Multi-Center Study Using Propensity Scoring and Competing Risk Regression Analyses. <i>Cancer Research and Treatment</i> , 2018 , 50, 129-137	5.2	12
68	Effects of age and comorbidity on survival vary according to risk grouping among patients with prostate cancer treated using radical prostatectomy: A retrospective competing-risk analysis from the K-CaP registry. <i>Medicine (United States)</i> , 2018 , 97, e12766	1.8	4
67	Stone heterogeneity index on single-energy noncontrast computed tomography can be a positive predictor of urinary stone composition. <i>PLoS ONE</i> , 2018 , 13, e0193945	3.7	2
66	Indications for a second prostate biopsy in patients suspected with prostate cancer after an initial negative prostate biopsy. <i>Prostate International</i> , 2017 , 5, 24-28	3.4	2
65	Pathological and oncological features of Korean prostate cancer patients eligible for active surveillance: analysis from the K-CaP registry. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 981-985	2.8	9
64	In Situ Forming Gelatin Hydrogels-Directed Angiogenic Differentiation and Activity of Patient-Derived Human Mesenchymal Stem Cells. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	10
63	Clinical Efficacy and Safety of Naftopidil Treatment for Patients with Benign Prostatic Hyperplasia and Hypertension: A Prospective, Open-Label Study. <i>Yonsei Medical Journal</i> , 2017 , 58, 800-806	3	4
62	Inherent characteristics of metachronous metastatic renal cell carcinoma in the era of targeted agents. <i>Oncotarget</i> , 2017 , 8, 78825-78837	3.3	4
61	Current status of active surveillance in prostate cancer. <i>Investigative and Clinical Urology</i> , 2016 , 57, 14-20.	1.9	20
60	Nonvisible tumors on multiparametric magnetic resonance imaging does not predict low-risk prostate cancer. <i>Prostate International</i> , 2015 , 3, 127-31	3.4	9
59	A comparison of epididymectomy with vasectomy reversal for the surgical treatment of postvasectomy pain syndrome. <i>International Urology and Nephrology</i> , 2014 , 46, 531-7	2.3	6
58	Effects of initial combined tamsulosin and solifenacin therapy for overactive bladder and bladder outlet obstruction secondary to benign prostatic hyperplasia: a prospective, randomized, multicenter study. <i>International Urology and Nephrology</i> , 2014 , 46, 523-9	2.3	26
57	Combined effects of brain-derived neurotrophic factor immobilized poly-lactic-co-glycolic acid membrane with human adipose-derived stem cells and basic fibroblast growth factor hydrogel on recovery of erectile dysfunction. <i>Tissue Engineering - Part A</i> , 2014 , 20, 2446-54	3.9	25
56	A simple procedure to prevent postoperative inguinal hernia after robot-assisted laparoscopic radical prostatectomy: a plugging method of the internal inguinal floor for patients with patent processus vaginalis. <i>Journal of Urology</i> , 2014 , 191, 468-72	2.5	9
55	Current role of treatment in men with lower urinary tract symptoms combined with overactive bladder. <i>Prostate International</i> , 2014 , 2, 43-9	3.4	4
54	Analysis of different tumor volume thresholds of insignificant prostate cancer and their implications for active surveillance patient selection and monitoring. <i>Prostate International</i> , 2014 , 2, 76-81	3.4	3
53	Feasibility of robot-assisted radical prostatectomy for very-high risk prostate cancer: surgical and oncological outcomes in men aged ≥70 years. <i>Prostate International</i> , 2014 , 2, 127-32	3.4	17
52	Unrecognized kinetics of serum testosterone: impact on short-term androgen deprivation therapy for prostate cancer. <i>Yonsei Medical Journal</i> , 2014 , 55, 570-5	3	3

51	Tumor lesion diameter on diffusion weighted magnetic resonance imaging could help predict insignificant prostate cancer in patients eligible for active surveillance: preliminary analysis. <i>Journal of Urology</i> , 2013 , 190, 1213-7	2.5	43
50	Patent processus vaginalis in adults who underwent robot-assisted laparoscopic radical prostatectomy: predictive signs of postoperative inguinal hernia in the internal inguinal floor. <i>International Journal of Urology</i> , 2013 , 20, 177-82	2.3	24
49	Laparoendoscopic single site varicocele ligation: comparison of testicular artery and lymphatic preservation versus complete testicular vessel ligation. <i>Journal of Urology</i> , 2013 , 189, 243-9	2.5	17
48	Low-risk prostate cancer patients without visible tumor (T1c) on multiparametric MRI could qualify for active surveillance candidate even if they did not meet inclusion criteria of active surveillance protocol. <i>Japanese Journal of Clinical Oncology</i> , 2013 , 43, 553-8	2.8	25
47	Evaluation of the 7th American Joint Committee on cancer TNM staging system for prostate cancer in point of classification of bladder neck invasion. <i>Japanese Journal of Clinical Oncology</i> , 2013 , 43, 184-8	2.8	10
46	Efficacy and safety of low-dose anticholinergics to treat men with lower urinary tract symptoms with overactive bladder: a retrospective study based on real life practice. <i>Prostate International</i> , 2013 , 1, 37-41	3.4	3
45	Peripheral zone prostate-specific antigen density: an effective parameter for prostate cancer prediction in men receiving 5 α -reductase inhibitors. <i>Prostate International</i> , 2013 , 1, 102-8	3.4	6
44	Can microfocal prostate cancer be regarded as low-risk prostate cancer?. <i>Prostate International</i> , 2013 , 1, 158-62	3.4	2
43	Effect of photoselective vaporization prostatectomy on lower urinary tract symptoms in benign prostatic hyperplasia with or without intravesical prostatic protrusion. <i>Korean Journal of Urology</i> , 2013 , 54, 36-41		12
42	Is small prostate volume a predictor of Gleason score upgrading after radical prostatectomy?. <i>Yonsei Medical Journal</i> , 2013 , 54, 902-6	3	13
41	The change of prostate cancer treatment in Korea: 5 year analysis of a single institution. <i>Yonsei Medical Journal</i> , 2013 , 54, 87-91	3	20
40	The Establishment of K-CaP (the Multicenter Korean Prostate Cancer Database). <i>Korean Journal of Urology</i> , 2013 , 54, 229-33		16
39	Can Western based online prostate cancer risk calculators be used to predict prostate cancer after prostate biopsy for the Korean population?. <i>Yonsei Medical Journal</i> , 2013 , 54, 665-71	3	8
38	Optimal timing to evaluate prediagnostic baseline erectile function in patients undergoing robot-assisted radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2012 , 9, 602-7	1.1	14
37	Comparison of the response to treatment between Asian and Caucasian men with benign prostatic hyperplasia: long-term results from the combination of dutasteride and tamsulosin study. <i>International Journal of Urology</i> , 2012 , 19, 1031-5	2.3	10
36	Magnetic resonance imaging targeted biopsy in men with previously negative prostate biopsy results. <i>Journal of Endourology</i> , 2012 , 26, 787-91	2.7	31
35	Survey on benign prostatic hyperplasia distribution and treatment patterns for men with lower urinary tract symptoms visiting urologists at general hospitals in Korea: a prospective, noncontrolled, observational cohort study. <i>Urology</i> , 2012 , 79, 1379-84	1.6	8
34	Treatment of prostatic abscess: case collection and comparison of treatment methods. <i>Korean Journal of Urology</i> , 2012 , 53, 860-4		42

33	Optimal baseline prostate-specific antigen level to distinguish risk of prostate cancer in healthy men between 40 and 69 years of age. <i>Journal of Korean Medical Science</i> , 2012 , 27, 40-5	4.7	6
32	Practice patterns of Korean urologists for screening and managing prostate cancer according to PSA level. <i>Yonsei Medical Journal</i> , 2012 , 53, 1136-41	3	9
31	Are clinically insignificant prostate cancers really insignificant among Korean men?. <i>Yonsei Medical Journal</i> , 2012 , 53, 358-62	3	12
30	Efficacy and safety of solifenacin to treat overactive bladder symptoms in patients with idiopathic normal pressure hydrocephalus: an open-label, multicenter, prospective study. <i>Neurourology and Urodynamics</i> , 2012 , 31, 1175-80	2.3	2
29	Is it suitable to eliminate bone scan for prostate cancer patients with PSA \geq 10 ng/mL?. <i>World Journal of Urology</i> , 2012 , 30, 265-9	4	16
28	Comparison of pathological outcomes of active surveillance candidates who underwent radical prostatectomy using contemporary protocols at a high-volume Korean center. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 1079-85	2.8	20
27	Change in International Prostate Symptom storage subscore after long-term medical therapy in BPH patients: finasteride and alpha-blocker combination therapy in men with moderate-to-severe LUTS/BPH in Korea. <i>Urology</i> , 2011 , 77, 171-6	1.6	8
26	Are men who undergo radical prostatectomy with lower urinary tract symptoms at an increased risk for aggressive prostate cancer?. <i>Korean Journal of Urology</i> , 2011 , 52, 819-23		3
25	Clinical features of familial or hereditary prostate cancer in Korean men: a pilot study. <i>Korean Journal of Urology</i> , 2011 , 52, 9-12		5
24	Impact of a retrotrigonal layer backup stitch on post-prostatectomy incontinence. <i>Korean Journal of Urology</i> , 2011 , 52, 709-14		2
23	Incidentally detected inguinoscrotal bladder hernia. <i>Korean Journal of Urology</i> , 2011 , 52, 71-3		15
22	Does performance of robot-assisted laparoscopic radical prostatectomy within 2 weeks of prostate biopsy affect the outcome?. <i>International Journal of Urology</i> , 2011 , 18, 141-6	2.3	4
21	The effects of long-term androgen deprivation therapy on penile length in patients with prostate cancer: a single-center, prospective, open-label, observational study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 3214-9	1.1	26
20	Association between urinary hesitancy symptoms and uroflowmetry measured urinary hesitancy time in men with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2011 , 30, 578-82	2.3	2
19	Comparison of the clinical efficacy of medical treatment of symptomatic benign prostatic hyperplasia between normal and obese patients. <i>Asian Journal of Andrology</i> , 2011 , 13, 728-31	2.8	9
18	The effects of the period between biopsy and diffusion-weighted magnetic resonance imaging on cancer staging in localized prostate cancer. <i>BJU International</i> , 2010 , 106, 1148-51	5.6	19
17	Trends in the incidence of benign pathological lesions at partial nephrectomy for presumed renal cell carcinoma in renal masses on preoperative computed tomography imaging: a single institute experience with 290 consecutive patients. <i>International Journal of Urology</i> , 2010 , 17, 512-6	2.3	11
16	Renal abscesses measuring 5 cm or less: outcome of medical treatment without therapeutic drainage. <i>Yonsei Medical Journal</i> , 2010 , 51, 569-73	3	31

15	Warm sitz bath: are there benefits after transurethral resection of the prostate?. <i>Korean Journal of Urology</i> , 2010 , 51, 763-6		6
14	Korean urologist's view of practice patterns in diagnosis and management of benign prostatic hyperplasia: a nationwide survey. <i>Yonsei Medical Journal</i> , 2010 , 51, 248-52	3	17
13	Robot-assisted radical prostatectomy in a patient with a preexisting three-piece inflatable penile prosthesis. <i>Korean Journal of Urology</i> , 2010 , 51, 70-2		5
12	The urologist's view of male overactive bladder: discrepancy between reality and belief in practical setting. <i>Yonsei Medical Journal</i> , 2010 , 51, 432-7	3	5
11	Incidentally discovered inverted papilloma of the urinary bladder in patients with lower urinary tract symptoms. <i>Journal of Endourology</i> , 2010 , 24, 271-5	2.7	7
10	Is endorectal coil necessary for the staging of clinically localized prostate cancer? Comparison of non-endorectal versus endorectal MR imaging. <i>World Journal of Urology</i> , 2010 , 28, 667-72	4	54
9	Efficacy and Safety of Alfuzosin 10 mg Once Daily in Patients with Lower Urinary Tract Symptoms Suggestive of Benign Prostatic Hyperplasia: A 6-Months Study in Real Life Practice. <i>Korean Journal of Urology</i> , 2009 , 50, 333		1
8	Effects of components of metabolic syndrome on sexual function in Korean BPH/LUTS patients. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2292-8	1.1	10
7	Effects of obesity on lower urinary tract symptoms in Korean BPH patients. <i>Asian Journal of Andrology</i> , 2009 , 11, 663-8	2.8	25
6	Twenty Years of Experience with Artificial Urinary Sphincter Implantation. <i>Korean Journal of Urology</i> , 2008 , 49, 520		
5	Estramustine Phosphate Based Chemotherapy for Hormone Refractory Prostate Cancer. <i>Korean Journal of Urology</i> , 2007 , 48, 684		4
4	Percutaneous treatment of renal cysts with OK-432 sclerosis. <i>Yonsei Medical Journal</i> , 2007 , 48, 270-3	3	7
3	Prognostic Significance of the Pre-operative Symptoms in Patients after Radical Nephrectomy for Treating Localized Renal Cell Carcinoma. <i>Korean Journal of Urology</i> , 2007 , 48, 1209		
2	Retroperitoneal Extraskelatal Osteosarcoma Misconstrued as a Primary Renal Tumor. <i>Korean Journal of Urology</i> , 2006 , 47, 1124		1
1	Frequency-Doubled Double-Pulse Nd:YAG (FREDDY) Laser for the Treatment of Ureteral Stone: Initial Experience. <i>Korean Journal of Urology</i> , 2006 , 47, 502		