

# Maria E Lund

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1130002/publications.pdf>

Version: 2024-02-01

15  
papers

620  
citations

933447

10  
h-index

996975

15  
g-index

15  
all docs

15  
docs citations

15  
times ranked

1131  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fasciola hepatica hijacks host macrophage miRNA machinery to modulate early innate immune responses. <i>Scientific Reports</i> , 2021, 11, 6712.	3.3	23
2	The parasite-derived peptide FhHDM-1 activates the PI3K/Akt pathway to prevent cytokine-induced apoptosis of $\beta$ 2-cells. <i>Journal of Molecular Medicine</i> , 2021, 99, 1605-1621.	3.9	7
3	Radioimmunotherapy for solid tumors: spotlight on Glypican-1 as a radioimmunotherapy target. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592110229.	3.2	3
4	Safety and tolerability of Miltuximab - a first in human study in patients with advanced solid cancers. <i>Asia Oceania Journal of Nuclear Medicine and Biology</i> , 2021, 9, 86-100.	0.1	2
5	A bispecific T cell engager targeting Glypican-1 redirects T cell cytolytic activity to kill prostate cancer cells. <i>BMC Cancer</i> , 2020, 20, 1214.	2.6	9
6	The Role of Glypican-1 in the Tumour Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1245, 163-176.	1.6	31
7	The parasitic 68-mer peptide FhHDM-1 inhibits mixed granulocytic inflammation and airway hyperreactivity in experimental asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 2316-2319.	2.9	9
8	The immune modulatory peptide FhHDM-1 secreted by the helminth <i>Fasciola hepatica</i> prevents NLRP3 inflammasome activation by inhibiting endolysosomal acidification in macrophages. <i>FASEB Journal</i> , 2017, 31, 85-95.	0.5	54
9	Selection of reliable reference genes for the normalisation of gene expression levels following time course LPS stimulation of murine bone marrow derived macrophages. <i>BMC Immunology</i> , 2017, 18, 43.	2.2	28
10	A parasite-derived 68-mer peptide ameliorates autoimmune disease in murine models of Type 1 diabetes and multiple sclerosis. <i>Scientific Reports</i> , 2016, 6, 37789.	3.3	34
11	The choice of phorbol 12-myristate 13-acetate differentiation protocol influences the response of THP-1 macrophages to a pro-inflammatory stimulus. <i>Journal of Immunological Methods</i> , 2016, 430, 64-70.	1.4	236
12	Secreted Proteins from the Helminth <i>Fasciola hepatica</i> Inhibit the Initiation of Autoreactive T Cell Responses and Prevent Diabetes in the NOD Mouse. <i>PLoS ONE</i> , 2014, 9, e86289.	2.5	59
13	Cathelicidin-like Helminth Defence Molecules (HDMs): Absence of Cytotoxic, Anti-microbial and Anti-protozoan Activities Imply a Specific Adaptation to Immune Modulation. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2307.	3.0	34
14	A helminth cathelicidin-like protein suppresses antigen processing and presentation in macrophages via inhibition of lysosomal vATPase. <i>FASEB Journal</i> , 2012, 26, 4614-4627.	0.5	71
15	Free Ig Light Chains Interact with Sphingomyelin and Are Found on the Surface of Myeloma Plasma Cells in an Aggregated Form. <i>Journal of Immunology</i> , 2010, 185, 4179-4188.	0.8	20