

Jose Posada-Villa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11302694/publications.pdf>

Version: 2024-02-01

107
papers

30,776
citations

15466

65
h-index

27345

106
g-index

107
all docs

107
docs citations

107
times ranked

33318
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2022, 52, 1948-1958. | 2.7 | 23 |
| 2 | Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2022, 303, 168-179. | 2.0 | 8 |
| 3 | Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095. | 1.6 | 7 |
| 4 | Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2022, 303, 273-285. | 2.0 | 9 |
| 5 | Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286. | 4.8 | 16 |
| 6 | Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, . | 1.1 | 1 |
| 7 | Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2021, 51, 2104-2116. | 2.7 | 21 |
| 8 | Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , 2021, 23, 565-583. | 1.1 | 7 |
| 9 | Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209. | 2.0 | 9 |
| 10 | Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392. | 1.1 | 10 |
| 11 | Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158. | 1.6 | 3 |
| 12 | Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e70. | 1.8 | 3 |
| 13 | The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020, 102, 106128. | 1.7 | 108 |
| 14 | Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2020, 37, 972-994. | 2.0 | 12 |
| 15 | The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019, 71, 103-112. | 1.6 | 45 |
| 16 | Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459. | 1.7 | 27 |
| 17 | Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 708. | 6.0 | 27 |
| 18 | Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2730-2739. | 2.7 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018, 35, 195-208. | 2.0 | 318 |
| 20 | Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288. | 1.6 | 79 |
| 21 | The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018, 113, 924-934. | 1.7 | 56 |
| 22 | The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2073-2084. | 2.7 | 46 |
| 23 | Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018, 19, 99-110. | 0.7 | 32 |
| 24 | The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018, 201, 46-53. | 1.1 | 20 |
| 25 | Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017, 74, 270. | 6.0 | 179 |
| 26 | Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017, 74, 465. | 6.0 | 274 |
| 27 | Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017, 210, 119-124. | 1.7 | 664 |
| 28 | Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017, 34, 315-326. | 2.0 | 33 |
| 29 | Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , 2017, 211, 373-380. | 1.7 | 82 |
| 30 | Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017, 16, 299-307. | 4.8 | 160 |
| 31 | Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. <i>JAMA Psychiatry</i> , 2017, 74, 1136. | 6.0 | 75 |
| 32 | Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2017, 211, 280-288. | 1.7 | 118 |
| 33 | Trauma and PTSD in the WHO World Mental Health Surveys. <i>HÅrgrre Utbildning</i> , 2017, 8, 1353383. | 1.4 | 801 |
| 34 | The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 353-367. | 1.6 | 19 |
| 35 | The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017, 9, 47-65. | 1.7 | 507 |
| 36 | The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017, 15, 143. | 2.3 | 258 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016, 42, 933-941. | 2.3 | 94 |
| 38 | Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016, 33, 1155-1177. | 2.0 | 144 |
| 39 | The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. <i>American Journal of Psychiatry</i> , 2016, 173, 997-1006. | 4.0 | 176 |
| 40 | Associations between DSM-IV mental disorders and subsequent onset of arthritis. <i>Journal of Psychosomatic Research</i> , 2016, 82, 11-16. | 1.2 | 6 |
| 41 | Association of Mental Disorders With Subsequent Chronic Physical Conditions. <i>JAMA Psychiatry</i> , 2016, 73, 150. | 6.0 | 372 |
| 42 | Associations between DSM-IV mental disorders and subsequent COPD diagnosis. <i>Journal of Psychosomatic Research</i> , 2015, 79, 333-339. | 1.2 | 12 |
| 43 | The Associations Between Preexisting Mental Disorders and Subsequent Onset of Chronic Headaches: A Worldwide Epidemiologic Perspective. <i>Journal of Pain</i> , 2015, 16, 42-52. | 0.7 | 29 |
| 44 | Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2015, 77, 375-384. | 0.7 | 197 |
| 45 | Proportion of patients without mental disorders being treated in mental health services worldwide. <i>British Journal of Psychiatry</i> , 2015, 206, 101-109. | 1.7 | 27 |
| 46 | How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2014, 13, 265-274. | 4.8 | 194 |
| 47 | DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW" AND "BROAD" APPROACHES. <i>Depression and Anxiety</i> , 2014, 31, 494-505. | 2.0 | 161 |
| 48 | Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. <i>Psycho-Oncology</i> , 2014, 23, 40-51. | 1.0 | 87 |
| 49 | Associations Between Subjective Social Status and DSM-IV Mental Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 1400. | 6.0 | 101 |
| 50 | Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014, 36, 142-149. | 1.2 | 102 |
| 51 | Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. <i>American Journal on Addictions</i> , 2014, 23, 145-155. | 1.3 | 15 |
| 52 | MAJOR DEPRESSIVE DISORDER SUBTYPES TO PREDICT LONG-TERM COURSE. <i>Depression and Anxiety</i> , 2014, 31, 765-777. | 2.0 | 56 |
| 53 | Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014, 59, 179-188. | 1.5 | 58 |
| 54 | Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. <i>Journal of Psychosomatic Research</i> , 2014, 76, 207-212. | 1.2 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 904-914. | 0.7 | 1,025 |
| 56 | Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 302-312. | 0.7 | 251 |
| 57 | Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. <i>British Journal of Psychiatry</i> , 2013, 202, 42-49. | 1.7 | 67 |
| 58 | Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 115-125. | 0.9 | 76 |
| 59 | Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e80573. | 1.1 | 119 |
| 60 | Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012, 200, 454-461. | 1.7 | 77 |
| 61 | Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2012, 200, 290-299. | 1.7 | 201 |
| 62 | An updated global picture of cigarette smoking persistence among adults. <i>Journal of Epidemiology and Global Health</i> , 2012, 2, 135. | 1.1 | 11 |
| 63 | Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2012, 72, 228-237. | 0.7 | 114 |
| 64 | Cross-national epidemiology of DSM-IV major depressive episode. <i>BMC Medicine</i> , 2011, 9, 90. | 2.3 | 1,541 |
| 65 | Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2011, 68, 90. | 13.8 | 410 |
| 66 | Prevalence and Correlates of Bipolar Spectrum Disorder in the World Mental Health Survey Initiative. <i>Archives of General Psychiatry</i> , 2011, 68, 241. | 13.8 | 1,931 |
| 67 | Association of Childhood Adversities and Early-Onset Mental Disorders With Adult-Onset Chronic Physical Conditions. <i>Archives of General Psychiatry</i> , 2011, 68, 838. | 13.8 | 281 |
| 68 | Treatment of suicidal people around the world. <i>British Journal of Psychiatry</i> , 2011, 199, 64-70. | 1.7 | 289 |
| 69 | The tobacco dependence dimension in Colombia. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2011, 29, 52-6. | 0.6 | 0 |
| 70 | Rapid-cycling bipolar disorder: cross-national community study. <i>British Journal of Psychiatry</i> , 2010, 196, 217-225. | 1.7 | 44 |
| 71 | Chronic Physical Conditions and Their Association With First Onset of Suicidal Behavior in the World Mental Health Surveys. <i>Psychosomatic Medicine</i> , 2010, 72, 712-719. | 1.3 | 178 |
| 72 | Childhood adversities as risk factors for onset and persistence of suicidal behaviour. <i>British Journal of Psychiatry</i> , 2010, 197, 20-27. | 1.7 | 278 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 114-121. | 1.7 | 156 |
| 74 | Cross-national differences in clinically significant cannabis problems: epidemiologic evidence from 'cannabis-only' smokers in the United States, Mexico, and Colombia. <i>BMC Public Health</i> , 2010, 10, 152. | 1.2 | 7 |
| 75 | Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. <i>Depression and Anxiety</i> , 2010, 27, 351-364. | 2.0 | 363 |
| 76 | Subtyping social anxiety disorder in developed and developing countries. <i>Depression and Anxiety</i> , 2010, 27, 390-403. | 2.0 | 52 |
| 77 | Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 4-22. | 1.1 | 953 |
| 78 | Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010, 5, e10574. | 1.1 | 273 |
| 79 | Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1617-1628. | 1.1 | 566 |
| 80 | Smoking estimates from around the world: data from the first 17 participating countries in the World Mental Health Survey Consortium. <i>Tobacco Control</i> , 2010, 19, 65-74. | 1.8 | 31 |
| 81 | Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 378-385. | 1.7 | 1,854 |
| 82 | Early Cannabis Use and Estimated Risk of Later Onset of Depression Spells: Epidemiologic Evidence From the Population-based World Health Organization World Mental Health Survey Initiative. <i>American Journal of Epidemiology</i> , 2010, 172, 149-159. | 1.6 | 64 |
| 83 | The Role of Criterion A2 in the DSM-IV Diagnosis of Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2010, 68, 465-473. | 0.7 | 80 |
| 84 | Evaluating the drug use "gateway" theory using cross-national data: Consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2010, 108, 84-97. | 1.6 | 228 |
| 85 | Early childhood adversity and later hypertension: data from the World Mental Health Survey. <i>Annals of Clinical Psychiatry</i> , 2010, 22, 19-28. | 0.6 | 80 |
| 86 | Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2009, 6, e1000123. | 3.9 | 592 |
| 87 | Prevalence of Suicide Risk Factors and Suicide-Related Outcomes in the National Mental Health Study, Colombia. <i>Suicide and Life-Threatening Behavior</i> , 2009, 39, 408-424. | 0.9 | 14 |
| 88 | Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load. <i>Pain</i> , 2009, 143, 76-83. | 2.0 | 82 |
| 89 | Childhood Predictors of Adult Attention-Deficit/Hyperactivity Disorder: Results from the World Health Organization World Mental Health Survey Initiative. <i>Biological Psychiatry</i> , 2009, 65, 46-54. | 0.7 | 346 |
| 90 | DSM-IV personality disorders in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2009, 195, 46-53. | 1.7 | 260 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Association of headache with childhood adversity and mental disorder: cross-national study. <i>British Journal of Psychiatry</i> , 2009, 194, 111-116. | 1.7 | 33 |
| 92 | Mental disorders among persons with diabetes—Results from the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2008, 65, 571-580. | 1.2 | 154 |
| 93 | Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1132-1143. | 2.4 | 128 |
| 94 | Adult smokers in Colombia: Who isn't giving it up?. <i>Addictive Behaviors</i> , 2008, 33, 412-421. | 1.7 | 13 |
| 95 | The relation between multiple pains and mental disorders: Results from the World Mental Health Surveys. <i>Pain</i> , 2008, 135, 82-91. | 2.0 | 260 |
| 96 | Common Chronic Pain Conditions in Developed and Developing Countries: Gender and Age Differences and Comorbidity With Depression-Anxiety Disorders. <i>Journal of Pain</i> , 2008, 9, 883-891. | 0.7 | 918 |
| 97 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. <i>British Journal of Psychiatry</i> , 2008, 192, 98-105. | 1.7 | 1,993 |
| 98 | Disability and treatment of specific mental and physical disorders across the world. <i>British Journal of Psychiatry</i> , 2008, 192, 368-375. | 1.7 | 326 |
| 99 | Childhood Adversity, Early-Onset Depressive/Anxiety Disorders, and Adult-Onset Asthma. <i>Psychosomatic Medicine</i> , 2008, 70, 1035-1043. | 1.3 | 91 |
| 100 | Toward a Global View of Alcohol, Tobacco, Cannabis, and Cocaine Use: Findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2008, 5, e141. | 3.9 | 629 |
| 101 | Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2007, 190, 402-409. | 1.7 | 1,118 |
| 102 | Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys. <i>Pain</i> , 2007, 129, 332-342. | 2.0 | 471 |
| 103 | Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. <i>Lancet, The</i> , 2007, 370, 841-850. | 6.3 | 1,271 |
| 104 | Mental disorders among adults with asthma: results from the World Mental Health Survey. <i>General Hospital Psychiatry</i> , 2007, 29, 123-133. | 1.2 | 251 |
| 105 | Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007, 6, 177-85. | 4.8 | 351 |
| 106 | Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007, 6, 168-76. | 4.8 | 1,239 |
| 107 | Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2581. | 3.8 | 2,696 |