Osmo Tervonen

List of Publications by Citations

Source: https://exaly.com/author-pdf/11302751/osmo-tervonen-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 5,634 41 74 g-index

93 6,477 4.3 4.94 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
91	Persistent default-mode network connectivity during light sedation. <i>Human Brain Mapping</i> , 2008 , 29, 839-47	5.9	433
90	Independent component analysis of nondeterministic fMRI signal sources. NeuroImage, 2003, 19, 253-	6 0 7.9	303
89	An allele of COL9A2 associated with intervertebral disc disease. <i>Science</i> , 1999 , 285, 409-12	33.3	294
88	Functional segmentation of the brain cortex using high model order group PICA. <i>Human Brain Mapping</i> , 2009 , 30, 3865-86	5.9	280
87	Periradicular infiltration for sciatica: a randomized controlled trial. <i>Spine</i> , 2001 , 26, 1059-67	3.3	255
86	The effect of model order selection in group PICA. Human Brain Mapping, 2010, 31, 1207-16	5.9	251
85	Alterations in regional homogeneity of resting-state brain activity in autism spectrum disorders. <i>Brain Research</i> , 2010 , 1321, 169-79	3.7	209
84	A sliding time-window ICA reveals spatial variability of the default mode network in time. <i>Brain Connectivity</i> , 2011 , 1, 339-47	2.7	188
83	Modic changes in endplates of lumbar vertebral bodies: prevalence and association with low back and sciatic pain among middle-aged male workers. <i>Spine</i> , 2007 , 32, 1116-22	3.3	186
82	A three-year follow-up of lumbar spine endplate (Modic) changes. Spine, 2006, 31, 1714-8	3.3	149
81	Slow vasomotor fluctuation in fMRI of anesthetized child brain. <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 373-8	4.4	145
80	Infra-slow EEG fluctuations are correlated with resting-state network dynamics in fMRI. <i>Journal of Neuroscience</i> , 2014 , 34, 356-62	6.6	139
79	Does lumbar disc degeneration on magnetic resonance imaging associate with low back symptom severity in young Finnish adults?. <i>Spine</i> , 2011 , 36, 2180-9	3.3	131
78	The treatment of disc-herniation-induced sciatica with infliximab: one-year follow-up results of FIRST II, a randomized controlled trial. <i>Spine</i> , 2006 , 31, 2759-66	3.3	124
77	Prevalence of degenerative imaging findings in lumbar magnetic resonance imaging among young adults. <i>Spine</i> , 2009 , 34, 1716-21	3.3	118
76	Midazolam sedation increases fluctuation and synchrony of the resting brain BOLD signal. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 531-7	3.3	118
75	Determinants of spontaneous resorption of intervertebral disc herniations. <i>Spine</i> , 2006 , 31, 1247-52	3.3	113

(2008-2009)

Preoperative localization of the sensorimotor area using independent component analysis of resting-state fMRI. <i>Magnetic Resonance Imaging</i> , 2009 , 27, 733-40	3.3	98
Efficacy of infliximab for disc herniation-induced sciatica: one-year follow-up. <i>Spine</i> , 2004 , 29, 2115-9	3.3	89
Group-ICA Model Order Highlights Patterns of Functional Brain Connectivity. <i>Frontiers in Systems Neuroscience</i> , 2011 , 5, 37	3.5	86
Cost effectiveness of periradicular infiltration for sciatica: subgroup analysis of a randomized controlled trial. <i>Spine</i> , 2001 , 26, 2587-95	3.3	82
Correlation of diffusion in lumbar intervertebral disks with occlusion of lumbar arteries: a study in adult volunteers. <i>Radiology</i> , 2001 , 221, 779-86	20.5	75
Alterations in regional homogeneity of baseline brain activity in pediatric temporal lobe epilepsy. <i>Brain Research</i> , 2011 , 1373, 221-9	3.7	69
Longitudinal changes in total brain volume in schizophrenia: relation to symptom severity, cognition and antipsychotic medication. <i>PLoS ONE</i> , 2014 , 9, e101689	3.7	68
Assessment of association between low back pain and paraspinal muscle atrophy using opposed-phase magnetic resonance imaging: a population-based study among young adults. <i>Spine</i> , 2011 , 36, 1961-8	3.3	67
Occupational and genetic risk factors associated with intervertebral disc disease. <i>Spine</i> , 2007 , 32, 1129	-34 3	65
Genetic susceptibility of intervertebral disc degeneration among young Finnish adults. <i>BMC Medical Genetics</i> , 2011 , 12, 153	2.1	61
Resting state fMRI reveals a default mode dissociation between retrosplenial and medial prefrontal subnetworks in ASD despite motion scrubbing. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 802	3.3	60
Tumor Necrosis Factor-Monoclonal Antibody, Infliximab, Used to Manage Severe Sciatica. <i>Spine</i> , 2003 , 28, 750-753	3.3	60
Association of abdominal obesity with lumbar disc degenerationa magnetic resonance imaging study. <i>PLoS ONE</i> , 2013 , 8, e56244	3.7	58
Association of modic changes, Schmorl's nodes, spondylolytic defects, high-intensity zone lesions, disc herniations, and radial tears with low back symptom severity among young Finnish adults. <i>Spine</i> , 2012 , 37, 1231-9	3.3	57
Severity of symptoms and signs in relation to magnetic resonance imaging findings among sciatic patients. <i>Spine</i> , 2001 , 26, E149-54	3.3	56
GroupICA dual regression analysis of resting state networks in a behavioral variant of frontotemporal dementia. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 461	3.3	54
Are the determinants of vertebral endplate changes and severe disc degeneration in the lumbar spine the same? A magnetic resonance imaging study in middle-aged male workers. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 51	2.8	49
Genetic factors are associated with modic changes in endplates of lumbar vertebral bodies. <i>Spine</i> , 2008 , 33, 1236-41	3.3	49
	Efficacy of infliximab for disc herniation-induced sciatica: one-year follow-up. <i>Spine</i> , 2004 , 29, 2115-9 Group-ICA Model Order Highlights Patterns of Functional Brain Connectivity. <i>Frontiers in Systems Neuroscience</i> , 2011 , 5, 37 Cost effectiveness of periradicular infiltration for sciatica: subgroup analysis of a randomized controlled trial. <i>Spine</i> , 2001 , 26, 2587-95 Correlation of diffusion in lumbar intervertebral disks with occlusion of lumbar arteries: a study in adult volunteers. <i>Radiology</i> , 2001 , 221, 779-86 Alterations in regional homogeneity of baseline brain activity in pediatric temporal lobe epilepsy. <i>Brain Research</i> , 2011 , 1373, 221-9 Longitudinal changes in total brain volume in schizophrenia: relation to symptom severity, cognition and antipsychotic medication. <i>PLoS ONE</i> , 2014 , 9, e101689 Assessment of association between low back pain and paraspinal muscle atrophy using opposed-phase magnetic resonance imaging: a population-based study among young adults. <i>Spine</i> , 2011 , 36, 1961-8 Occupational and genetic risk factors associated with intervertebral disc disease. <i>Spine</i> , 2007 , 32, 1129 Genetic susceptibility of intervertebral disc degeneration among young Finnish adults. <i>BMC Medical Genetics</i> , 2011 , 12, 153 Resting state fMRI reveals a default mode dissociation between retrosplenial and medial prefrontal subnetworks in ASD despite motion scrubbing. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 802 Tumor Necrosis Factor-IMonoclonal Antibody, Infliximab, Used to Manage Severe Sciatica. <i>Spine</i> , 2003 , 28, 750-753 Association of abdominal obesity with lumbar disc degeneration—a magnetic resonance imaging study. <i>PLoS ONE</i> , 2013 , 8, e56244 Association of modic changes, SchmortS nodes, spondylolytic defects, high-intensity zone lesions, disc herniations, and radial tears with low back symptom severity among young Finnish adults. <i>Spine</i> , 2012 , 37, 1231-9 Severity of symptoms and signs in relation to magnetic resonance imaging findings among sciatic patients.	Efficacy of infliximab for disc herniation-induced sciatica: one-year follow-up. Spine, 2004, 29, 2115-9 3.3 Group-ICA Model Order Highlights Patterns of Functional Brain Connectivity. Frontiers in Systems Neuroscience, 2011, 5, 37 Cost effectiveness of periradicular infiltration for sciatica: subgroup analysis of a randomized controlled trial. Spine, 2001, 26, 2587-95 Correlation of diffusion in lumbar intervertebral disks with occlusion of lumbar arteries: a study in adult volunteers. Radiology, 2001, 221, 779-86 Alterations in regional homogeneity of baseline brain activity in pediatric temporal lobe epilepsy. Brain Research, 2011, 1373, 221-9 Longitudinal changes in total brain volume in schizophrenia: relation to symptom severity, cognition and antipsychotic medication. PLoS ONE, 2014, 9, e101689 Assessment of association between low back pain and paraspinal muscle atrophy using opposed-phase magnetic resonance imaging: a population-based study among young adults. Spine, 2011, 36, 1961-8 Occupational and genetic risk factors associated with intervertebral disc disease. Spine, 2007, 32, 1129-3§3. Genetic susceptibility of intervertebral disc degeneration among young Finnish adults. BMC Medical Cenetics, 2011, 12, 153 Resting state fMRI reveals a default mode dissociation between retrosplenial and medial prefrontal subnetworks in ASD despite motion scrubbing. Frontiers in Human Neuroscience, 2013, 7, 802 Tumor Necrosis Factor-iMonoclonal Antibody, Infliximab, Used to Manage Severe Sciatica. Spine, 2003, 28, 750-753 Association of modic changes, Schmorl's nodes, spondylolytic defects, high-intensity zone lesions, disc herniations, and radial tears with low back symptom severity among young Finnish adults. Spine, 2013, 37, 1231-9 Severity of symptoms and signs in relation to magnetic resonance imaging findings among sciatic patients. Spine, 2001, 26, E149-54 Are the determinants of vertebral endplate changes and severe disc degeneration in the lumbar spine the same? A magnetic resonance imaging s

56	Tumor necrosis factor-alpha monoclonal antibody, infliximab, used to manage severe sciatica. <i>Spine</i> , 2003 , 28, 750-3; discussion 753-4	3.3	49
55	Interventional and intraoperative MRI at low field scannera review. <i>European Journal of Radiology</i> , 2005 , 56, 130-42	4.7	47
54	White matter in autism spectrum disorders - evidence of impaired fiber formation. <i>Acta Radiologica</i> , 2011 , 52, 1169-74	2	46
53	Modic changes in vertebral endplates: a comparison of MR imaging and multislice CT. <i>Skeletal Radiology</i> , 2009 , 38, 141-7	2.7	43
52	Comparison of methods for detecting nondeterministic BOLD fluctuation in fMRI. <i>Magnetic Resonance Imaging</i> , 2004 , 22, 197-203	3.3	42
51	Comparison of Diagnostic Performance of Semi-Quantitative Knee Ultrasound and Knee Radiography with MRI: Oulu Knee Osteoarthritis Study. <i>Scientific Reports</i> , 2016 , 6, 22365	4.9	42
50	Magnetic resonance imaging findings in relation to the COL9A2 tryptophan allele among patients with sciatica. <i>Spine</i> , 2002 , 27, 78-83	3.3	41
49	Connectivity disruptions in resting-state functional brain networks in children with temporal lobe epilepsy. <i>Epilepsy Research</i> , 2012 , 100, 168-78	3	38
48	Apparent diffusion coefficient in thoracolumbar intervertebral discs of healthy young volunteers. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 255-60	5.6	38
47	Aberrant Functional Connectivity in the Default Mode and Central Executive Networks in Subjects with Schizophrenia - A Whole-Brain Resting-State ICA Study. <i>Frontiers in Psychiatry</i> , 2015 , 6, 26	5	35
46	Separation of physiological very low frequency fluctuation from aliasing by switched sampling interval fMRI scans. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 41-6	3.3	33
45	Radiologic phenotypes in lumbar MR imaging for a gene defect in the COL9A3 gene of type IX collagen. <i>Radiology</i> , 2003 , 227, 143-8	20.5	31
44	Real-time monitoring of human blood-brain barrier disruption. <i>PLoS ONE</i> , 2017 , 12, e0174072	3.7	31
43	Efficacy of zoledronic acid for chronic low back pain associated with Modic changes in magnetic resonance imaging. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 64	2.8	29
42	Altered resting-state activity in seasonal affective disorder. Human Brain Mapping, 2014, 35, 161-72	5.9	26
41	Correction of low-frequency physiological noise from the resting state BOLD fMRIEffect on ICA default mode analysis at 1.5 T. <i>Journal of Neuroscience Methods</i> , 2010 , 186, 179-85	3	26
40	Age-Related Differences in Functional Nodes of the Brain Cortex - A High Model Order Group ICA Study. <i>Frontiers in Systems Neuroscience</i> , 2010 , 4,	3.5	25
39	Effects of repeatability measures on results of fMRI sICA: a study on simulated and real resting-state effects. <i>NeuroImage</i> , 2011 , 56, 554-69	7.9	23

(2016-2004)

38	Effect of periradicular methylprednisolone on spontaneous resorption of intervertebral disc herniations. <i>Spine</i> , 2004 , 29, 1601-7	3.3	23
37	Body mass index is associated with lumbar disc degeneration in young Finnish males: subsample of Northern Finland birth cohort study 1986. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 87	2.8	18
36	The effect of infliximab, a monoclonal antibody against TNF-alpha, on disc herniation resorption: a randomized controlled study. <i>Spine</i> , 2006 , 31, 2641-5	3.3	18
35	Gadolinium diethylenetriaminepentaacetic acid enhancement in magnetic resonance imaging in relation to symptoms and signs among sciatic patients: a cross-sectional study. <i>Spine</i> , 2002 , 27, 1433-7	3.3	18
34	Information about radiation dose and risks in connection with radiological examinations: what patients would like to know. <i>European Radiology</i> , 2016 , 26, 436-43	8	17
33	Attention and Working Memory in Adolescents with Autism Spectrum Disorder: A Functional MRI Study. <i>Child Psychiatry and Human Development</i> , 2016 , 47, 503-17	3.3	16
32	Justification and active guideline implementation for spine radiography referrals in primary care. <i>Acta Radiologica</i> , 2017 , 58, 586-592	2	16
31	Valence scaling of dynamic facial expressions is altered in high-functioning subjects with autism spectrum disorders: an fMRI study. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 1011-24	4.6	16
30	Association Between Modic Changes and Low Back Pain in Middle Age: A Northern Finland Birth Cohort Study. <i>Spine</i> , 2020 , 45, 1360-1367	3.3	16
29	MRI-guidance in percutaneous core decompression of osteonecrosis of the femoral head. <i>European Radiology</i> , 2016 , 26, 1180-5	8	13
28	Comparison of consumer grade, tablet and 6MP-displays: observer performance in detection of anatomical and pathological structures in panoramic radiographs. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014 , 118, 135-41	2	13
27	The variability of functional MRI brain signal increases in Alzheimer's disease at cardiorespiratory frequencies. <i>Scientific Reports</i> , 2020 , 10, 21559	4.9	12
26	A new immunometabolic perspective of intervertebral disc degeneration. <i>Nature Reviews Rheumatology</i> , 2021 ,	8.1	12
25	Fluctuations of the EEG-fMRI correlation reflect intrinsic strength of functional connectivity in default mode network. <i>Journal of Neuroscience Research</i> , 2018 , 96, 1689-1698	4.4	12
24	Combined spatiotemporal ICA (stICA) for continuous and dynamic lag structure analysis of MREG data. <i>NeuroImage</i> , 2017 , 148, 352-363	7.9	11
23	The effect of zoledronic acid on type and volume of Modic changes among patients with low back pain. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 274	2.8	11
22	Association of lumbar artery narrowing, degenerative changes in disc and endplate and apparent diffusion in disc on postcontrast enhancement of lumbar intervertebral disc. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2009 , 22, 101-9	2.8	11
21	Effect of display type, DICOM calibration and room illuminance in bitewing radiographs. <i>Dentomaxillofacial Radiology</i> , 2016 , 45, 20150129	3.9	10

20	Human Heart Pulse Wave Responses Measured Simultaneously at Several Sensor Placements by Two MR-Compatible Fibre Optic Methods. <i>Journal of Sensors</i> , 2012 , 2012, 1-8	2	10
19	Directional connectivity of resting state human fMRI data using cascaded ICA-PDC analysis. <i>Acta Radiologica</i> , 2011 , 52, 1037-42	2	9
18	MRI-guided laser ablation of neuroendocrine tumor hepatic metastases. <i>Acta Radiologica Short Reports</i> , 2014 , 3, 2047981613499753		8
17	MR imaging in tibial shaft fractures. A potential method for early visualization of delayed union. <i>Acta Radiologica</i> , 1999 , 40, 410-4	2	8
16	DTI abnormalities in adults with past history of attention deficit hyperactivity disorder: a tract-based spatial statistics study. <i>Acta Radiologica</i> , 2015 , 56, 990-6	2	7
15	Body mass index and brain white matter structure in young adults at risk for psychosis - The Oulu Brain and Mind Study. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 169-76	2.9	7
14	Structure-symptom relationship with wide-area ultrasound scanning of knee osteoarthritis. <i>Scientific Reports</i> , 2017 , 7, 44470	4.9	6
13	White matter structure in young adults with familial risk for psychosis - The Oulu Brain and Mind Study. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 388-93	2.9	6
12	Reading, listening and memory-related brain activity in children with early-stage temporal lobe epilepsy of unknown cause-an fMRI study. <i>European Journal of Paediatric Neurology</i> , 2015 , 19, 561-71	3.8	6
11	Quantitative MRI of Human Cartilage In Vivo: Relationships with Arthroscopic Indentation Stiffness and Defect Severity. <i>Cartilage</i> , 2018 , 9, 46-54	3	4
10	The Effect of Zoledronic Acid on Serum Biomarkers among Patients with Chronic Low Back Pain and Modic Changes in Lumbar Magnetic Resonance Imaging. <i>Diagnostics</i> , 2019 , 9,	3.8	4
9	Does bone scintigraphy show Modic changes associated with increased bone turnover?. <i>European Journal of Radiology Open</i> , 2020 , 7, 100222	2.6	3
8	On applicability of PCA, voxel-wise variance normalization and dimensionality assumptions for sliding temporal window sICA in resting-state fMRI. <i>Magnetic Resonance Imaging</i> , 2013 , 31, 1338-48	3.3	2
7	T -weighted magnetic resonance imaging texture as predictor of low back pain: A texture analysis-based classification pipeline to symptomatic and asymptomatic cases. <i>Journal of Orthopaedic Research</i> , 2021 , 39, 2428-2438	3.8	2
6	Slow vasomotor fluctuation in fMRI of anesthetized child brain 2000 , 44, 373		2
5	Magnetic resonance imaging-guided biopsies in children. <i>Acta Radiologica Open</i> , 2021 , 10, 2058460121	10538	461
4	Co-activation pattern alterations in autism spectrum disorder-A volume-wise hierarchical clustering fMRI study. <i>Brain and Behavior</i> , 2021 , 11, e02174	3.4	1
3	The effect of interventions on appropriate use of lumbar spine radiograph and CT examinations in young adults and children: a three-year follow-up. <i>Acta Radiologica</i> , 2020 , 61, 1042-1049	2	О

LIST OF PUBLICATIONS

Magnetic resonance imaging of avascular necrosis of the femoral head: predictive findings of total hip arthroplasty.. *Acta Radiologica Open*, **2021**, 10, 20584601211008379

1.2 O

Discrepancies in interpretation of night-time emergency computed tomography scans by radiology residents. *Acta Radiologica Open*, **2018**, 7, 2058460118807234

1.2 C