

Osmo Tervonen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11302751/osmo-tervonen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

5,634
citations

41
h-index

74
g-index

93
ext. papers

6,477
ext. citations

4.3
avg, IF

4.94
L-index

#	Paper	IF	Citations
91	Magnetic resonance imaging-guided biopsies in children. <i>Acta Radiologica Open</i> , 2021 , 10, 20584601211053846	10.5	346
90	A new immunometabolic perspective of intervertebral disc degeneration. <i>Nature Reviews Rheumatology</i> , 2021 ,	8.1	12
89	Magnetic resonance imaging of avascular necrosis of the femoral head: predictive findings of total hip arthroplasty.. <i>Acta Radiologica Open</i> , 2021 , 10, 20584601211008379	1.2	0
88	Co-activation pattern alterations in autism spectrum disorder-A volume-wise hierarchical clustering fMRI study. <i>Brain and Behavior</i> , 2021 , 11, e02174	3.4	1
87	T-weighted magnetic resonance imaging texture as predictor of low back pain: A texture analysis-based classification pipeline to symptomatic and asymptomatic cases. <i>Journal of Orthopaedic Research</i> , 2021 , 39, 2428-2438	3.8	2
86	The variability of functional MRI brain signal increases in Alzheimer's disease at cardiorespiratory frequencies. <i>Scientific Reports</i> , 2020 , 10, 21559	4.9	12
85	Does bone scintigraphy show Modic changes associated with increased bone turnover?. <i>European Journal of Radiology Open</i> , 2020 , 7, 100222	2.6	3
84	The effect of interventions on appropriate use of lumbar spine radiograph and CT examinations in young adults and children: a three-year follow-up. <i>Acta Radiologica</i> , 2020 , 61, 1042-1049	2	0
83	Association Between Modic Changes and Low Back Pain in Middle Age: A Northern Finland Birth Cohort Study. <i>Spine</i> , 2020 , 45, 1360-1367	3.3	16
82	The Effect of Zoledronic Acid on Serum Biomarkers among Patients with Chronic Low Back Pain and Modic Changes in Lumbar Magnetic Resonance Imaging. <i>Diagnostics</i> , 2019 , 9,	3.8	4
81	Quantitative MRI of Human Cartilage In Vivo: Relationships with Arthroscopic Indentation Stiffness and Defect Severity. <i>Cartilage</i> , 2018 , 9, 46-54	3	4
80	Discrepancies in interpretation of night-time emergency computed tomography scans by radiology residents. <i>Acta Radiologica Open</i> , 2018 , 7, 2058460118807234	1.2	0
79	Fluctuations of the EEG-fMRI correlation reflect intrinsic strength of functional connectivity in default mode network. <i>Journal of Neuroscience Research</i> , 2018 , 96, 1689-1698	4.4	12
78	Combined spatiotemporal ICA (stICA) for continuous and dynamic lag structure analysis of MREG data. <i>NeuroImage</i> , 2017 , 148, 352-363	7.9	11
77	Structure-symptom relationship with wide-area ultrasound scanning of knee osteoarthritis. <i>Scientific Reports</i> , 2017 , 7, 44470	4.9	6
76	The effect of zoledronic acid on type and volume of Modic changes among patients with low back pain. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 274	2.8	11
75	Justification and active guideline implementation for spine radiography referrals in primary care. <i>Acta Radiologica</i> , 2017 , 58, 586-592	2	16

74	Real-time monitoring of human blood-brain barrier disruption. <i>PLoS ONE</i> , 2017 , 12, e0174072	3.7	31
73	MRI-guidance in percutaneous core decompression of osteonecrosis of the femoral head. <i>European Radiology</i> , 2016 , 26, 1180-5	8	13
72	Body mass index and brain white matter structure in young adults at risk for psychosis - The Oulu Brain and Mind Study. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 169-76	2.9	7
71	Attention and Working Memory in Adolescents with Autism Spectrum Disorder: A Functional MRI Study. <i>Child Psychiatry and Human Development</i> , 2016 , 47, 503-17	3.3	16
70	Effect of display type, DICOM calibration and room illuminance in bitewing radiographs. <i>Dentomaxillofacial Radiology</i> , 2016 , 45, 20150129	3.9	10
69	Information about radiation dose and risks in connection with radiological examinations: what patients would like to know. <i>European Radiology</i> , 2016 , 26, 436-43	8	17
68	Comparison of Diagnostic Performance of Semi-Quantitative Knee Ultrasound and Knee Radiography with MRI: Oulu Knee Osteoarthritis Study. <i>Scientific Reports</i> , 2016 , 6, 22365	4.9	42
67	Aberrant Functional Connectivity in the Default Mode and Central Executive Networks in Subjects with Schizophrenia - A Whole-Brain Resting-State ICA Study. <i>Frontiers in Psychiatry</i> , 2015 , 6, 26	5	35
66	White matter structure in young adults with familial risk for psychosis - The Oulu Brain and Mind Study. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 388-93	2.9	6
65	DTI abnormalities in adults with past history of attention deficit hyperactivity disorder: a tract-based spatial statistics study. <i>Acta Radiologica</i> , 2015 , 56, 990-6	2	7
64	Reading, listening and memory-related brain activity in children with early-stage temporal lobe epilepsy of unknown cause-an fMRI study. <i>European Journal of Paediatric Neurology</i> , 2015 , 19, 561-71	3.8	6
63	Infra-slow EEG fluctuations are correlated with resting-state network dynamics in fMRI. <i>Journal of Neuroscience</i> , 2014 , 34, 356-62	6.6	139
62	Efficacy of zoledronic acid for chronic low back pain associated with Modic changes in magnetic resonance imaging. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 64	2.8	29
61	MRI-guided laser ablation of neuroendocrine tumor hepatic metastases. <i>Acta Radiologica Short Reports</i> , 2014 , 3, 2047981613499753		8
60	Altered resting-state activity in seasonal affective disorder. <i>Human Brain Mapping</i> , 2014 , 35, 161-72	5.9	26
59	Comparison of consumer grade, tablet and 6MP-displays: observer performance in detection of anatomical and pathological structures in panoramic radiographs. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014 , 118, 135-41	2	13
58	Longitudinal changes in total brain volume in schizophrenia: relation to symptom severity, cognition and antipsychotic medication. <i>PLoS ONE</i> , 2014 , 9, e101689	3.7	68
57	Body mass index is associated with lumbar disc degeneration in young Finnish males: subsample of Northern Finland birth cohort study 1986. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 87	2.8	18

56	On applicability of PCA, voxel-wise variance normalization and dimensionality assumptions for sliding temporal window sICA in resting-state fMRI. <i>Magnetic Resonance Imaging</i> , 2013 , 31, 1338-48	3.3	2
55	GroupICA dual regression analysis of resting state networks in a behavioral variant of frontotemporal dementia. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 461	3.3	54
54	Resting state fMRI reveals a default mode dissociation between retrosplenial and medial prefrontal subnetworks in ASD despite motion scrubbing. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 802	3.3	60
53	Association of abdominal obesity with lumbar disc degeneration--a magnetic resonance imaging study. <i>PLoS ONE</i> , 2013 , 8, e56244	3.7	58
52	Connectivity disruptions in resting-state functional brain networks in children with temporal lobe epilepsy. <i>Epilepsy Research</i> , 2012 , 100, 168-78	3	38
51	Human Heart Pulse Wave Responses Measured Simultaneously at Several Sensor Placements by Two MR-Compatible Fibre Optic Methods. <i>Journal of Sensors</i> , 2012 , 2012, 1-8	2	10
50	Valence scaling of dynamic facial expressions is altered in high-functioning subjects with autism spectrum disorders: an fMRI study. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 1011-24	4.6	16
49	Association of modic changes, Schmorl's nodes, spondylolytic defects, high-intensity zone lesions, disc herniations, and radial tears with low back symptom severity among young Finnish adults. <i>Spine</i> , 2012 , 37, 1231-9	3.3	57
48	Effects of repeatability measures on results of fMRI sICA: a study on simulated and real resting-state effects. <i>NeuroImage</i> , 2011 , 56, 554-69	7.9	23
47	A sliding time-window ICA reveals spatial variability of the default mode network in time. <i>Brain Connectivity</i> , 2011 , 1, 339-47	2.7	188
46	Group-ICA Model Order Highlights Patterns of Functional Brain Connectivity. <i>Frontiers in Systems Neuroscience</i> , 2011 , 5, 37	3.5	86
45	Does lumbar disc degeneration on magnetic resonance imaging associate with low back symptom severity in young Finnish adults?. <i>Spine</i> , 2011 , 36, 2180-9	3.3	131
44	Assessment of association between low back pain and paraspinal muscle atrophy using opposed-phase magnetic resonance imaging: a population-based study among young adults. <i>Spine</i> , 2011 , 36, 1961-8	3.3	67
43	Alterations in regional homogeneity of baseline brain activity in pediatric temporal lobe epilepsy. <i>Brain Research</i> , 2011 , 1373, 221-9	3.7	69
42	Genetic susceptibility of intervertebral disc degeneration among young Finnish adults. <i>BMC Medical Genetics</i> , 2011 , 12, 153	2.1	61
41	Directional connectivity of resting state human fMRI data using cascaded ICA-PDC analysis. <i>Acta Radiologica</i> , 2011 , 52, 1037-42	2	9
40	White matter in autism spectrum disorders - evidence of impaired fiber formation. <i>Acta Radiologica</i> , 2011 , 52, 1169-74	2	46
39	Age-Related Differences in Functional Nodes of the Brain Cortex - A High Model Order Group ICA Study. <i>Frontiers in Systems Neuroscience</i> , 2010 , 4,	3.5	25

38	The effect of model order selection in group PICA. <i>Human Brain Mapping</i> , 2010 , 31, 1207-16	5.9	251
37	Alterations in regional homogeneity of resting-state brain activity in autism spectrum disorders. <i>Brain Research</i> , 2010 , 1321, 169-79	3.7	209
36	Correction of low-frequency physiological noise from the resting state BOLD fMRI--Effect on ICA default mode analysis at 1.5 T. <i>Journal of Neuroscience Methods</i> , 2010 , 186, 179-85	3	26
35	Functional segmentation of the brain cortex using high model order group PICA. <i>Human Brain Mapping</i> , 2009 , 30, 3865-86	5.9	280
34	Association of lumbar artery narrowing, degenerative changes in disc and endplate and apparent diffusion in disc on postcontrast enhancement of lumbar intervertebral disc. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2009 , 22, 101-9	2.8	11
33	Preoperative localization of the sensorimotor area using independent component analysis of resting-state fMRI. <i>Magnetic Resonance Imaging</i> , 2009 , 27, 733-40	3.3	98
32	Modic changes in vertebral endplates: a comparison of MR imaging and multislice CT. <i>Skeletal Radiology</i> , 2009 , 38, 141-7	2.7	43
31	Prevalence of degenerative imaging findings in lumbar magnetic resonance imaging among young adults. <i>Spine</i> , 2009 , 34, 1716-21	3.3	118
30	Are the determinants of vertebral endplate changes and severe disc degeneration in the lumbar spine the same? A magnetic resonance imaging study in middle-aged male workers. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 51	2.8	49
29	Genetic factors are associated with modic changes in endplates of lumbar vertebral bodies. <i>Spine</i> , 2008 , 33, 1236-41	3.3	49
28	Persistent default-mode network connectivity during light sedation. <i>Human Brain Mapping</i> , 2008 , 29, 839-47	5.9	433
27	Occupational and genetic risk factors associated with intervertebral disc disease. <i>Spine</i> , 2007 , 32, 1129-34	3.3	65
26	Modic changes in endplates of lumbar vertebral bodies: prevalence and association with low back and sciatic pain among middle-aged male workers. <i>Spine</i> , 2007 , 32, 1116-22	3.3	186
25	A three-year follow-up of lumbar spine endplate (Modic) changes. <i>Spine</i> , 2006 , 31, 1714-8	3.3	149
24	The effect of infliximab, a monoclonal antibody against TNF-alpha, on disc herniation resorption: a randomized controlled study. <i>Spine</i> , 2006 , 31, 2641-5	3.3	18
23	Determinants of spontaneous resorption of intervertebral disc herniations. <i>Spine</i> , 2006 , 31, 1247-52	3.3	113
22	The treatment of disc-herniation-induced sciatica with infliximab: one-year follow-up results of FIRST II, a randomized controlled trial. <i>Spine</i> , 2006 , 31, 2759-66	3.3	124
21	Interventional and intraoperative MRI at low field scanner--a review. <i>European Journal of Radiology</i> , 2005 , 56, 130-42	4.7	47

20	Midazolam sedation increases fluctuation and synchrony of the resting brain BOLD signal. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 531-7	3.3	118
19	Separation of physiological very low frequency fluctuation from aliasing by switched sampling interval fMRI scans. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 41-6	3.3	33
18	Comparison of methods for detecting nondeterministic BOLD fluctuation in fMRI. <i>Magnetic Resonance Imaging</i> , 2004 , 22, 197-203	3.3	42
17	Efficacy of infliximab for disc herniation-induced sciatica: one-year follow-up. <i>Spine</i> , 2004 , 29, 2115-9	3.3	89
16	Effect of periradicular methylprednisolone on spontaneous resorption of intervertebral disc herniations. <i>Spine</i> , 2004 , 29, 1601-7	3.3	23
15	Radiologic phenotypes in lumbar MR imaging for a gene defect in the COL9A3 gene of type IX collagen. <i>Radiology</i> , 2003 , 227, 143-8	20.5	31
14	Tumor Necrosis Factor- α Monoclonal Antibody, Infliximab, Used to Manage Severe Sciatica. <i>Spine</i> , 2003 , 28, 750-753	3.3	60
13	Independent component analysis of nondeterministic fMRI signal sources. <i>NeuroImage</i> , 2003 , 19, 253-607.9		303
12	Tumor necrosis factor-alpha monoclonal antibody, infliximab, used to manage severe sciatica. <i>Spine</i> , 2003 , 28, 750-3; discussion 753-4	3.3	49
11	Magnetic resonance imaging findings in relation to the COL9A2 tryptophan allele among patients with sciatica. <i>Spine</i> , 2002 , 27, 78-83	3.3	41
10	Gadolinium diethylenetriaminepentaacetic acid enhancement in magnetic resonance imaging in relation to symptoms and signs among sciatic patients: a cross-sectional study. <i>Spine</i> , 2002 , 27, 1433-7	3.3	18
9	Correlation of diffusion in lumbar intervertebral disks with occlusion of lumbar arteries: a study in adult volunteers. <i>Radiology</i> , 2001 , 221, 779-86	20.5	75
8	Periradicular infiltration for sciatica: a randomized controlled trial. <i>Spine</i> , 2001 , 26, 1059-67	3.3	255
7	Cost effectiveness of periradicular infiltration for sciatica: subgroup analysis of a randomized controlled trial. <i>Spine</i> , 2001 , 26, 2587-95	3.3	82
6	Severity of symptoms and signs in relation to magnetic resonance imaging findings among sciatic patients. <i>Spine</i> , 2001 , 26, E149-54	3.3	56
5	Slow vasomotor fluctuation in fMRI of anesthetized child brain. <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 373-8	4.4	145
4	Apparent diffusion coefficient in thoracolumbar intervertebral discs of healthy young volunteers. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 255-60	5.6	38
3	Slow vasomotor fluctuation in fMRI of anesthetized child brain 2000 , 44, 373		2

- | | | | |
|---|--|------|-----|
| 2 | MR imaging in tibial shaft fractures. A potential method for early visualization of delayed union. <i>Acta Radiologica</i> , 1999 , 40, 410-4 | 2 | 8 |
| 1 | An allele of COL9A2 associated with intervertebral disc disease. <i>Science</i> , 1999 , 285, 409-12 | 33.3 | 294 |