

Constance M John

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11307587/publications.pdf>

Version: 2024-02-01

35
papers

1,347
citations

448610

19
h-index

406436

35
g-index

35
all docs

35
docs citations

35
times ranked

1965
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Novel small molecules that increase the susceptibility of <i>Neisseria gonorrhoeae</i> to cationic antimicrobial peptides by inhibiting lipid A phosphoethanolamine transferase. <i>Journal of Antimicrobial Chemotherapy</i> , 2022, 77, 2441-2447. | 1.3 | 4 |
| 2 | Predominant phosphorylation patterns in <i>Neisseria meningitidis</i> lipid A determined by top-down MS/MS. <i>Journal of Lipid Research</i> , 2020, 61, 1437-1449. | 2.0 | 4 |
| 3 | The chimera-type galectin-3 is a positive modulator of trophoblast functions with dysregulated expression in gestational diabetes mellitus. <i>American Journal of Reproductive Immunology</i> , 2020, 84, e13311. | 1.2 | 17 |
| 4 | Cationic cell-penetrating peptide is bactericidal against <i>Neisseria gonorrhoeae</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 3245-3251. | 1.3 | 12 |
| 5 | Isolation of human testicular cells and co-culture with embryonic stem cells. <i>Reproduction</i> , 2018, 155, 151-164. | 1.1 | 14 |
| 6 | Novel <i>Campylobacter concisus</i> lipooligosaccharide is a determinant of inflammatory potential and virulence. <i>Journal of Lipid Research</i> , 2018, 59, 1893-1905. | 2.0 | 4 |
| 7 | Treatment of human challenge and MDR strains of <i>Neisseria gonorrhoeae</i> with LpxC inhibitors. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 2064-2071. | 1.3 | 8 |
| 8 | Structure of a lipid A phosphoethanolamine transferase suggests how conformational changes govern substrate binding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 2218-2223. | 3.3 | 113 |
| 9 | Innate immune response to lipooligosaccharide: pivotal regulator of the pathobiology of invasive <i>Neisseria meningitidis</i> infections. <i>Pathogens and Disease</i> , 2017, 75, . | 0.8 | 13 |
| 10 | Rescue of PFOS-induced human Sertoli cell injury by overexpressing a p-FAK-Y407E phosphomimetic mutant. <i>Scientific Reports</i> , 2017, 7, 15810. | 1.6 | 25 |
| 11 | Analysis of Bacterial Lipooligosaccharides by MALDI-TOF MS with Traveling Wave Ion Mobility. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 1263-1276. | 1.2 | 15 |
| 12 | Lipooligosaccharide Structures of Invasive and Carrier Isolates of <i>Neisseria meningitidis</i> Are Correlated with Pathogenicity and Carriage. <i>Journal of Biological Chemistry</i> , 2016, 291, 3224-3238. | 1.6 | 17 |
| 13 | Environmental toxicants perturb human Sertoli cell adhesive function via changes in F-actin organization mediated by actin regulatory proteins. <i>Human Reproduction</i> , 2014, 29, 1279-1291. | 0.4 | 81 |
| 14 | Induction of Endotoxin Tolerance by Pathogenic <i>Neisseria</i> Is Correlated with the Inflammatory Potential of Lipooligosaccharides and Regulated by MicroRNA-146a. <i>Journal of Immunology</i> , 2014, 192, 1768-1777. | 0.4 | 26 |
| 15 | Pharmacological Inhibition of Platelet-Tumor Cell Cross-Talk Prevents Platelet-Induced Overexpression of Cyclooxygenase-2 in HT29 Human Colon Carcinoma Cells. <i>Molecular Pharmacology</i> , 2013, 84, 25-40. | 1.0 | 98 |
| 16 | Post-injury conditioning with lipopolysaccharide or lipooligosaccharide reduces inflammation in the brain. <i>Journal of Neuroimmunology</i> , 2013, 256, 28-37. | 1.1 | 8 |
| 17 | <i>Campylobacter jejuni</i> Lipooligosaccharide Sialylation, Phosphorylation, and Amide/Ester Linkage Modifications Fine-tune Human Toll-like Receptor 4 Activation. <i>Journal of Biological Chemistry</i> , 2013, 288, 19661-19672. | 1.6 | 40 |
| 18 | Lack of Lipid A Pyrophosphorylation and Functional <i>lptA</i> Reduces Inflammation by <i>Neisseria</i> Commensals. <i>Infection and Immunity</i> , 2012, 80, 4014-4026. | 1.0 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Post-injury treatment with lipopolysaccharide or lipooligosaccharide protects rat neuronal and glial cell cultures. <i>Brain Research Bulletin</i> , 2011, 85, 403-409. | 1.4 | 18 |
| 20 | Galectin-3C Inhibits Tumor Growth and Increases the Anticancer Activity of Bortezomib in a Murine Model of Human Multiple Myeloma. <i>PLoS ONE</i> , 2011, 6, e21811. | 1.1 | 56 |
| 21 | Characterization and Functionality of Proliferative Human Sertoli Cells. <i>Cell Transplantation</i> , 2011, 20, 619-635. | 1.2 | 108 |
| 22 | Human Lipooligosaccharide IGG That Prevents Endemic Meningococcal Disease Recognizes an Internal Lacto-N-neotetraose Structure. <i>Journal of Biological Chemistry</i> , 2011, 286, 43622-43633. | 1.6 | 8 |
| 23 | Human galectin-3 interacts with two anticancer drugs. <i>Proteomics</i> , 2010, 10, 1946-1953. | 1.3 | 11 |
| 24 | Phosphoryl Moieties of Lipid A from <i>Neisseria meningitidis</i> and <i>N. gonorrhoeae</i> Lipooligosaccharides Play an Important Role in Activation of Both MyD88- and TRIF-Dependent TLR4-MD-2 Signaling Pathways. <i>Journal of Immunology</i> , 2010, 185, 6974-6984. | 0.4 | 56 |
| 25 | Natural Phosphoryl and Acyl Variants of Lipid A from <i>Neisseria meningitidis</i> Strain 89I Differentially Induce Tumor Necrosis Factor- α in Human Monocytes. <i>Journal of Biological Chemistry</i> , 2009, 284, 21515-21525. | 1.6 | 33 |
| 26 | Profiles of structural heterogeneity in native lipooligosaccharides of <i>Neisseria</i> and cytokine induction. <i>Journal of Lipid Research</i> , 2009, 50, 424-438. | 2.0 | 43 |
| 27 | Suitability of allogeneic sertoli cells for ex vivo gene delivery in the injured spinal cord. <i>Experimental Neurology</i> , 2006, 198, 88-100. | 2.0 | 10 |
| 28 | Activation of Toll-Like Receptor 2 (TLR2) and TLR4/MD2 by <i>Neisseria</i> Is Independent of Capsule and Lipooligosaccharide (LOS) Sialylation but Varies Widely among LOS from Different Strains. <i>Infection and Immunity</i> , 2003, 71, 3901-3908. | 1.0 | 65 |
| 29 | Truncated galectin-3 inhibits tumor growth and metastasis in orthotopic nude mouse model of human breast cancer. <i>Clinical Cancer Research</i> , 2003, 9, 2374-83. | 3.2 | 91 |
| 30 | Galectin-3 binds lactosaminylated lipooligosaccharides from <i>Neisseria gonorrhoeae</i> and is selectively expressed by mucosal epithelial cells that are infected. <i>Cellular Microbiology</i> , 2002, 4, 649-662. | 1.1 | 62 |
| 31 | <i>Neisseria gonorrhoeae</i> That Infect Men Have Lipooligosaccharides with Terminal N-Acetylglucosamine Repeats. <i>Journal of Biological Chemistry</i> , 1999, 274, 1017-1025. | 1.6 | 36 |
| 32 | Characterization of a sialyltransferase-deficient mutant of <i>Neisseria gonorrhoeae</i> strain F62: instability of transposon Tn1545 β 3 in gonococci and evidence that multiple genetic loci are essential for lipooligosaccharide sialylation. <i>Microbial Pathogenesis</i> , 1998, 25, 237-252. | 1.3 | 9 |
| 33 | Characterization of bacterial lipooligosaccharides by delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 1997, 8, 645-658. | 1.2 | 78 |
| 34 | Structural models for the cell surface Lipooligosaccharides of <i>Neisseria gonorrhoeae</i> and <i>Haemophilus influenzae</i> . <i>Biological Mass Spectrometry</i> , 1990, 19, 731-745. | 0.5 | 92 |
| 35 | Amino and hydrazino alkyl benzoates as derivatizing agents for the separation and mass spectrometric analysis of oligosaccharides from bacterial lipooligosaccharides. <i>Analytical Biochemistry</i> , 1990, 187, 281-291. | 1.1 | 24 |